

Monday, 5 August 2019

The General Manager
Central Coast Council
PO Box 220
ULVERSTONE TAS 7315
admin@centralcoast.tas.gov.au

Laurence Rickards
22 Bannons Bridge Rd
Gunns Plains, 7315
PID: 6762882

CENTRAL COAST COUNCIL
Division Plan - Mary - Ann
Rec'd **08 AUG 2019**
File No
Doc. Id

To the Central Coast Council General Manager,

My property 6762882 PID should be considered for inclusion under the Landscape Conservation Zone in the proposed State-wide Tasmanian Planning Scheme. This is to ensure that compatible use or development does not adversely impact on the protection, conservation and management of landscape values on this and surrounding properties.

This property has identifiable conservation values that include:

- Extensive, connected bushland areas,
- large areas of native vegetation,
- other areas of locally or regionally important native vegetation including *Eucalyptus viminalis*,
- areas of important scenic values,
- threatened native vegetation communities including rare fern species,
- threatened species, e.g. grey goshawk, wedgetail eagle, freshwater lobster
- habitat and or refuge for threatened species (as above)
- important corridor habitat - Dial Range, connected to Crownland forest, Leven River
- links to existing reserves (as above)
- has natural areas that are stepping stones and/or refuge for wildlife (as above)
- river frontage or links to waterways and catchment services

Yours sincerely,

Signature
Laurence Rickards



Please see attached Natural Values Report to support this change.

Natural Values Atlas Report

Authoritative, comprehensive information on Tasmania's natural values.

Reference: Rickards

Requested For: Peter Stronach

Report Type: Summary Report

Timestamp: 08:03:19 PM Monday 05 August 2019

Threatened Flora: buffers Min: 500m Max: 5000m

Threatened Fauna: buffers Min: 500m Max: 5000m

Raptors: buffers Min: 500m Max: 5000m

Tasmanian Weed Management Act Weeds: buffers Min: 500m Max: 5000m

Priority Weeds: buffers Min: 500m Max: 5000m

Geoconservation: buffer 1000m

Acid Sulfate Soils: buffer 1000m

TASVEG: buffer 1000m

Threatened Communities: buffer 1000m

Fire History: buffer 1000m

Tasmanian Reserve Estate: buffer 1000m

Biosecurity Risks: buffer 1000m




The centroid for this query GDA94: **423776.0, 5434559.0** falls within:

Property: 6762882

*** No threatened flora found within 500 metres ***

Threatened flora within 5000 metres

428044, 5439938



419546, 5429197

Please note that some layers may not display at all requested map scales

Threatened flora within 5000 metres

Legend: Verified and Unverified observations

- Point Verified

■ Polygon Verified
- Point Unverified

■ Polygon Unverified
- ▬ Line Verified

▬ Line Unverified

Legend: Cadastral Parcels



Threatened flora within 5000 metres

Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Blechnum spinulosum</i>	small raspfern	e		n	2	01-Jul-2008
<i>Epilobium pallidiflorum</i>	showy willowherb	r		n	2	31-Mar-2012
<i>Persicaria decipiens</i>	slender waterpepper	v		n	1	04-Apr-1995

Unverified Records

No unverified records were found!

For more information about threatened species, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: ThreatenedSpecies.Enquiries@dpipwe.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Threatened fauna within 500 metres

424611, 5435413



422991, 5433712

Please note that some layers may not display at all requested map scales

Threatened fauna within 500 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

— Line Verified

— Line Unverified

■ Polygon Verified

■ Polygon Unverified

Legend: Cadastral Parcels



Threatened fauna within 500 metres

Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Dasyurus maculatus</i>	spotted-tail quoll	r	VU	n	1	20-Sep-2014

Unverified Records

No unverified records were found!

Threatened fauna within 500 metres

(based on Range Boundaries)

Species	Common Name	SS	NS	BO	Potential	Known	Core
<i>Astacopsis gouldi</i>	giant freshwater crayfish	v	VU	e	1	0	0
<i>Litoria raniformis</i>	green and gold frog	v	VU	n	1	0	0
<i>Pseudemoia pagenstecheri</i>	tussock skink	v		n	1	0	0
<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	e	EN	e	1	0	0
<i>Ceyx azureus subsp. diemenensis</i>	Tasmanian azure kingfisher	e	EN	e	0	0	1
<i>Limnodynastes peroni</i>	striped marsh frog	e		n	1	0	0
<i>Tyto novaehollandiae subsp. castanops</i>	masked owl (tasmanian)	e	VU	e	1	0	1
<i>Oreisplanus munionga subsp. larana</i>	marawah skipper	e	VU	ae	1	0	0
<i>Dasyurus maculatus subsp. maculatus</i>	spotted-tail quoll	r	VU	n	1	0	0
<i>Dasyurus viverrinus</i>	eastern quoll		EN	n	0	0	1
<i>Lathamus discolor</i>	swift parrot	e	CR	mbe	1	0	0
<i>Accipiter novaehollandiae</i>	grey goshawk	e		n	1	0	1
<i>Sarcophilus harrisii</i>	tasmanian devil	e	EN	e	1	0	0
<i>Prototroctes maraena</i>	australian grayling	v	VU	ae	1	0	0
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		n	2	0	0

For more information about threatened species, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: ThreatenedSpecies.Enquiries@dpipwe.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Threatened fauna within 5000 metres

428044, 5439938



419546, 5429197

Please note that some layers may not display at all requested map scales

Threatened fauna within 5000 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

— Line Verified

— Line Unverified

■ Polygon Verified

■ Polygon Unverified

Legend: Cadastral Parcels



Threatened fauna within 5000 metres

Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Accipiter novaehollandiae</i>	grey goshawk	e		n	8	31-Oct-2001
<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	e	EN	e	7	21-Sep-2006
<i>Astacopsis gouldi</i>	giant freshwater crayfish	v	VU	e	13	23-Nov-2015
<i>Beddomeia averti</i>	hydrobiid snail (west gawler)	e		eH	5	30-Mar-2009
<i>Dasyurus maculatus</i>	spotted-tail quoll	r	VU	n	3	02-Feb-2019
<i>Dasyurus maculatus subsp. maculatus</i>	spotted-tail quoll	r	VU	n	6	01-Jul-1996
<i>Dasyurus viverrinus</i>	eastern quoll		EN	n	1	04-Aug-1997
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		n	1	31-Aug-1978
<i>Hirundapus caudacutus</i>	white-throated needletail		VU	n	3	28-Feb-1981
<i>Lathamus discolor</i>	swift parrot	e	CR	mbe	5	30-Nov-1980
<i>Perameles gunnii</i>	eastern barred bandicoot		VU	n	1	02-Aug-2018
<i>Prototroctes maraena</i>	australian grayling	v	VU	ae	3	13-Oct-1987
<i>Sarcophilus harrisii</i>	tasmanian devil	e	EN	e	5	03-Jan-2019
<i>Tyto novaehollandiae</i>	masked owl	pe	PVU	n	5	31-Aug-1981

Unverified Records

No unverified records were found!

Threatened fauna within 5000 metres

(based on Range Boundaries)

Species	Common Name	SS	NS	BO	Potential	Known	Core
<i>Astacopsis gouldi</i>	giant freshwater crayfish	v	VU	e	1	0	0
<i>Litoria raniformis</i>	green and gold frog	v	VU	n	1	0	0
<i>Beddomeia averti</i>	hydrobiid snail (west gawler)	e		eH	1	1	0
<i>Pseudemoia pagenstecheri</i>	tussock skink	v		n	1	0	0
<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	e	EN	e	1	0	0
<i>Ceyx azureus subsp. diemenensis</i>	Tasmanian azure kingfisher	e	EN	e	0	0	1
<i>Limnodynastes peroni</i>	striped marsh frog	e		n	1	0	0
<i>Tyto novaehollandiae subsp. castanops</i>	masked owl (tasmanian)	e	VU	e	1	0	1
<i>Oreisplanus munionga subsp. larana</i>	marrawah skipper	e	VU	ae	1	0	0
<i>Dasyurus maculatus subsp. maculatus</i>	spotted-tail quoll	r	VU	n	1	0	5
<i>Perameles gunnii</i>	eastern barred bandicoot		VU	n	1	0	0
<i>Dasyurus viverrinus</i>	eastern quoll		EN	n	0	0	1
<i>Lathamus discolor</i>	swift parrot	e	CR	mbe	1	0	0
<i>Accipiter novaehollandiae</i>	grey goshawk	e		n	1	0	1
<i>Sarcophilus harrisii</i>	tasmanian devil	e	EN	e	1	0	0
<i>Prototroctes maraena</i>	australian grayling	v	VU	ae	1	0	0
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		n	2	0	0

For more information about threatened species, please contact Threatened Species Enquiries.

Telephone: 1300 368 550

Email: ThreatenedSpecies.Enquiries@dpiwre.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

***** No Raptor nests or sightings found within 500 metres. *****

Raptor nests and sightings within 5000 metres

428044, 5439938



419546, 5429197

Please note that some layers may not display at all requested map scales

Raptor nests and sightings within 5000 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

— Line Verified

— Line Unverified

■ Polygon Verified

■ Polygon Unverified

Legend: Cadastral Parcels



Raptor nests and sightings within 5000 metres

Verified Records

Nest Id/Location Foreign Id	Species	Common Name	Obs Type	Observation Count	Last Recorded
1061	Accipiter novaehollandiae	grey goshawk	Nest	1	31-Oct-2001
1377	Aquila audax subsp. fleayi	tasmanian wedge-tailed eagle	Nest	2	21-Sep-2006
	Accipiter novaehollandiae	grey goshawk	Sighting	7	31-Aug-1981
	Aquila audax subsp. fleayi	tasmanian wedge-tailed eagle	Sighting	5	28-Feb-1981
	Falco longipennis	australian hobby	Sighting	4	28-Feb-1981
	Falco peregrinus	peregrine falcon	Sighting	2	30-Nov-1980
	Haliaeetus leucogaster	white-bellied sea-eagle	Sighting	1	31-Aug-1978
	Tyto novaehollandiae	masked owl	Sighting	5	31-Aug-1981

Unverified Records

No unverified records were found!

Raptor nests and sightings within 5000 metres (based on Range Boundaries)

Species	Common Name	SS	NS	Potential	Known	Core
Aquila audax subsp. fleayi	tasmanian wedge-tailed eagle	e	EN	1	0	0
Haliaeetus leucogaster	white-bellied sea-eagle	v		2	0	0
Accipiter novaehollandiae	grey goshawk	e		1	0	1

For more information about raptor nests, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: ThreatenedSpecies.Enquiries@dpiwwe.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Tas Management Act Weeds within 500 m

424611, 5435413



422991, 5433712

Please note that some layers may not display at all requested map scales

Tas Management Act Weeds within 500 m

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

— Line Verified

— Line Unverified

■ Polygon Verified

■ Polygon Unverified

Legend: Cadastral Parcels



Tas Management Act Weeds within 500 m

Verified Records

Species	Common Name	Observation Count	Last Recorded
Echium vulgare	vipers bugloss	1	01-Jan-0001


Unverified Records

For more information about introduced weed species, please visit the following URL for contact details in your area:

<http://dipwwe.tas.gov.au/invasive-species/weeds>

Tas Management Act Weeds within 5000 m

428044, 5439938



419546, 5429197

Please note that some layers may not display at all requested map scales

Tas Management Act Weeds within 5000 m

Legend: Verified and Unverified observations

- Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified
- Polygon Verified

■ Polygon Unverified

Legend: Cadastral Parcels



Tas Management Act Weeds within 5000 m

Verified Records

Species	Common Name	Observation Count	Last Recorded
Cortaderia jubata	pink pampasgrass	1	01-Jun-2013
Cytisus scoparius	english broom	1	04-Apr-1995
Echium vulgare	vipers bugloss	1	01-Jan-0001
Genista monspessulana	montpellier broom	1	04-Apr-1995
Leycesteria formosa	himalayan honeysuckle	2	19-Aug-2010
Rubus fruticosus	blackberry	9	19-Aug-2010
Salix cinerea subsp. oleifolia	rusty willow	1	01-Nov-2004
Salix x fragilis nothovar. fragilis	crack willow	1	01-Nov-2004
Senecio jacobaea	ragwort	6	01-Nov-2004
Ulex europaeus	gorse	1	01-Jun-2013

Unverified Records

For more information about introduced weed species, please visit the following URL for contact details in your area:

<http://dpiwwe.tas.gov.au/invasive-species/weeds>

*** No Priority Weeds found within 500 metres ***

*** No Priority Weeds found within 5000 metres ***

*** No Geoconservation sites found within 1000 metres. ***

*** No Acid Sulfate Soils found within 1000 metres ***

TASVEG 3.0 Communities within 1000 metres

424992, 5435916



422608, 5433211






























































Please note that some layers may not display at all requested map scales

TASVEG 3.0 Communities within 1000 metres












































Legend: TASVEG 3.0

	DAC - Eucalyptus amygdalina coastal forest and woodland
	DAD - Eucalyptus amygdalina forest and woodland on dolerite
	DAS - Eucalyptus amygdalina forest and woodland on sandstone
	DAM - Eucalyptus amygdalina forest on mudstone
	DAZ - Eucalyptus amygdalina inland forest and woodland on Cainozoic deposits
	DSC - Eucalyptus amygdalina - Eucalyptus obliqua damp sclerophyll forest
	DBA - Eucalyptus barberi forest and woodland
	DCO - Eucalyptus coccifera forest and woodland
	DCR - Eucalyptus cordata forest
	DDP - Eucalyptus dalrympleana - Eucalyptus pauciflora forest and woodland
	DDE - Eucalyptus delegatensis dry forest and woodland
	DGL - Eucalyptus globulus dry forest and woodland
	DGW - Eucalyptus gunnii woodland
	DMO - Eucalyptus morrisbyi forest and woodland
	DNI - Eucalyptus nitida dry forest and woodland
	DNF - Eucalyptus nitida Furneaux forest
	DOB - Eucalyptus obliqua dry forest
	DOV - Eucalyptus ovata forest and woodland
	DOW - Eucalyptus ovata heathy woodland
	DPO - Eucalyptus pauciflora forest and woodland not on dolerite
	DPD - Eucalyptus pauciflora forest and woodland on dolerite
	DPE - Eucalyptus perriniana forest and woodland
	DPU - Eucalyptus pulchella forest and woodland
	DRI - Eucalyptus risdonii forest and woodland
	DRO - Eucalyptus rodwayi forest and woodland
	DSO - Eucalyptus sieberi forest and woodland not on granite
	DSG - Eucalyptus sieberi forest and woodland on granite
	DTD - Eucalyptus tenuiramis forest and woodland on dolerite
	DTG - Eucalyptus tenuiramis forest and woodland on granite
	DTO - Eucalyptus tenuiramis forest and woodland on sediments
	DVF - Eucalyptus viminalis Furneaux forest and woodland
	DVG - Eucalyptus viminalis grassy forest and woodland
	DVC - Eucalyptus viminalis - Eucalyptus globulus coastal forest and woodland
	DKW - King Island Eucalypt woodland
	DMW - Midlands woodland complex
	WBR - Eucalyptus brookeriana wet forest
	WDA - Eucalyptus dalrympleana forest
	WDL - Eucalyptus delegatensis forest over Leptospermum
	WDR - Eucalyptus delegatensis forest over rainforest
	WDB - Eucalyptus delegatensis forest with broad-leaf shrubs
	WDU - Eucalyptus delegatensis wet forest (undifferentiated)
	WGK - Eucalyptus globulus King Island forest
	WGL - Eucalyptus globulus wet forest
	WNL - Eucalyptus nitida forest over Leptospermum
	WNR - Eucalyptus nitida forest over rainforest
	WNU - Eucalyptus nitida wet forest (undifferentiated)
	WOL - Eucalyptus obliqua forest over Leptospermum
	WOR - Eucalyptus obliqua forest over rainforest
	WOB - Eucalyptus obliqua forest with broad-leaf shrubs
	WOU - Eucalyptus obliqua wet forest (undifferentiated)
	WRE - Eucalyptus regnans forest
	WSU - Eucalyptus subcrenulata forest and woodland
	WVI - Eucalyptus viminalis wet forest
	RPF - Athrotaxis cupressoides - Nothofagus gunnii short rainforest
	RPW - Athrotaxis cupressoides open woodland
	RPP - Athrotaxis cupressoides rainforest
	RKF - Athrotaxis selaginoides - Nothofagus gunnii short rainforest
	RKP - Athrotaxis selaginoides rainforest
	RKS - Athrotaxis selaginoides subalpine scrub

TASVEG 3.0 Communities within 1000 metres

	RCO - Coastal rainforest
	RSH - Highland low rainforest and scrub
	RKX - Highland rainforest scrub with dead <i>Athrotaxis selaginoides</i>
	RHP - <i>Lagarostrobos franklinii</i> rainforest and scrub
	RMT - <i>Nothofagus</i> - <i>Atherosperma</i> rainforest
	RML - <i>Nothofagus</i> - <i>Leptospermum</i> short rainforest
	RMS - <i>Nothofagus</i> - <i>Phyllocladus</i> short rainforest
	RFS - <i>Nothofagus gunnii</i> rainforest and scrub
	RMU - <i>Nothofagus</i> rainforest (undifferentiated)
	RFE - Rainforest fernland
	NAD - <i>Acacia dealbata</i> forest
	NAR - <i>Acacia melanoxylon</i> forest on rises
	NAF - <i>Acacia melanoxylon</i> swamp forest
	NAL - <i>Allocasuarina littoralis</i> forest
	NAV - <i>Allocasuarina verticillata</i> forest
	NBS - <i>Banksia serrata</i> woodland
	NBA - <i>Bursaria</i> - <i>Acacia</i> woodland and scrub
	NCR - <i>Callitris rhomboidea</i> forest
	NLE - <i>Leptospermum</i> forest
	NLM - <i>Leptospermum lanigerum</i> - <i>Melaleuca squarrosa</i> swamp forest
	NLA - <i>Leptospermum scoparium</i> - <i>Acacia mucronata</i> forest
	NME - <i>Melaleuca ericifolia</i> swamp forest
	NLN - Subalpine <i>Leptospermum nitidum</i> woodland
	AHF - Fresh water aquatic herbland
	ASF - Freshwater aquatic sedgeland and rushland
	AHL - Lacustrine herbland
	AHS - Saline aquatic herbland
	ARS - Saline sedgeland/rushland
	AUS - Saltmarsh (undifferentiated)
	ASS - Succulent saline herbland
	AWU - Wetland (undifferentiated)
	SAL - <i>Acacia longifolia</i> coastal scrub
	SBM - <i>Banksia marginata</i> wet scrub
	SBR - Broad-leaf scrub
	SCH - Coastal heathland
	SSC - Coastal scrub
	SCA - Coastal scrub on alkaline sands
	SRE - Eastern riparian scrub
	SED - Eastern scrub on dolerite
	SCL - Heathland on calcareous substrates
	SKA - <i>Kunzea ambigua</i> regrowth scrub
	SLG - <i>Leptospermum glaucescens</i> heathland and scrub
	SLL - <i>Leptospermum lanigerum</i> scrub
	SLS - <i>Leptospermum scoparium</i> heathland and scrub
	SLW - <i>Leptospermum</i> scrub
	SRF - <i>Leptospermum</i> with rainforest scrub
	SMP - <i>Melaleuca pustulata</i> scrub
	SMM - <i>Melaleuca squamea</i> heathland
	SMR - <i>Melaleuca squarrosa</i> scrub
	SRH - Rookery halophytic herbland
	SSK - Scrub complex on King Island
	SSZ - Spray zone coastal complex
	SHS - Subalpine heathland
	SWR - Western regrowth complex
	SSW - Western subalpine scrub
	SWW - Western wet scrub
	SHW - Wet heathland
	HCH - Alpine coniferous heathland
	HCM - Cushion moorland
	HHE - Eastern alpine heathland
	HSE - Eastern alpine sedgeland

TASVEG 3.0 Communities within 1000 metres

	HUE - Eastern alpine vegetation (undifferentiated)
	HHW - Western alpine heathland
	HSW - Western alpine sedgeland/herbland
	MAP - Alkaline pans
	MBU - Buttongrass moorland (undifferentiated)
	MBS - Buttongrass moorland with emergent shrubs
	MBE - Eastern buttongrass moorland
	MGH - Highland grassy sedgeland
	MBP - Pure buttongrass moorland
	MRR - Restionaceae rushland
	MBR - Sparse buttongrass moorland on slopes
	MSP - Sphagnum peatland
	MDS - Subalpine Diplarrena latifolia rushland
	MBW - Western buttongrass moorland
	MSW - Western lowland sedgeland
	GHC - Coastal grass and herbfield
	GPH - Highland Poa grassland
	GCL - Lowland grassland complex
	GSL - Lowland grassy sedgeland
	GPL - Lowland Poa labillardierei grassland
	GTL - Lowland Themeda triandra grassland
	GRP - Rockplate grassland
	FAG - Agricultural land
	FUM - Extra-urban miscellaneous
	FMG - Marram grassland
	FPE - Permanent easements
	FPL - Plantations for silviculture
	FPF - Pteridium esculentum fernland
	FRG - Regenerating cleared land
	FSM - Spartina marshland
	FPU - Unverified plantations for silviculture
	FUR - Urban areas
	FWU - Weed infestation
	QCS - Coastal slope complex
	QCT - Coastal terrace mosaic
	QKB - Kelp beds
	QAM - Macquarie alpine mosaic
	QMI - Mire
	QST - Short tussock grassland/rushland with herbs
	QTT - Tall tussock grassland with megaherbs
	ORO - Lichen lithosere
	OSM - Sand, mud
	OAQ - Water, sea

Legend: Cadastral Parcels



TASVEG 3.0 Communities within 1000 metres

Code	Community	Emergent Species
DOB	(DOB) Eucalyptus obliqua dry forest	
FAG	(FAG) Agricultural land	EL
FAG	(FAG) Agricultural land	
FPL	(FPL) Plantations for silviculture	
FRG	(FRG) Regenerating cleared land	
FUM	(FUM) Extra-urban miscellaneous	
NAD	(NAD) Acacia dealbata forest	
OAQ	(OAQ) Water, sea	
WOB	(WOB) Eucalyptus obliqua forest with broad-leaf shrubs	
WOU	(WOU) Eucalyptus obliqua wet forest (undifferentiated)	
WVI	(WVI) Eucalyptus viminalis wet forest	

For more information contact: Coordinator, Tasmanian Vegetation Monitoring and Mapping Program.


Telephone: (03) 6165 4320

Email: TVMMPsupport@dpiwre.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Threatened Communities (TNVC 2014) within 1000 metres

424992, 5435916



422608, 5433211

Please note that some layers may not display at all requested map scales

Threatened Communities (TNVC 2014) within 1000 metres

Legend: Threatened Communities

- ☐ 1 - Alkaline pans
- ☐ 2 - Allocasuarina littoralis forest
- ☐ 3 - Athrotaxis cupressoides/Nothofagus gunnii short rainforest
- ☐ 4 - Athrotaxis cupressoides open woodland
- ☐ 5 - Athrotaxis cupressoides rainforest
- ☐ 6 - Athrotaxis selaginoides/Nothofagus gunnii short rainforest
- ☐ 7 - Athrotaxis selaginoides rainforest
- ☐ 8 - Athrotaxis selaginoides subalpine scrub
- ☐ 9 - Banksia marginata wet scrub
- ☐ 10 - Banksia serrata woodland
- ☐ 11 - Callitris rhomboidea forest
- ☐ 13 - Cushion moorland
- ☐ 14 - Eucalyptus amygdalina forest and woodland on sandstone
- ☐ 15 - Eucalyptus amygdalina inland forest and woodland on cainozoic deposits
- ☐ 16 - Eucalyptus brookeriana wet forest
- ☐ 17 - Eucalyptus globulus dry forest and woodland
- ☐ 18 - Eucalyptus globulus King Island forest
- ☐ 19 - Eucalyptus morrisbyi forest and woodland
- ☐ 20 - Eucalyptus ovata forest and woodland
- ☐ 21 - Eucalyptus risdonii forest and woodland
- ☐ 22 - Eucalyptus tenuiramis forest and woodland on sediments
- ☐ 23 - Eucalyptus viminalis - Eucalyptus globulus coastal forest and woodland
- ☐ 24 - Eucalyptus viminalis Furneaux forest and woodland
- ☐ 25 - Eucalyptus viminalis wet forest
- ☐ 26 - Heathland on calcareous substrates
- ☐ 27 - Heathland scrub complex at Wingaroo
- ☐ 28 - Highland grassy sedge land
- ☐ 29 - Highland Poa grassland
- ☐ 30 - Melaleuca ericifolia swamp forest
- ☐ 31 - Melaleuca pustulata scrub
- ☐ 32 - Notelaea - Pomaderris - Beyeria forest
- ☐ 33 - Rainforest fernland
- ☐ 34 - Riparian scrub
- ☐ 35 - Seabird rookery complex
- ☐ 36 - Sphagnum peatland
- ☐ 36A - Spray zone coastal complex
- ☐ 37 - Subalpine Diplarrena latifolia rushland
- ☐ 38 - Subalpine Leptospermum nitidum woodland
- ☐ 39 - Wetlands

Legend: Cadastral Parcels



Threatened Communities (TNVC 2014) within 1000 metres

Scheduled Community Id	Scheduled Community Name
25	Eucalyptus viminalis wet forest

For more information contact: Coordinator, Tasmanian Vegetation Monitoring and Mapping Program.


Telephone: (03) 6165 4320

Email: TVMMPsupport@dpipwe.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Fire History (All) within 1000 metres

424992, 5435916



422608, 5433211

Please note that some layers may not display at all requested map scales

Fire History (All) within 1000 metres

- Legend: Fire History All
- ☒ Bushfire-Unknown Category
 - ☒ Completed Planned Burn

Legend: Cadastral Parcels



☒ Bushfire

Fire History (All) within 1000 metres

Incident Number	Fire Name	Ignition Date	Fire Type	Ignition Cause	Fire Area (HA)
246892	Gunns Plains Road	08-Jan-2017	Bushfire	Accidental	11.03415704

For more information about Fire History, please contact the Manager Community Protection Planning, Tasmania Fire Service.


Telephone: 1800 000 699

Email: planning@fire.tas.gov.au

Address: cnr Argyle and Melville Streets, Hobart, Tasmania, Australia, 7000

Fire History (Last Burnt) within 1000 metres

424992, 5435916






422608, 5433211

Please note that some layers may not display at all requested map scales

Fire History (Last Burnt) within 1000 metres

Legend: Fire History Last

-  Bushfire-Unknown category
-  Completed Planned Burn

 Bushfire

Legend: Cadastral Parcels



Fire History (Last Burnt) within 1000 metres

Incident Number	Fire Name	Ignition Date	Fire Type	Ignition Cause	Fire Area (HA)
246892	Gunns Plains Road	08-Jan-2017	Bushfire	Accidental	11.03415704

For more information about Fire History, please contact the Manager Community Protection Planning, Tasmania Fire Service.


Telephone: 1800 000 699

Email: planning@fire.tas.gov.au

Address: cnr Argyle and Melville Streets, Hobart, Tasmania, Australia, 7000

Reserves within 1000 metres

424992, 5435916




























422608, 5433211

Please note that some layers may not display at all requested map scales

Reserves within 1000 metres

Legend: Tasmanian Reserve Estate

-  Conservation Area
-  Conservation Area and Conservation Covenant (NCA)
-  Game Reserve
-  Historic Site
-  Indigenous Protected Area
-  National Park
-  Nature Reserve
-  Nature Recreation Area
-  Regional Reserve
-  State Reserve
-  Wellington Park
-  Public authority land within WHA
-  Future Potential Production Forest
-  Informal Reserve on Permanent Timber Production Zone Land or STT managed land
-  Informal Reserve on other public land
-  Conservation Covenant (NCA)
-  Private Nature Reserve and Conservation Covenant (NCA)
-  Private Sanctuary and Conservation Covenant (NCA)
-  Private Sanctuary
-  Private land within WHA
-  Management Agreement
-  Management Agreement and Stewardship Agreement
-  Stewardship Agreement
-  Part 5 Agreement (Meander Dam Offset)
-  Other Private Reserve

Legend: Cadastral Parcels



Reserves within 1000 metres

Name	Classification	Status	Area (HA)
Dial Range Regional Reserve	Regional Reserve	Other Formal Reserve	2123.37
	Conservation Covenant (NCA)	Private Reserve (Perpetual)	9.63556
	Conservation Covenant (NCA)	Private Reserve (Perpetual)	16.7624

For more information about the Tasmanian Reserve Estate, please contact the Sustainable Land Use and Information Management Branch.


Telephone: (03) 6777 2224

Email: LandManagement.Enquiries@dpipwe.tas.gov.au

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

Known biosecurity risks within 1000 meters

424992_5435916



422608_5433211

Please note that some layers may not display at all requested map scales

Known biosecurity risks within 1000 meters

Legend: Biosecurity Risk Species

- Point Verified
- Point Unverified
- ▬ Line Verified
- ▬ Line Unverified
- ▭ Polygon Verified
- ▭ Polygon Unverified

Legend: Hygiene infrastructure

- Location Point Verified
- Location Point Unverified
- ▬ Location Line Verified
- ▬ Location Line Unverified
- ▭ Location Polygon Verified
- ▭ Location Polygon Unverified

Legend: Cadastral Parcels



Known biosecurity risks within 1000 meters

Verified Species of biosecurity risk

No verified species of biosecurity risk found within 1000 metres

Unverified Species of biosecurity risk

No unverified species of biosecurity risk found within 1000 metres

Generic Biosecurity Guidelines

The level and type of hygiene protocols required will vary depending on the tenure, activity and land use of the area. In all cases adhere to the land manager's biosecurity (hygiene) protocols. As a minimum always Check / Clean / Dry (Disinfect) clothing and equipment before trips and between sites within a trip as needed <http://dpiwwe.tas.gov.au/invasive-species/weeds/weed-hygiene/keeping-it-clean-a-tasmanian-field-hygiene-manual>

On Reserved land, the more remote, infrequently visited and undisturbed areas require tighter biosecurity measures.

In addition, where susceptible species and communities are known to occur, tighter biosecurity measures are required.

Apply controls relevant to the area / activity:

- Don't access sites infested with pathogen or weed species unless absolutely necessary. If it is necessary to visit, adopt high level hygiene protocols.
- Consider not accessing non-infested sites containing known susceptible species / communities. If it is necessary to visit, adopt high level hygiene protocols.
- Don't undertake activities that might spread pest / pathogen / weed species such as deliberately moving soil or water between areas.
- Modify / restrict activities to reduce the chance of spreading pest / pathogen / weed species e.g. avoid periods when weeds are seeding, avoid clothing/equipment that excessively collects soil and plant material e.g. Velcro, excessive tread on boots.
- Plan routes to visit clean (uninfested) sites prior to dirty (infested) sites. Do not travel through infested areas when moving between sites.
- Minimise the movement of soil, water, plant material and hitchhiking wildlife between areas by using the Check / Clean / Dry (Disinfect when drying is not possible) procedure for all clothing, footwear, equipment, hand tools and vehicles <http://dpiwwe.tas.gov.au/invasive-species/weeds/weed-hygiene>
- Neoprene and netting can take 48 hours to dry, use non-porous gear wherever possible.
- Use walking track boot wash stations where available.
- Keep a hygiene kit in the vehicle that includes a scrubbing brush, boot pick, and disinfectant <http://dpiwwe.tas.gov.au/invasive-species/weeds/weed-hygiene/keeping-it-clean-a-tasmanian-field-hygiene-manual>
- Dispose of all freshwater away from natural water bodies e.g. do not empty water into streams or ponds.
- Dispose of used disinfectant ideally in town through a treatment or septic system. Always keep disinfectant well away from natural water systems.
- Securely contain any high risk pest / pathogen / weed species that must be collected and moved e.g. biological samples.

Hygiene Infrastructure

No known hygiene infrastructure found within 1000 metres