Huon Valley Interim Planning Scheme 2015

Planning scheme amendments

| No. | Effective date | Amendment no | Amendment information | Text/ Map |
|-----|-------------------------|--------------|---|--------------|
| 43 | 24 January 2024 | | Planning Directive No. 9 - Container Refund Scheme - Exemptions and Special Provisions | Text |
| 42 | 20 December 2023 | | Planning Directive No. 10 - Exemption for Display Homes | Text |
| 41 | 19 July 2023 | | Interim Planning Directive No. 7 - Exemption for Display Homes | Text |
| 40 | 31 May 2023 | PSA-1-2022 | Rezone 388 Scotts Road, Cairns Bay from Significant Agricultural to Rural Resource. | Мар |
| 39 | 10 May 2023 | | Interim Planning Directive No. 6 - Container Refund Scheme – Exemptions and Special Provisions | Text |
| 38 | 20 July 2022 | | Modified Planning Directive No. 8 - Exemptions, Application Requirements, Special Provisions and Zone Provisions and Planning Directive No. 5.1 Bushfire-Prone Areas Code | Text |
| 37 | 11 July 2022 | PSA-2-2019 | Rezone part of 15 Louisa Street, Cygnet (folio of the Register 1/136883) (Cygnet Bowls Club) from Recreation to General Residential. | Мар |
| 36 | 22 February 2022 | | Planning Directive No. 8 - Exemptions, Application Requirements, Special Provisions and Zone Provisions | Text |
| 35 | 28 October 2021 | PSA-2-2017 | Rezone Lot 1 Channel Highway and 33 Esplanade Road, Cygnet from Particular Purpose Zone 1 - Urban Growth Zone to General Residential and Utilities, partially rezone 7368 Channel Highway, Cygnet from General Residential to Utilities, and amend the Scenic Landscapes Corridor overlay. | Мар |
| 34 | 31 May 2021 | PSA-1-2020 | Amend the Attenuation Area Code overlay applicable to the Cygnet Treatment Plant, 7321 Channel Highway, Cygnet | Map |
| 33 | 22 February 2021 | | Interim Planning Directive No. 4 – Exemptions, Application Requirements, Special Provisions and Zone Provisions | Text |
| 32 | 27 October 2020 | HUO UA2-2020 | Rezone Lot 1 Huon Highway (folio of the Register 246535/1), Grove from Utilities Zone to Environmental Living Zone | Мар |
| 31 | 25 September 2020 | HUO UA3-2020 | Correction to amended mapping for the E10.0 Biodiversity Code Overlay | Мар |

| No. | Effective date | Amendment no | Amendment information | Text/ Map |
|-----|-------------------------|--------------|---|--------------|
| 30 | 16 September 2020 | | Planning Directive No. 7 - Permits for Temporary Housing | Text |
| 29 | 10 July 2020 | | Amend the Biodiversity Protection Area Overlay maps | Мар |
| 28 | 9 July 2020 | PSA-3-2019 | Insert Bushfire-Prone Areas Overlay maps | Мар |
| 27 | 18 September 2019 | | Amend Site Specific Qualification in Use Table 14.2 to allow additional uses for Peregrine Primary School at 1118 Nicholls Rivulet Road, Nicholls Rivulet | |
| 26 | 23 January 2019 | | Insert Resource processing as a discretionary use class in Clause 12.2 Use Table of the Low Density Residential Zone and qualification for 3300 Huon Highway, Franklin | |
| 25 | 5 September 2018 | | Rezone 1169 Cygnet Coast Road, Wattle Grove (CT 238642/1) from Environmental Management Zone to Rural Resource Zone | Мар |
| 24 | 1 August 2018 | | Planning Directive No. 6 - Exemption and Standards for Visitor Accommodation in Planning Schemes | Text |
| 23 | 25 May 2018 | | Delete Residential as a Permitted use class in clause 12.2 Use Table. Insert Diagrams 12.4.2A, 12.4.2B, 12.4.2C and 12.4.2D in the Low Density Residential Zone development standards. | |
| 22 | 18 May 2018 | HOU UA3-2017 | Exempt Extractive industry in E3.0 Landslide Code. | Text |
| 21 | 10 November 2017 | | Remove the Biodiversity Protection Areas overlay from various sites located in Geeveston, Huonville and Cradoc | Мар |
| 20 | 26 September 2017 | | Insert subdivision standards at clause E15.0 in the Inundation Prone Areas Code for riverine inundation hazard areas | Text |
| 19 | 1 September 2017 | | New code provisions applied under Planning Directive No. 5.1 - Bushfire-Prone Areas Code | Text |
| 18 | 1 July 2017 | | Interim Planning Directive No. 2 - Exemption and Standards for Visitor Accommodation in Planning Schemes. No legislative amendment to the scheme. A note indicates that a planning directive applies. | Text |
| 17 | 3 April 2017 | | Rezone parts of Braeside Road, Franklin from Environmental Living to Rural Resource | Мар |
| 16 | 3 March 2017 | | Insert new discretionary use class Extractive Industry in the Significant Agricultural zone | Text |

| No. | Effective date | Amendment no | Amendment information | Text/ Map |
|-----|-----------------------|--|---|--------------|
| 15 | 23 February 2017 | | Minister issues Interim Planning Directive No. 1.1 - Bushfire-Prone Areas Code to apply to all interim planning scheme | Text |
| 14 | 1 February 2017 | | Rezone land on Helen Street, Ranelagh from Rural Resource to General Residential and Low Density Residential | Мар |
| 13 | 7 November 2016 | HUO UA15-2016 HUO UA20-2016 HUO UA27-2016 HUO UA28-2016 HUO UA29-2016 | | Text/ Map |
| 12 | 26 October 2016 | HUO UA16-2016 HUO UA18-2016 HUO UA19-2016 HUO UA21-2016 HUO UA23-2016 HUO UA24-2016 | | Text/ Map |
| 11 | 11 August 2016 | | Amend the qualifications in the Rural Resource zone and Significant Agriculture zone | Text |
| 10 | 11 August 2016 | HUO UA4-2016 HUO UA5-2016 HUO UA6-2016 HUO UA7-2016 HUO UA10-2016 HUO UA12-2016 | | Мар |
| 9 | 10 August 2016 | | Insert a new row in the discretionary use classes of clause 14.2 Use Table to provide for Peregrine Primary School located at 1118 Nicholls Rivulet Road, Nicholls Rivulet | Text |
| 8 | 8 June 2016 | | Amend performance criteria for setbacks in the Rural Living, Environmental Living and Rural Resource zones and correct other minor errors | Text |
| 7 | 21 March 2016 | | Amend the definition of 'capable of sensitive use' in the Electricity Transmission Infrastructure Protection Code | Text |
| 6 | 23 February 2016 | | Minister issues Interim Planning Directive No. 1 - Bushfire-Prone Areas Code to apply to all interim planning schemes | Text |
| 5 | 17 February 2016 | | Minister issues Planning Directive No. 1 - The Format and Structure of Planning Schemes with minor modifications | Text |

| No. | Effective date | Amendment no | Amendment information | Text/ Map |
|-----|------------------------|----------------|---|--------------|
| 4 | 16 December 2015 | HUO UA4-2015 | Amend performance criteria for setbacks in the Rural Living, Environmental Living and Rural Resource zones and correct other minor errors | Text |
| 3 | 7 December 2015 | HUO UA5-2015 | Replace the Electricity Infrastructure Protection Code to remove conflict with planning provisions | Text |
| 2 | 1 December 2015 | HUO UA3-2015 | Amend the subdivision standards in various zones by reducing the minimum frontage and minimum access requirement for internal lots | Text |
| 1 | 31 August 2015 | Not applicable | Commencement of scheme under section 80K of the Act | Text |

Important: Planning Directive No. 6 applies from 1 August 2018

Planning Directive No. 6 – Exemption and Standards for Visitor Accommodation in Planning Schemes applies and must be read in conjunction with this scheme (refer to the State Planning Office website)

Important: Planning Directive No. 7 applies from 16 September 2020

Planning Directive No. 7 - Permits for Temporary Housing in interim planning schemes applies and must be read in conjunction with this scheme (refer to the State Planning Office website).

Important: Planning Directive No. 10 applies from 20 December 2023

Planning Directive No. 10 - Exemption for Display Homes in interim planning schemes applies and must be read in conjunction with this scheme (refer to the <u>State Planning Office website</u>).

Important: Planning Directive No. 9 applies from 24 January 2024

Planning Directive No. 9 - Container Refund Scheme - Exemptions and Special Provisions in interim planning schemes applies and must be read in conjunction with this scheme (refer to the State Planning Office website).

Foreword

This planning scheme sets out the requirements for use or development of land in accordance with the Land Use Planning and Approvals Act 1993 (the Act).

The maps show how land is zoned and the scheme sets out the provisions that apply to use or development of land.

The provisions in this planning scheme should be read together with the Act.

The foreword, footnotes and appendices are not legally part of this planning scheme.

They have been added to help users understand the planning scheme and its relationship to the Act. They are a guide only and do not cover all relevant law relating to planning schemes or the planning application and assessment process.

Part A

Purpose and Objectives

1.0 Identification of the Planning Scheme

1.1 Planning Scheme Title

1.1.1 This planning scheme is called the Huon Valley Interim Planning Scheme 2015.

1.2 Composition of this Planning Scheme

- 1.2.1 This planning scheme consists of this document and the maps identified:
 - (a) Huon Valley Interim Planning Scheme 2015 Zoning Maps
 - (b) Huon Valley Interim Planning Scheme 2015 Overlay Maps

1.3 Planning Scheme Area

1.3.1 The planning scheme area comprises all the land as identified on the planning scheme maps.

2.0 Planning Scheme Purpose

2.1 Purpose

- 2.1.1 The purpose of this planning scheme is:
 - (a) To further the Objectives of the Resource Management and Planning System and of the Planning Process as set out in Parts 1 and 2 of Schedule 1 of the Act; and
 - (b) To achieve the planning scheme objectives set out in clause 3.0 by regulating or prohibiting the use or development of land in the planning scheme area.

2.2 Regional Land Use Strategy

2.2.1 The Southern Tasmania Regional Vision

A vibrant, liveable and attractive region, providing sustainable growth opportunities that build upon our unique natural and heritage assets and advantages as Australia's southern most region.

2.2.2 The Southern Tasmania Region

The Southern Region of Tasmania is comprised of the 12 local government areas of Brighton, Central Highlands, Clarence, Derwent Valley, Glamorgan Spring Bay, Glenorchy, Hobart, Huon Valley, Kingborough, Sorell, Southern Midlands and Tasman. It is the largest of the three regions of Tasmania in area (38%) and population (48%).

At the heart of the region is the metropolitan area of Greater Hobart flanking the Derwent River and extending over all or part of the local government areas of

Brighton, Clarence, Glenorchy, Hobart, Kingborough and Sorell. It has developed into a polycentric city, with activity centres at Clarence, Glenorchy and Kingston now providing significant secondary foci to compliment the Hobart CBD.

Greater Hobart is the centre of all major social and economic facilities for the region as well as being the capital city and administrative & political centre for Tasmania. It accounts for nearly 86% of the region's population and over 90% of the region's employment opportunities. It is the most populous urban area within the State. Its social and economic interactions significantly influence the remainder of the region, its towns and settlements. It is Australia's 11th largest city, although it is one of the least dense and has one of the highest proportions of single detached dwellings.

The remainder of the region's population is focussed in smaller settlements across coastal areas in the east and south and agricultural and highland districts to the north and the lower-middle Derwent Valley to the west. The two largest settlements outside Greater Hobart are Huonville and New Norfolk, which are set in traditional rural landscapes.

The region is characterised by a diverse landscape. The western half is virtually unpopulated and dominated by the Tasmanian Wilderness World Heritage Area, a rugged landscape of exceptional natural, cultural and aesthetic value. Intensively farmed landscapes predominate on the floors of the Huon, Derwent and Coal River valleys in the south-eastern part of the region, as well as a number of smaller locales. Extensive dry-land farming dominates the midlands district to the north of Greater Hobart where the landscape is more extensively cleared of native vegetation. Elsewhere in the eastern half of the region the landscape is generally a mix of agriculture on lower ground with ridgelines and hilltops generally retaining native vegetation. The central highlands lakes district provides a unique alpine landscape and a world-class wild trout recreational fishery.

The natural setting of Greater Hobart is significant. It is nestled between mountain ranges with a natural treed skyline and foothills forming the backdrop to the City. The River Derwent dissects Greater Hobart with large areas of natural vegetation and almost continuous public access along the foreshore.

The region has a relatively low historic population growth compared to mainland centres with an average annual rate of 0.9% from 2001 to 2008. The population is also aging faster than the national average whilst the average household size had been falling for many decades, and currently stands at 2.4 people per dwelling. Migration interstate has long been a feature of the State's demography.

The region is home to economic drivers of regional, state and national importance. The fishing industry, in particular aquaculture, is of national significance and a major wealth generator for the region. Forestry is a major economic driver within the region, and this sector is currently passing through a significant restructuring and repositioning exercise which will likely result in more emphasis on higher value / lower volume wood products generally. Agriculture has traditionally provided a smaller economic return in the south of the State compared to the other two regions, however the pending expansion of irrigation areas will provide a significant boost to this sector in the near future. The tourism sector provides a range of direct and indirect employment opportunities and continues to be an important contributor to the economy. There are significant opportunities for furthering economic activity within the Southern Ocean and Antarctic research and protection sector, capitalising on the region's unique competitive advantage in terms of geographic position.

2.2.3 The Southern Tasmania Regional Land Use Strategy

The Southern Tasmania Regional Land Use Strategy 2010 – 2035 ('the Strategy') is a broad policy document that will facilitate and manage change, growth and development within Southern Tasmania with a 25 year time horizon. It has been declared by the Minister for Planning pursuant to Section 30C of the *Land Use Planning & Approvals Act 1993* and this planning scheme is therefore required to be consistent with it.

The Strategy sets out 10 'strategic directions' for the region:

- Adopting a more integrated approach to planning and infrastructure.
- Holistically managing residential growth.
- Creating a network of vibrant and attractive activity centres.
- Improving our economic infrastructure.
- Supporting our productive resources.
- Increasing responsiveness to our natural environment
- Improving management of our water resources.
- Supporting strong and healthy communities.
- Making the region nationally and internationally competitive.
- Creating liveable communities.

The Strategy also recognises climate change as a significant challenge and provides for this as an overarching consideration. The regional policies provided within the Strategy necessary to progress towards the above strategic directions are detailed further in Clause 3.0, below, and are not repeated here.

2.2.4 Municipal Setting

The Huon Valley municipal area is the third largest local government area in Tasmania and covers much of the southern part of the State, including large tracts of the Tasmanian Wilderness World Heritage Area. The municipal area is bordered by the Derwent Valley, Kingborough and West Coast municipal areas. Huonville, the major settlement and administrative centre, is located approximately 30 kilometres southwest of Tasmania's capital city Hobart.

Development within the Huon Valley municipal area is focused alongside the Huon River and D'Entrecasteaux Channel which provide a focal point for the five main settlements of Huonville (including Ranelagh), Cygnet, Geeveston (including Port Huon), Franklin and Dover. Various smaller settlements are located in coastal and rural areas

The Huon Valley initially prospered on its' forestry and agricultural resources and maritime industries, all of which continue in their importance. The diversity in town character, in terms of built form and natural setting, is reflective of each towns' differing historical activities.

The landscape of the Huon Valley is diverse and encompasses developed and undeveloped coastal settings, rural areas, working forests and wilderness areas, which all have shared recognition for their uniqueness, beauty and economic and community value. The Huon River is an iconic natural feature of the Huon Valley, surrounded by agricultural land and forested hills beyond.

Landscape values, good road access, comparatively affordable housing, lifestyle opportunities and proximity to employment opportunities in the Greater Hobart area ensures that settlements and rural areas are valued commuter destinations. The Huon Valley also has strong self sufficiency in terms of employment for residents.

The current population of 15,000 persons is expected to increase to 19,000 persons by 2032. The population is an aging population with a median age higher than the Tasmanian average. The trend towards an aging population is projected to increase over time. A further significant trend is for relatively high rates of migration from the Australian mainland.

Huon Valley in the Regional Context

The Huon Valley provides important economic contributions to the Southern Region through agriculture, aquaculture and forestry. Historically, the apple industry was the dominant economic activity; to the extent that this industry generated Tasmania's former moniker of the 'Apple Isle'. Whilst still important the apple industry has declined and a more diverse agricultural sector now exists which exemplifies gourmet food production, niche market productions, cider and viticulture. Areas of existing and potential intensive agriculture are recognised and protected by the Significant Agricultural Zone.

Aquaculture and forestry assets are protected through the Rural Resource Zone. Southwood is a regional important forestry processing site and is zoned Particular Purpose Zone 3 – Southwood Integrated Wood Processing Site. Downstream processing of all resource development outputs are an important generator of employment opportunities and local economic development and their expansion is encouraged.

The Huon Valley is an important tourism destination with the area's natural beauty, cultural heritage, arts and craft and produce all being important drivers of tourism. The natural, cultural and economic importance of the Tasmanian Wilderness World Heritage Area to the Southern Region cannot be underestimated. They include significant tourism ventures such as Hastings Caves, the Tahune Forest AirWalk and Ida Bay Railway.

Under the Regional Land Use Strategy, Huonville (inclusive of Ranelagh) is a Major District Centre with planned high growth through infill and greenfield development. Cygnet, Geeveston (inclusive of Port Huon), Franklin and Dover are all classified as Townships under the Regional Land Use Strategy. Cygnet is planned for moderate growth through infill and greenfield development whilst all other settlements are planned for lower growth achieved through infill development.

Rural land exhibits a high level of land fragmentation through original land grants and early subdivision as well as through planned and unplanned rural living land use. Rural living areas are to be consolidated in existing locations and not expanded, at least in the short term.

Huonville is also a Rural Services Centre and thereby the main activity centre in the Huon Valley within the activities centre network. The Huonville / Ranelagh Structure Plan focuses on Huonville for future development of retail and administrative activities and commercial services within the activity centre network together with commercial, industrial and residential land use and development.

3.0 Planning Scheme Objectives

3.0.1 - R Infrastructure: Regional Objectives

| u | vi | ec | LI | ve. |
|---|----|----|----|-----|

To adopt a more integrated approach to planning and infrastructure.

Desired Outcomes:

- (a) The efficiency of existing physical infrastructure is maximised.
- (b) Physical infrastructure and servicing is planned, co-ordinated and delivered in a timely manner to support the regional settlement pattern and specific growth management strategies.
- (c) An integrated transport and land use planning system that supports economic growth, accessibility and modal choice in an efficient, safe and sustainable manner is developed and maintained.

Outcomes to be achieved by:

- (a) This "Regional Outcomes to be achieved by:" is not used in this planning scheme.
- (b) This "Regional Outcomes to be achieved by:" is not used in this planning scheme.
- (c) Facilitating developer charges for off-site infrastructure provision which send the correct price signals to ensure the most efficient use of infrastructure overall.
- (d) Protecting the function and safety of transport infrastructure through a road and rail assets code.
- (e) This "Regional Outcomes to be achieved by:" is not used in this planning scheme.

3.0.1 - L Infrastructure: Local Objectives

Objective:

To ensure infrastructure is appropriate to support development, is used efficiently and is expanded as necessary in an orderly and integrated manner.

Desired Outcomes:

- (a) Adequate public infrastructure exists or will be provided to support land use envisaged by this Planning Scheme.
- (b) Infrastructure capacity is used efficiently.
- (c) Infrastructure is designed to a high standard and ensures the protection of local environmental conditions.
- (d) Key infrastructure is protected from encroachment and fettering by sensitive use or incompatible development.
- (e) Council's strategic land use planning, asset management programs and long- term financial and capital works planning is integrated.
- (f) Development of unserviced land is compatible with the capacity of the land and does not create demand for unplanned public infrastructure.

- (a) Ensuring land zoned for residential, business and industrial land use is, or can be, adequately serviced to provide for its intended use.
- (b) Maximising densities within settlements where feasible through appropriate zones and development standards.
- (c) Ensuring infrastructure necessary to service new development is constructed as part of that development and that any off-site impact is mitigated.
- (d) Applying the Utilities Zone to major utilities, installations and corridors including major roads and the Electricity Transmission Infrastructure Protection Code.
- (e) The zoning of land is cognisant of future implications for asset management and new capital works planning.
- (f) Applying a suite of Zones that is

- (g) Development of under-serviced residential areas is managed to minimise demand for unplanned public infrastructure and reduction to residential amenity.
- (h) Stormwater infrastructure is progressively upgraded to achieve the outcomes sought in the Huon Valley Stormwater Strategy in conjunction with or in advance of new land releases.
- (i) Identified future roads are developed through public or private funds.

- commensurate with the capacity of the land and avoids a demand for unplanned public infrastructure.
- (g) Managing existing under-serviced residential areas through the use of the Low Density Residential Zone for parts of Dover, Geeveston, Port Huon and Ranelagh.
- (h) (i) Facilitating a community infrastructure charge for stormwater infrastructure.
 - (ii) Ensuring new development does not increase stormwater discharge above pre-existing conditions unless downstream capacity exists or will be provided.
- (i) Apply the Particular Purpose Zone 2- Future Road Corridor to identified local road corridors.

3.0.2 - R Residential Growth: Regional Objectives

Objective:

To manage residential growth holistically.

Desired Outcomes:

(a) A sustainable and compact network of settlements that complement the primary settlement of Greater Hobart while

supporting self-sustaining rural areas.

(b) The supply of affordable housing is increased.

Outcomes to be achieved by:

- (a) Confining land zoned for urban development within identified settlement boundaries.
- (b) Providing zone standards so that land zoned General Residential is developed at a minimum of 15 dwellings per hectare (net density).
- (c) Ensuring that the amount of land zoned General Residential is consistent with growth targets for that settlement identified in the Regional Land Use Strategy based on the desired density.
- (d) Applying the Low Density Residential Zone only where necessary to manage land constraints or to acknowledge existing areas.
- (e) Minimising rural residential growth outside of identified settlements to existing rural residential areas.

3.0.2 - L Residential Growth: Local Objectives

Objective:

To manage residential growth of towns and settlements holistically.

Desired Outcomes:

- (a) Residential growth targets are achieved through infill development at Franklin, Geeveston and Dover and through a mix of infill and greenfield development at Huonville and Cygnet.
- (b) Land necessary for residential growth in the medium to long term is identified and planned for beyond the life of this planning scheme.
- (c) Existing coastal settlements are consolidated within their current footprints and expanded only in response to demonstrated demand.
- (d) Existing rural living areas are consolidated within their current footprints, redeveloped into higher densities where not constrained by infrastructure, land or character constraints and expanded only in response to demonstrated demand.
- (e) Limited opportunities for bushland living are provided in areas with public road access, where environmental and landscape values can be maintained in the long term and where any land hazards can be managed.

Outcomes to be achieved by:

- (a) Ensuring the amount of land within the General Residential Zone is sufficient to meet likely demand for residential land over a 15 year time horizon.
- (b) Applying the Particular Purpose Zone 1 -Urban Growth Zone to land identified for future residential expansion.
- (c) Apply the Low Density Residential Zone to existing coastal settlements and to land within Cygnet that cannot be provided with a full reticulated water service.
- (d) Apply the Rural Living Zone to existing areas characterised by rural living densities and provide for higher densities where possible.
- (e) Apply the Environmental Living Zone to areas where the risk to life and property of land hazards is minimal or is not increased and where environmental and landscape values can be retained across the landscape.

3.0.3 - R Activity Centres: Regional Objectives

Objective:

To create a network of vibrant and attractive activity centres.

Desired Outcomes:

- (a) Employment, retail and commercial uses, community services and opportunities for social interaction are focused in well-planned, vibrant and accessible regional activity centres that are provided with a high level of amenity and with good transport links with residential areas.
- (b) The role and function of the Primary and Principal Activity Centres are reinforced as providing for the key employment, shopping, entertainment, cultural and political needs for Southern Tasmania.
- (c) Activity Centres focus on people and their amenity and give the priority to creation of pedestrian orientated environments.

- (a) This Regional "Outcome to be achieved by:" is not used in this planning scheme.
- (b) Applying the General Business Zone to the core of the Huonville activity centre, it being a Rural Services Centre within the Activity Centre Network.
- (c) Applying the Local Business Zone to the core of the Cygnet, Dover and Geeveston activity centre, each being the Local Centre within the Activity Centre Network.
- (d) Applying the Commercial Zone to established sites of large floor area trade in Huonville and Ranelagh.
- (e) Applying the Village Zone to areas of Franklin, Cygnet, Dover, Geeveston, Glen

- Huon, Huonville, Port Huon and Southport with existing or desired patterns of mix use development that complement nearby activity centres.
- (f) Preventing out-of-centre commercial development, other than that which services local needs.
- (g) Providing development standards requiring high quality urban design and pedestrian amenity which provides for active street frontage layouts and respects the character of the urban area.
- (h) Providing development standards that support improved use of public transport and alternative modes of transport.

3.0.3 - L Activity Centres: Local Objectives

Objective:

To develop activity centres that build upon their existing local character and best serve their local or regional area whilst providing appropriate businesses and community use opportunities in desired mixed use areas.

Desired Outcomes:

- (a) Huonville is the key location of retail, commercial and community activities as a Rural Services Centre.
- (b) In its role as a Rural Services Centre, Huonville is expanded to provide for a second supermarket complex with associated retail and community development off Sale Street that are linked to the realignment of the Channel Highway to provide further connectivity to the Huon River foreshore.
- (c) Application of a local activity centre hierarchy to ensure that Cygnet, Dover, Franklin and Geeveston have appropriate access to local services and facilities that are responsive to community needs.
- (d) Expansion of the Cygnet activity centre facilitated by planned road provision.
- (e) Mixed use areas outside of activity centres complement the function of nearby activity centres with uses tailored to match the local economic opportunities and function of each area.
- (f) Established individual sites of locally

- (a) Providing for a diverse range of uses through the General Business Zone.
- (b) Zoning land for the expansion of the Huonville activity centre to the east of Main Street.
- (c) Applying the Local Business Zone with a range of appropriate uses within an activity centre.
- (d) Zoning land for the expansion of the Cygnet activity centre.
- (e) Applying a Village Zone to existing and desired mix use areas with uses tailored to reflect the function of each area and any nearby activity centre.
- (f) Applying the Local Business Zone to individual sites that service local needs and the Commercial Zone to established large floor area retailing sites in Huonville and Ranelagh.
- (g) Providing development standards that seek to ensure high quality urban design that is response to local sense of place.

- important retail activity are protected to ensure their long-term viability and growth.
- (g) Development that respects and enhances the urban design of the activity centre.

3.0.4 - R Economic Infrastructure: Regional Objectives

Objective:

To improve the region's economic infrastructure.

Desired Outcomes:

- (a) The supply of well-sited industrial land is identified, protected and managed to meet regional need across the 5, 15 and 30 year horizons.
- (b) Existing strategically located export orientated industries are protected and managed.
- (c) Ensure industrial development occurs in a manner that minimises regional environmental impacts and protects environmental values.

Outcomes to be achieved by:

- (a) Applying the General Industrial Zone to recognise the medium to higher impact industrial uses in the area.
- (b) Applying the Light Industrial Zone to recognise the lower level impact industrial uses in the area.
- (c) Applying suitable zones to land to recognise the regional strategic importance of port and marine activities in the area.
- (d) Minimising and preventing land use conflicts through appropriate siting of industrial land and the use of an Attenuation Code.

3.0.4 - L Economic Infrastructure: Local Objectives

Objective:

To improve the economic infrastructure of the Huon Valley.

Desired Outcomes:

- (a) The supply of well-sited industrial land is identified, protected and managed to meet municipal area wide and settlement level need across the 5, 15 and 30 year time horizons.
- (b) Expanded use of the Southwood Integrated Timber Processing Site for processing of forestry and other resource development outputs.
- (c) The potential for onsite renewable energy to support economic activity is maximised.
- (d) New and existing downstream processing activities are supported.
- (e) Mineral resources are protected from sensitive use.

- (a) (i) Maintaining industrial zoning for each settlement to meet short and long term need for service and export industry with priority and expansion given to land at Huonville.
 - (ii) Manage established industrial sites that have inadequate infrastructure or are constrained by adjacent land use through 'back' zoning or other controls as appropriate.
- (b) Apply the Particular Purpose Zone 3: Southwood Integrated Timber Processing Site.
- (c) Regulate wind and solar energy development for residential, industrial, commercial and agricultural use through the Wind and Solar Energy Code and appropriate exemptions

- (d) (i) Ensure downstream processing sites of significant local economic importance are permitted uses.
 - (ii) Provide subdivision potential in all zones associated with downstream processing of rural resources.
- (e) Apply the Attenuation Code to ensure adequate separation from mineral resources currently being extracted.

3.0.5 - R Productive Resources: Regional Objectives

Objective:

To support the region's productive resources.

Desired Outcomes:

- (a) Agricultural production on land identified as regionally significant is supported by affording it the highest level of protection from fettering or conversion to nonagricultural uses.
- (b) The value of non-significant agricultural land is managed and protected in a manner that recognises sub-regional diversity in land and production characteristics.
- (c) Regionally significant extractive industries are supported and protected.
- (d) The aquaculture industry is supported.
- (e) The forest industry is supported.

- (a) Recognising and protecting districts comprised of substantial areas of identified significant agricultural land by applying the Significant Agriculture Zone.
- (b) Prohibiting or substantially restricting nonagricultural uses within the Significant Agriculture Zone, allowing for such uses only where ancillary and/or subservient.
- (c) Providing large buffer distance between significant agriculture and residential development, and allow residential development otherwise only where it can be demonstrated that it will not fetter agriculture uses on neighbouring land.
- (d) Restricting subdivision within the Significant Agriculture Zone to that necessary to facilitate the use of the land for agriculture.
- (e) Providing for down-stream processing of agricultural products 'on farm'.
- (f) Minimising the use of significant agricultural land for plantation forestry.
- (g) Providing for non-agricultural resource development, such as forestry, extractive industry and onshore aquaculture facilities within the Rural Resource Zone.
- (h) Providing subdivision standards in the Rural Resource Zone that are consistent with the optimum size for the predominating agricultural enterprise.
- (i) Providing for resource processing industries within the Rural Resource Zone.

Objective:

To support the productive resources of the Huon Valley and encourage diverse and viable high value agricultural enterprise.

Desired Outcomes:

- (a) Economically viable agricultural enterprises are supported through other income streams including visitor accommodation and paddock-to-plate enterprises.
- (b) Support local produce being available at the 'farm gate'.
- (c) A diverse range of agricultural activities is encouraged particularly to increase output from small rural holdings.
- (d) The aquaculture industry is supported.
- (e) The historical configuration of lots is modified to improve agricultural viability of individual enterprises and increase output.

Outcomes to be achieved by:

- (a) Allowing complementary activities in the Rural Resource Zone and Significant Agricultural Zone to facilitate agricultural investment and use.
- (b) Ensuring complementary retail sales and food services that encourage agricultural investment and production are considered in rural areas.
- (c) (i) Ensuring use and development standards in the Rural Resource Zone and Significant Agricultural Zone afford priority to farmers and enable agricultural activities.
 - (ii) Ensuring that use and development standards do not restrict opportunities for agricultural production including new or unique modes of production.
- (d) Onshore aquaculture facilities are permitted at identified locations and discretionary in all coastal locations.
- (e) Provide for the reorganisation of existing rural lots to consolidate agricultural land and proactively address existing levels of fragmentation.

3.0.6 - R Natural Environment: Regional Objectives

Objective:

To increase responsiveness to the region's natural environment.

Desired Outcomes:

- (a) The region's biodiversity is not significantly diminished and ecosystems' resilience to the impacts of climate change is facilitated.
- (b) Significant areas of threatened vegetation communities, flora and fauna species, habitat for threatened species and places important for building resilience and adaptation to climate change for these, are recognised and protected.
- (c) The biodiversity and conservation values of the Reserve Estate are protected.

- Protecting land with the highest environmental values through the application of the Environmental Management Zone.
- (b) Protecting significant environmental values through codes dealing with biodiversity, landscape, wetlands, waterways, water quality and stormwater.
- (c) Avoid applying urban zones and the Significant Agriculture Zone to land with significant environmental values.

- (d) The spread of declared weeds under the Weed Management Act 1999 and other weeds of local significance is prevented and their removal is facilitated.
- (e) There is a response to the risk of soil erosion and dispersive and acid sulphate soils.
- (f) Significant biodiversity, landscape, scenic and cultural values of the region's coast are recognised and protected.
- (g) Use and development in coastal areas is responsive to effects of climate change including sea level rise, coastal inundation and shoreline recession.
- (h) The risk of loss of life and property from bushfires is minimised.
- (i) The risk of loss of life and property from flooding is minimised.
- (j) Life and property is protected from possible effects of land instability.
- (k) Land and groundwater is protected from site contamination and progressive remediation of contaminated land required where a risk to human health or the environment exists.

- (d) Allow biodiversity 'off sets' to compensate for loss of environmental values if Council policy has determined that such values cannot be lost without compensation.
- (e) Providing appropriate setbacks for development from the boundaries of reserved land.
- (f) Minimising loss of native vegetation and/or soil disturbance, and preventing the spread of weeds from development sites through construction management provisions.
- (g) Avoiding zoning any further land for urban development identified as at risk from rising sea levels.
- (h) Back-zoning land identified as potentially at risk from rising sea levels where not substantially developed.
- Managing areas identified as potentially at risk from rising sea levels through a Coastal Erosion Hazard Code.
- (j) Recognising and protecting climate refugia through appropriate zoning and/or code.
- (k) Generally zoning undeveloped land along the coast as Environmental Management, Recreation or Open Space zoned land.
- (I) Avoiding zoning any new areas identified as at unacceptable risk from bushfire, flooding, land instability, dispersive and/or acid sulphate soils for urban development.
- (m) Applying the Bushfires-Prone Areas Code where applicable to use and development.
- (n) Applying the Flood Prone Areas Code where applicable to use and development.
- (o) Applying the Landslide Code where applicable to use and development.
- (p) Recognising areas potentially at risk from site contamination and applying the Potentially Contaminated Land Code where applicable.
- (q) Recognising areas at risk from soil erosion, dispersive and acid sulphate soils and applying the Acid Sulfate Soils Code where applicable.

Objective:

To contribute to the maintenance of the natural environment and quality of agricultural land.

Desired Outcomes:

- (a) Components of biodiversity that are highly valued by the community are recognised and protected by the zoning of land and the implementation of the Biodiversity Code.
- (b) Potential adverse effects from land hazards are avoided, managed or mitigated through the siting, design and construction of new development.
- (c) Construction practices minimise the spread of local environmental weeds identified in the Huon Valley Weed Management Strategy 2013 and potential impact to agricultural land.

Outcomes to be achieved by:

- (a) Using best available spatial information on biodiversity in the consideration of land zoning and implementation of the Biodiversity Code in a manner that meets community values.
- (b) Applying various codes that respond to land hazards and by giving due consideration to risk management in the zoning of land.
- Requiring the use of weed management practices during the construction of development and use of land.

3.0.7 - R Water Resources: Regional Objectives

Objective:

To improve management of the region's water resources.

Desired Outcomes:

- (a) The ecological health, environmental values and water quality of surface and groundwater, including waterways, drinking water catchments, wetlands and estuaries
- (b) Wetlands and waterways are managed for their water quality, scenic, biodiversity, tourism and recreational values.

are protected and managed.

(c) The sustainable use of water is encouraged to decrease pressure on water supplies and reduce long-term cost of infrastructure provision.

Outcomes to be achieved by:

- (a) Protecting environmental values of waterways generally through a number of codes.
- (b) Minimising loss of riparian native vegetation in particular through the application of the Waterway and Coastal Protection Code.
- (c) Requiring total water cycle management and water sensitive urban design principles to be applied to relevant development.
- (d) Minimising loss of native vegetation and/or soil disturbance, and preventing the spread of weeds from development sites through construction management provisions and conditions.
- (e) Facilitating the use of rainwater tanks in residential areas.

3.0.7 - L Water Resources: Local Objectives

Objective:

To ensure the economic and community value of water resources is protected through improved management of the resource.

| Desired Outcomes: | | Outcomes to be achieved by: |
|-------------------|-------------------------------------|---|
| (| a) High quality water resources are | (a) Water resources, in particular the Huon |

- maintained for aquaculture and other industries, recreational fishing, and for the community and visitors.
- (b) The current condition and water quality in all natural waterways is not adversely affected by new use and development of land
- (c) Water catchments are protected.
- (d) Water infrastructure is protected.

- River, are protected through the application of zones and development standard that have regard to the physical capability of the land.
- (b) New point and diffuse discharges to natural waterways avoid potential for adverse impact to water quality.
- (c) Water catchments are protected through the Waterway and Coastal Protection Code.
- (d) Key water infrastructure is included in the Utilities Zone.

3.0.8 - R Healthy Communities: Regional Objectives

Objective:

To support strong and healthy communities.

Desired Outcomes:

- (a) High quality social and community facilities are provided to meet the education, health and care needs of the community and
 - facilitate healthy, happy and productive lives.
- (b) A broad distribution and variety of social housing is provided in areas with good public transport accessibility or in proximity to employment, education and other community services.

Outcomes to be achieved by:

- (a) Providing flexibility within the planning scheme for a variety of housing types in all residential areas, and ensuring it does not discriminate against social and affordable housing.
- (b) Providing flexibility within the planning scheme for the development of aged care and nursing home facilities particularly in close proximity to activity centres and public transport routes.
- (c) Providing for options within the planning scheme to facilitate the aged continuing to live within their communities, and with their families, for as long as possible.
- (d) Recognising and protecting key sites used for community facilities by applying the Community Purpose Zone.
- (e) Consideration of suitable environmental design provisions for inclusion in the planning scheme to assist with the protection of property from criminal activity.
- (f) Applying the Recreation Zone to land accommodating active sporting facilities.

3.0.8 - L Healthy Communities: Local Objectives

Objective:

To support strong and healthy communities in the Huon Valley.

Desired Outcomes:

- (a) Communities have access to high quality social and community facilities to meet the education, health and care needs of the Huon Valley community.
- (b) The physical environment (natural and man-made) promotes an active, connected lifestyle for the community.
- (c) The local economy harnesses the skills of older people and provides goods, services and facilities which attract and retain older community members.
- (d) Services, opportunities and information foster strong connections within the community.
- (e) Public spaces are provided with supporting infrastructure to encourage use and social interaction by all community members.

- (a) (i) Applying the Community Purpose Zone to key education, health and aged care facilities in which the expansion of existing facilities are permitted.
 - (ii) Ensure that Huonville remains the focus of key municipal wide health services through the Community Purpose Zone.
 - (iii) Ensuring that the Local Business Zone and Village Zone allow for local level community health and care facilities to provide services for the immediate community.
- (b) Applying the Environmental Management Zone, Open Space Zone and Recreation Zones to key sites of active and passive recreation.
- (c) Maximise flexibility for a range of economic activities across all zones.
- (d) Providing flexibility in all settlement zones to allow for community buildings focused on a diverse range of purposes.
- (e) Applying development standards consistent with the principles set out in Healthy by Design (Heart Foundation, 2004) and Council's Positive Ageing Strategy.

3.0.9 - R Competitiveness: Regional Objectives

Objective: To make the Southern Tasmanian region nationally and internationally competitive. **Desired Outcomes:** Outcomes to be achieved by: Strategic economic opportunities for Ensuring land for key industry based uses is Southern Tasmania are supported and appropriately zoned, protected. (b) Ensuring sufficient land is zoned for future uses where it is available. (b) Innovative and sustainable tourism is provided for the region. (c) Providing for tourism related use and development in appropriate zones. (d) Providing for the planning assessment of major tourism development proposals.

3.0.9 - L Competitiveness: Local Objectives

| Obj | Objective: | | |
|-------------------|---|-----------------------------|--|
| То є | To ensure that the Huon Valley is competitive on a State, national and international basis. | | |
| Desired Outcomes: | | | |
| Des | sired Outcomes: | Outcomes to be achieved by: | |

- provided training and educational services.
- (b) The Huon Valley continues to be a key tourism destination.
- (c) Facilitating the use and development of land for key tourism facilities.
- (d) Innovative and sustainable tourism is facilitated within the Huon Valley through the landscape values and tourism branding of the Huon Valley.
- (e) A diverse range of visitor accommodation facilities are readily available in all areas and all market segments.
- (f) The sense of place at the settlement and municipal area level desired by residents and visitors alike is enhanced.
- (g) The historic cultural heritage assets of the Huon Valley are recognised and protected for their contribution to local sense of place and visitor experience.
- (h) Visually attractive landscapes are protected from adverse permanent change.
- (i) Access to the Huon River for tourism, food services, boat building, aquaculture or other industry reliant on coastal locations is provided for in a manner that maintains water quality, public access and aesthetic value.
- (j) Communities have access to high speed and high capacity communication services.
- (k) Industry is supported by high quality and efficient road and sea infrastructure and suitably zoned land.
- (I) Expansion of downstream processing across all agricultural sectors.

- key education facilities.
- (b) Ensure all zones provide the necessary flexibility to maximise opportunities for economic and community activities that provide new or enhanced attractions for visitors.
- (c) Applying suitable zoning to key visitor sites including the Tahune Forest AirWalk, Hastings Caves and Ida Bay Railway.
- (d) Applying the Franklin Heritage Specific Area Plan.
- (e) Ensure visitor accommodation is provided for in residential, rural and commercial areas without adverse impact to amenity.
- (f) Applying use and development standards that are best capable of enhancing settlement and municipal area wide sense of place.
- (g) Applying the Historic Heritage Code with an initial list of local heritage places which is expanded on over time.
- (h) Applying the Scenic Landscapes Code and overlays to certain areas within the Environmental Living Zone and Environmental Management Zone.
- Enable use and access of the Huon River for environmental, community and commercial purposes without significant loss of visual amenity or ecosystem services.
- (j) Applying the Telecommunication Code to facilitate the efficient rollout of the National Broadband Network.
- (k) (i) Ensuring the zoning of land has regard to the safety and efficiency of State and local roads.
 - (ii) Protecting existing coastal infrastructure and providing opportunities for new points of access to the coast.
- Ensuring that downstream processing is a facilitated where practical across all productive industry sectors.

3.0.10 - R Liveability: Regional Objectives

Objective:

To create liveable communities.

Desired Outcomes:

- (a) An integrated open space and recreation system that responds to existing and emerging needs in the community and contributes to social inclusion, community connectivity, community health and wellbeing, amenity, environmental sustainability and the economy.
- (b) A regional approach to the planning, construction, management, and maintenance of major sporting facilities to protect the viability of existing and future facilities and minimise overall costs to the community.
- (c) Aboriginal heritage values within the region are recognised, retained and protected for their character, culture, sense of place, contribution to our understanding history and contribution to the region's competitive advantage.
- (d) Historic cultural heritage values are recognised, retained and protected within the region for their character, culture, sense of place, contribution to our understanding history and contribution to the region's competitive advantage.
- (e) Significant cultural landscapes are recognised and managed throughout the region to protect their key values.
- (f) Archaeological values are recognised and managed throughout the region to preserve their key values.

Outcomes to be achieved by:

- (a) Applying the Recreation and Open Space Zones to land accommodating active sporting facilities and passive recreation respectively.
- (b) Providing for and facilitating the recognition and appropriate protection of known historic cultural heritage and archaeological sites of local significance
- (c) Ensure development proponents are aware of their responsibilities under the *Aboriginal Relics Act 1975*.
- (d) Applying the Environmental Management Zone and Environmental Living Zone, and applying the Scenic Landscapes Code to significant landscapes and particularly to key skylines and ridgelines.
- (e) Ensuring development standards address open space, design and appearance issues.

3.0.10 - L Liveability: Local Objectives

Objective:

To enhance the livability of towns, settlements and rural localities within the Huon Valley.

Desired Outcomes:

- (a) A municipal wide comprehensive assessment of heritage places, including buildings and cultural landscapes is undertaken.
- (b) Heritage and character values of Franklin are protected and enhanced.
- (c) Sporting infrastructure is improved and opportunity for use is increased.

- (a) Recognising a preliminary list of local heritage places within the Historic Heritage Code.
- (b) Applying the Franklin Heritage Specific Area Plan.
- (c) Applying the Recreation Zone to key sporting infrastructure.
- (d) Ensure passive recreation can be

- (d) Opportunities for passive recreation and connectivity within and between settlements and alongside the Huon River is enhanced.
- (e) Open space is provided for in locations and with appropriate dimensions, topography and condition to meet settlement needs.
- (f) Key scenic landscapes are maintained.
- (g) New signage along public roads is carefully managed to maintain rural landscapes and avoid third party signage.

- considered in all zones.
- (e) Considering open space needs in all strategic land use planning activities and in the rezoning of land.
- (f) Applying the Scenic Landscapes Code to important vistas in rural areas together with development standards in the Environmental Living Zone and Environmental Management Zone.
- (g) Applying the Signs Code.

Part B

Administration

4.0 Interpretation

4.1 Planning Terms and Definitions

- 4.1.1 Terms in this planning scheme have their ordinary meaning unless they are defined in the Act or specifically defined in subclause 4.1.3 or in a code in Part E or a specific area plan in Part F.
- 4.1.2 In this planning scheme a reference to a Use Table is a reference to the Use Table in a zone in Part D or specific area plan in Part F.
- 4.1.3 In this planning scheme, unless the contrary intention appears:

A-B

| Act | means the Land Use Planning and Approvals Act 1993. | | |
|------------------------------|---|--|--|
| access | means land over which a vehicle enters or leaves a road from land adjoining a road. | | |
| access strip | means land, the purpose of which is to provide access to a road. | | |
| adult entertainment venue | means the use of land for the purpose of providing sexually explicit entertainment for adults only, and may include provision of food and drink. | | |
| adult sex product shop | means use of land to sell or hire sexually explicit material, including but not limited to: | | |
| | (a) publications classified as restricted under the Classification (Publications, Films and Computer Games) (Enforcement) Act 1995; and | | |
| | (b) materials and devices (other than contraceptives and medical treatments) used in conjunction with sexual behaviour. | | |
| agency | means: | | |
| | (a) a department or other agency of Government of the State or of the Commonwealth; or | | |
| | (b) an authority of the State or of the Commonwealth established for a public purpose. | | |
| agricultural land | means all land that is in agricultural use, or has the potential for agricultural use, that has not been zoned or developed for another use or would not be unduly restricted for agricultural use by its size, shape and proximity to adjoining non-agricultural uses. | | |
| agricultural use | means use of the land for propagating, cultivating or harvesting plants or for keeping and breeding of animals, excluding pets. It includes the handling, packing or storing of plant and animal produce for dispatch to processors. It includes controlled environment agriculture, intensive tree | | |

| | farming and plantation forestry. | |
|------------------------------------|--|--|
| AHD | means the Australian Height Datum (Tasmania) being the vertical geodetic datum as described in Chapter 8 of the Geodetic Datum of Australia Technical Manual version 2.3(1). | |
| amenity | means, in relation to a locality, place or building, any quality, condition or factor that makes or contributes to making the locality, place or building harmonious, pleasant or enjoyable. | |
| amusement parlour | means use of land for a building that contains: | |
| | (a) 3 or more coin, card, or token operated amusement machines; | |
| | (b) one or more coin, card, or token operated amusement machines with more than one screen or console that can be played by 3 or more people simultaneously; | |
| | (c) 2 or more coin, card, or token operated billiard, snooker, or pool tables; or | |
| | (d) the conduct of laser games or similar. | |
| | It does not include gambling machines or premises included in the Hotel industry use class as described in Table 8.2. | |
| ancillary dwelling | means an additional dwelling: | |
| | (a) with a floor area not greater than 60m2; | |
| | (b) that is appurtenant to a single dwelling; and | |
| | (c) that shares with that single dwelling access and parking, and water, sewerage, gas, electricity and telecommunications connections and meters. | |
| animal pound | means use of land for an enclosure for confining stray or homeless animals. | |
| animal salesyard | means use of land to buy and sell farm animals, and hold such animals for purchase or sale. | |
| annual exceedance probability | means the probability of an event with a certain magnitude being exceeded in any one year. | |
| applicable standard | means as defined in subclause 7.5.2. | |
| application | means an application for a permit made under this planning scheme. | |
| aquaculture | means use of land to keep or breed aquatic animals, or cultivate or propagate aquatic plants, and includes the use of tanks or impoundments on land. | |
| art and craft centre | means use of land to manufacture, display, and sell, works of art or craft, such as handicrafts, paintings and sculpture. | |
| basement | means a storey either below ground level or that projects no more than one metre above finished ground level. | |
| bed and breakfast establishment | means part of a dwelling used by its resident to provide, on a short-term commercial basis, accommodation and breakfast for persons away from their normal place of residence. | |

| biodiversity | means biological diversity as defined under the Nature Conservation Act 2002. |
|--------------------------|--|
| boarding house | means use of land for a dwelling in which lodgers rent one or more rooms, generally for extended periods, and some parts of the dwelling are shared by all lodgers. |
| boat and caravan storage | means use of land to store boats, caravans, or vehicle-towed boat trailers. |
| building | means as defined in the Act. |
| building area | means the area shown on a plan or plan of subdivision to indicate where all buildings will be located. |
| building envelope | means the three-dimensional space within which buildings are to occur. |
| building height | means the vertical distance from natural ground level at any point to the uppermost part of a building directly above that point, excluding minor protrusions such as aerials, antennae, solar panels, chimneys and vents. |
| building line | means a line drawn parallel to a frontage along the front facade of a building or through the point of a building closest to the frontage, excluding protrusions. |

C-K

| camping and caravan | means use of land to allow accommodation in caravans, cabins, motor |
|------------------------------------|---|
| park | homes, tents or the like and includes amenities provided for residents and persons away from their normal place of residence. |
| cinema | means use of land to display films, videos or other moving images to persons for reward. |
| clearance and conversion | means as defined in the Forest Practices Act 1985. |
| coastal zone | means as described in section 5 of the <i>State Coastal Policy Validation Act</i> 2003. |
| communal residence | means use of land for a building to accommodate persons who are unrelated to one another and who share some parts of the building. Examples include a boarding house, residential college and residential care home. |
| consulting room | means use of land by a registered practitioner of any therapeutic art or science, other than service provided by a medical centre. |
| controlled environment agriculture | means an agricultural use carried out within some form of built structure, whether temporary or permanent, which mitigates the effect of the natural environment and climate. Such agricultural uses include production techniques that may or may not use imported growth medium. Examples include greenhouses, polythene covered structures, and hydroponic facilities. |
| council | means as defined in the Act. |
| crop raising | means use of land to propagate, cultivate or harvest plants, including cereals, flowers, fruit, seeds, and vegetables. |

| day respite centre | means use of land for day-time respite care for the aged or persons with disabilities. |
|------------------------------|---|
| declared weeds | means as defined in the Weed Management Act 1999. |
| demolition | means the intentional damaging, destruction or removal of any building or works in whole or in part. |
| desired future character | means the desired character for a particular area set out in the planning scheme. |
| development | means as defined in the Act. |
| development area | means the area of land occupied by development including its yard, outbuildings, car parking, driveways, storage areas, landscaping and wastewater disposal areas. |
| dwelling | means a building, or part of a building, used as a self contained residence and which includes food preparation facilities, a bath or shower, laundry facilities, a toilet and sink, and any outbuilding and works normally forming part of a dwelling. |
| effective date | means the date on which the planning scheme came into effect. |
| employment training centre | means use of land to provide education and training to jobseekers and unemployed persons. |
| environmental harm | means as defined in the Environmental Management and Pollution Control Act 1994. |
| environmental nuisance | means as defined in the Environmental Management and Pollution Control Act 1994. |
| existing ground level | when used in respect of a development, means the level of a site at any point before the development occurs. |
| existing non- conforming use | means a use which is prohibited under the planning scheme but is one to which ss12(1)-(7) of the Act applies. |
| finished ground level | when used in respect of a development, means the level of a site at any point after the development has been completed. |
| forestry operations | means as defined in the Act. |
| Forest Practices Plan | means a Forest Practices Plan under the Forest Practices Code 2000. |
| frontage | means a boundary of a lot which abuts a road. |
| function centre | means use of land, by arrangement, to cater for private functions, and in which food and drink may be served. It may include entertainment and dancing. |
| funeral parlour | means use of land to organise and conduct funerals, memorial services, or the like. It includes the storage and preparation of bodies for burial or cremation. |
| gross floor area | means the total floor area of the building measured from the outside of the external walls or the centre of a common wall. |
| habitable building | means a building of Class 1 - 9 of the Building Code of Australia. |
| habitable room | means any room of a dwelling other than a bathroom, laundry, toilet, |
| | <u> </u> |

| pantry, walk-in wardrobe, corridor, stair, hallway, lobby, clothes drying room and other space of a specialised nature occupied neither frequently nor for extended periods. | |
|---|--|
| means an area or network of areas, not necessarily continuous, which enables migration, colonisation or interbreeding of flora or fauna specie between two or more areas of habitat. | |
| means use of part of a dwelling by a resident for non-residential purposes if: | |
| (a) no more than 50m² of floor area of the dwelling is used for the non-residential purposes; | |
| (b) the person conducting the business normally uses the dwelling as their principal place of residence; | |
| (c) it does not involve employment of more than 2 workers who do not reside at the dwelling; | |
| (d) any load on a utility is no greater than for a domestic use; | |
| (e) there is no activity that causes electrical interference to other land; | |
| (f) there is, on the site, no storage of hazardous materials; | |
| (g) there is, on the site, no display of goods for sale; | |
| (h) there is, on the site, no advertising of the business other than 1 sign (non-illuminated) not exceeding 0.2m² in area; | |
| (i) there is, on the site, no refuelling, servicing or repair of vehicles not owned by a resident; | |
| (j) not more than 2 commercial vehicles are on the site at any one time and no commercial vehicle on the site exceeds 2 tonnes; and | |
| (k) all vehicles used by the business are parked on the site. | |
| means a supervised place of accommodation, usually supplying board and lodging for students, nurses or the like. | |
| means the hours that a use is open to the public or conducting activities related to the use, not including routine activities normally associated with opening and closing or office and administrative tasks. | |
| means use of land to keep or breed farm animals, including birds, within a concentrated and confined animal growing operation by importing most food from outside the animal enclosures and includes a cattle feedlot, broiler farm or piggery. | |
| means a lot: | |
| (a) lying predominantly behind another lot; and | |
| (b) having access to a road by an access strip, private road or right of way. | |
| means an intersection between two or more roads at a common level, including the intersections of on and off ramps, and grade- separated roads. | |
| | |

| land | means as defined in the Act. |
|--------------------------------------|---|
| Level 2 Activity | means as defined under the Environmental Management and Pollution Control Act 1994. |
| level crossing | means as defined in section 35 of the Rail Infrastructure Act 2007. |
| liquid fuel depot | means use of land for the storage, wholesale and distribution of liquid fuel. |
| local historic heritage significance | means the significance in relation to a heritage place or heritage precinct as identified in a code relating to heritage values, or in a report prepared by a suitably qualified person if not identified in the code. |
| local shop | means land used for the sale of grocery or convenience items where the gross floor area does not exceed 200 m2. |
| lot | means a piece or parcel of land in respect of which there is only one title other than a lot within the meaning of the <i>Strata Titles Act 1998</i> . |
| marina | means use of land to moor boats, or store boats above or adjacent to the water. It includes boat recovery facilities, and facilities to repair, fuel, and maintain boats and boat accessories. |
| marine farming shore facility | means use of land to provide on-shore support infrastructure and facilities for off-shore aquaculture but does not include processing of fish. |
| market | means use of land to sell goods, including but not limited to foodstuffs, from stalls. |
| medical centre | means use of land to provide health services (including preventative care, diagnosis, medical and surgical treatment, and counselling) to outpatients only. |
| mezzanine | means an intermediate floor within a room. |
| minor utilities | means use of land for utilities for local distribution or reticulation of services and associated infrastructure such as a footpath, cycle path, stormwater channel, water pipes, retarding basin, telecommunication lines or electricity substation and power lines up to but not exceeding 110Kv. |
| motel | means use of land to provide accommodation in serviced rooms for persons away from their normal place of residence, where provision is made for parking of guests' vehicles convenient to their rooms. |
| motor repairs | means use of land to repair or service motor vehicles, and includes the fitting of motor vehicle accessories. |
| motor vehicle, boat or caravan sales | means use of land to sell or hire motor vehicles, boats, or caravans. It includes the minor repair or servicing of motor vehicles, boats, or caravans, and the sale or fitting of accessories for motor vehicles, boats or caravans. |
| multiple dwellings | means 2 or more dwellings on a site. |
| museum | means use of land to display archaeological, biological, cultural, geographical, geological, historical, scientific, or other like works or artefacts. |

| native vegetation | means plants that are indigenous to Tasmania including trees, shrubs, herbs and grasses that have not been planted for domestic or commercial purposes. |
|-----------------------------|--|
| natural ground level | means the natural level of a site at any point. |
| net density | means the density of development excluding areas set aside for roads and public open space. |
| office | means use of land for administration, or clerical, technical, professional or other similar business activities. |
| outbuilding | means a non-habitable detached building of Class 10a of the Building Code of Australia and includes a garage, carport or shed. |
| outdoor recreation facility | means use of land for outdoor leisure, recreation, or sport. |
| overnight camping area | means the use of land which is open to public use for holiday and recreational purposes, which purposes involve primarily the setting up and use of tents for overnight accommodation. |
| panel beating | means use of land to repair or replace damaged motor vehicle bodies and panels, and carry out any associated mechanical work or spray painting. |
| permit | means as defined in the Act. |
| planning authority | means the Huon Valley Council. |
| plantation forestry | means the use of land for planting, management and harvesting of trees for commercial wood production, but does not include the milling or processing of timber, or the planting or management of areas of a farm for shelter belts, firewood, erosion or salinity control or other environmental management purposes, or other activity directly associated with and subservient to another form of agricultural use. |
| plot ratio | means the gross floor area of all buildings on the site divided by the area of the site. |
| primary frontage | means, where there are 2 or more frontages, the frontage with the shortest dimensions measured parallel to the road irrespective of minor deviations and corner truncations. |
| primary produce sales | means use of land to sell unprocessed primary produce grown on the land or adjacent land. |
| prime agricultural land | means agricultural land classified as Class 1, 2 or 3 land using the Class Definitions and methodology from the Land Capability Handbook, Second Edition, C J Grose, 1999, Department of Primary Industries, Water and Environment, Tasmania. |
| private garden | means land adjacent to a dwelling that has been modified with landscaping or vegetation, including ornamental or edible plants, or the like. |
| private open space | means an outdoor area of the land or dwelling for the exclusive use of the occupants of the land or dwelling. |
| protrusion | means a protrusion from a building such as awnings, steps, porches, |

| | eaves, fascias, gutters, masonry chimneys, flues, pipes, domestic fuel or water tanks, and heating or cooling equipment or other services. |
|--------------------------------|---|
| public art gallery | means use of land to display works of art including ceramics, furniture, glass, paintings, sculptures and textiles, which land is maintained at the public expense, under public control and open to the public generally. |
| public land | means land owned or managed by the Crown, a State authority or a council. |
| public open space | means land for public recreation or public gardens or for similar purposes. |
| rail authority | means the agency, authority or business enterprise which has responsibility for rail infrastructure in Tasmania. |
| railway | means as defined in the Rail Infrastructure Act 2007. |
| refuse disposal | means use of land to dispose of refuse by landfill, incineration, or other means. |
| regional land use strategy | means as defined in the Act. |
| remand centre | means use of land for an institution to which accused persons are sent for detention while awaiting appearance before a court. |
| reserve management plan | means a management plan prepared under the National Parks and Reserves Management Act 2002, the Wellington Park Act 1993 or the Living Marine Resources Act 1995, or a plan of management prepared for an area reserved under the Crown Lands Act 1976. |
| residential aged care facility | means use of land for accommodation and personal or nursing care for the aged. It includes recreational, health or laundry facilities and services for residents of the facility. |
| retirement village | means use of land to provide permanent accommodation for retired people or the aged and includes communal recreational or medical facilities for residents of the village. |
| ribbon development | means a band of development extending along one or both sides of a road or along the coast. |
| road | means land over which the general public has permanent right of passage, including the whole width between abutting property boundaries, all footpaths and the like, and all bridges over which such a road passes. |
| road authority | means for State highways or subsidiary roads, within the meaning of the <i>Roads and Jetties Act 1935</i> , the Minister administering that Act and in relation to all other roads, the Council having the control of such road. |

S-Z

| scrap yard | mean use of land where disused vehicles, materials and machinery or parts are collected and either sold or prepared for being used again, and includes the use or onselling of scrap materials. |
|---------------|---|
| sensitive use | means a residential use or a use involving the presence of people for extended periods except in the course of their employment, such as in a |

| Г | T | |
|-------------------------------|--|--|
| | caravan park, childcare centre, dwelling, hospital or school. | |
| service station | means use of land to sell motor vehicle fuel from bowsers, and vehicle lubricants and if such use is made of the land, includes: | |
| | (a) selling or installing of motor vehicle accessories or parts; | |
| | (b) selling of food, drinks and other convenience goods; | |
| | (c) hiring of trailers; and | |
| | (d) servicing or washing of motor vehicles. | |
| serviced apartment | means use of land to provide accommodation for persons, who are away from their normal place of residence, in a furnished, self-contained room or suite of rooms designed for short-term and long-term stays, which provides amenities for daily use such as kitchen and laundry facilities. | |
| setback | means the distance from any lot boundary to a building on the lot. | |
| shipping container storage | means use of land to store shipping containers and if such use is made of the land, includes the cleaning, repair, servicing, painting or fumigation of the shipping containers. | |
| sign | means a device that is intended to give information, advertise or attract attention to a place, product, service or event. | |
| single dwelling | means a dwelling on a lot on which no other dwelling is situated, or a dwelling and an ancillary dwelling on a lot on which no other dwelling is situated. | |
| site | means the lot or lots on which a use or development is located or proposed to be located. | |
| site area per dwelling | means the area of the site (excluding any access strip) divided by the number of dwellings. | |
| site coverage | means the proportion of a site (excluding any access strip) covered by roofed buildings. | |
| solar energy installation | means a solar panel, evacuated tube solar collectors, or the like. | |
| solid fuel depot | means use of land to sell solid fuel, such as briquettes, coal, and firewood. | |
| standard | means, in any zone, code or specific area plan, the objective for a particular planning issue and the means for satisfying that objective through either an acceptable solution or performance criterion presented as the tests to meet the objective. | |
| State authority | means as defined in the Act. | |
| State-reserved land | means: | |
| | (a) land owned by the Crown or a State authority and reserved for any purpose under the Nature Conservation Act 2002, or the Crown Lands Act 1976; or | |
| | (b) fee simple land reserved for any purpose under the <i>Nature</i> Conservation Act 2002 where the Director of Parks and Wildlife is the managing authority. | |

| State waters | means as defined in s.5 of the <i>Living Marine Resources Management Act</i> 1995. |
|------------------------------|--|
| storey | means that part of a building between floor levels, excluding a mezzanine level. If there is no floor above, it is the part between the floor level and the ceiling. |
| streetscape | means the visual quality of a street depicted by road width, street planting, characteristics and features, public utilities constructed within the road reserve, the setbacks of buildings and structures from the lot boundaries, the quality, scale, bulk and design of buildings and structures fronting the road reserve. |
| | For the purposes of determining streetscape with respect to a particular site, the above factors are relevant if within 100 m of the site. |
| subdivide | means to divide the surface of a lot by creating estates or interests giving separate rights of occupation otherwise than by: |
| | (a) a lease of a building or of the land belonging to and contiguous to a building between the occupiers of that building; |
| | (b) a lease of airspace around or above a building; |
| | (c) a lease of a term not exceeding 10 years or for a term not capable of exceeding 10 years; |
| | (d) the creation of a lot on a strata scheme or a staged development scheme under the <i>Strata Titles Act 1998</i> ; or |
| | (e) an order adhering existing parcels of land. |
| subdivision | means the act of subdividing or the lot subject to an act of subdividing. |
| suitably qualified person | means a person who can adequately demonstrate relevant tertiary qualifications (or equivalent) and experience in a recognised field of knowledge, expertise or practice with direct relevance to the matter under consideration. |
| take away food premises | means use of land to prepare and sell food and drink primarily for immediate consumption off the premises. |
| threatened vegetation | means a threatened native vegetation community that is listed in Schedule 3A of the <i>Nature Conservation Act 2002</i> or a threatened native ecological community that is listed under the <i>Environment Protection</i> and <i>Biodiversity Conservation Act 1999 (Commonwealth</i>). |
| traffic impact assessment | means a study prepared by a suitably qualified person that shows the likely effects of traffic generated by use or development on the local environment and on the road or railway networks or both in terms of safety, efficiency and amenity, having regard to present and assumed future conditions. It includes recommendations on measures to be taken to maintain the safety and efficiency of the road or railway networks. |
| turf growing | means use of land for growing grass which is cut into sods or rolls containing the roots and some soil for direct transplanting. |
| use | means as defined in the Act. |
| vehicle crossing | means a driveway for vehicular traffic to enter or leave a road |
| | 1 |

| | carriageway from land adjoining a road. |
|------------------------|--|
| veterinary centre | means land used to: |
| | (a) diagnose animal diseases or disorders; |
| | (b) surgically or medically treat animals; or |
| | (c) prevent animal diseases or disorders, and includes keeping animals on the premises for those purposes. |
| video shop | means use of land to hire out videos, films and computer games. |
| wall height | means the vertical distance from natural ground level immediately below the wall to the uppermost part of the wall excluding any roof element. |
| waste transfer station | means use of land to receive and temporarily store waste before it is disposed of elsewhere. |
| watercourse | means a defined channel with a natural or modified bed and banks that carries surface water flows. |
| wetland | means a depression in the land, or an area of poor drainage, that holds water derived from ground water and surface water runoff and supports plants adapted to partial or full inundation and includes an artificial wetland. |
| wharf | means use of land to provide facilities for ships, such as bulk and container ships, passenger ships, and defence force marine craft. |
| winery | means use of land for the manufacture of vineyard products and if land is so used, includes the display and sale of vineyard products, and the preparation and sale of food and drink for consumption on the premises. |
| visitor centre | means land used for the principal purpose of providing information to tourists and may include incidental retail sales and supplementary services to tourism. |
| works | means as defined in the Act. |

5.0 Exemptions

- 5.0.1 Use or development described in Table 5.1 5.6 is exempt from requiring a permit under this planning scheme provided it meets the corresponding requirements.
- 5.0.2 Use or development which, under the provisions of the Act, including ss12(1) (4) a planning scheme is not to prevent, does not require a permit.
- 5.0.3 Excluding the exemption for emergency works at 5.3.1, in the coastal zone, no development listed in Table 5.1 5.6 is exempt from this planning scheme if it is to be undertaken on actively mobile landforms as referred to in clause 1.4 of the Tasmanian State Coastal Policy 1996. Development must not be located on actively mobile landforms in the coastal zone, unless for engineering or remediation works to protect land, property and human life in accordance with clause 1.4.1 and 1.4.2 in the State Coastal Policy 1996.

Table 5.1 Exempt use

| | Use | Requirements | |
|-------|-------------------|--|--|
| 5.1.1 | bee keeping | The use of land for bee keeping. | |
| 5.1.2 | occasional use | If for infrequent or irregular sporting, social or cultural events. | |
| 5.1.3 | home | If: | |
| | occupation | (a) not more than 40m² of gross floor area of the dwelling is used for non-residential purposes; | |
| | | (b) the person conducting the home occupation normally uses the dwelling as their principal place of residence; | |
| | | (c) it does not involve employment of persons other than a resident; | |
| | | (d) any load on a utility is no more than for a domestic use; | |
| | | (e) there is no activity that causes electrical interference to other land; | |
| | | (f) it does not involve display of goods for sale that are visible from any road or public open space adjoining the site; | |
| | | (g) it involves no more than 1 advertising sign (that must be non-illuminated) and not more than 0.2m² in area; | |
| | | (h) it does not involve refuelling, servicing, detailing or repair of vehicles not owned by the resident on the site; | |
| | | (i) no more than 1 commercial vehicle is on the site at any one time and no commercial vehicle on the site exceeds 2 tonnes; and | |
| | | (j) any vehicle used solely for non-residential purposes must be parked on the site. | |
| 5.1.4 | markets | If on public land. | |
| 5.1.5 | display home | The use of an existing dwelling as a display home for a period of up to 3 years. This includes the use of part of the dwelling as an office for home sales, displays and administration. | |

Table 5.2 Exempt infrastructure use or development

| | Use or development | Requirements |
|-------|------------------------------|--|
| 5.2.1 | dam construction works | Works that are directly associated with construction of a dam approved under the <i>Water Management Act 1999</i> , including the construction of vehicular access, vegetation removal and bulk soil excavations, are exempt if contained on the same site as the dam. |
| 5.2.2 | stormwater infrastructure | Provision, removal, maintenance and repair of pipes, open drains and pump stations for the reticulation or removal of stormwater by, or on behalf of, the Crown, a council or a State authority unless a code relating to landslip hazards applies and requires a permit for the use or development. |
| 5.2.3 | irrigation pipes | The laying or installation in the Rural Resource Zone or the Significant Agricultural Zone, of irrigation pipes, that are directly associated with, |

| | I | | |
|-------|-------------------------------|------|--|
| | | | a subservient part of, an agricultural use, provided no pipes are ted within a wetland, unless there is: |
| | | (a) | a code in this planning scheme which lists a heritage place or precinct and requires a permit for the use or development that is to be undertaken; |
| | | (b) | a code in this planning scheme which expressly regulates impacts on scenic or landscape values and requires a permit for the use or development that is to be undertaken; |
| | | (c) | a code in this planning scheme which expressly regulates impacts on biodiversity values and requires a permit for the use or development that is to be undertaken; |
| | | (d) | disturbance of more than 1m2 of land that has been affected by a potentially contaminating activity; |
| | | (e) | excavation or fill of more than 0.5m depth in a salinity hazard area or landslip hazard area shown in the planning scheme; or |
| | | (f) | the removal of any threatened vegetation. |
| 5.2.4 | road works | road | ntenance and repair of roads and upgrading by or on behalf of the dauthority which may extend up to 3m outside the road reserve uding: |
| | | (a) | widening or narrowing of existing carriageways; |
| | | (b) | making, placing or upgrading kerbs, gutters, footpaths, shoulders, roadsides, traffic control devices, line markings, street lighting, safety barriers, signs, fencing and landscaping, unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development; or |
| | | (c) | repair of bridges, or replacement of bridges of similar size in the same or adjacent location. |
| 5.2.5 | vehicle | If: | |
| | crossings, junctions and | (a) | development of a vehicle crossing, junction or level crossing: |
| | level crossings | | (i) by the road or rail authority; or |
| | | | (ii) in accordance with the written consent of the relevant road or rail authority; or |
| | | (b) | use of a vehicle crossing, junction or level crossing by a road or railway authority. |
| 5.2.6 | minor | If: | |
| | communications infrastructure | (a) | development of low impact facilities as defined in Parts 2 and 3 of the Telecommunications (Low-Impact Facilities) Determination 2018; |
| | | (b) | works involved in the inspection of land to identify suitability for telecommunications infrastructure; |
| | | (c) | development of a facility that has been granted a facility installation permit by the Australian Communications and Media |

| | | | Authority; |
|-------|---|------------------------------|---|
| | | (d) | works involved in the maintenance of telecommunication infrastructure; |
| | | (e) | works meeting the transitional arrangements as defined in Part 2 of Schedule 3 of the Telecommunications Act 1997; |
| | | (f) | feeder and distribution optical fibre cables not exceeding 18mm in diameter and with attached messenger wires on existing poles; |
| | | (g) | the connection of a line forming part of a telecommunications network to a building, caravan or mobile home including drop cabling of optic fibre networks; or |
| | | (h) | works involved in the installation, for purposes in connection with the installation of the National Broadband Network, of a: |
| | | | (i) galvanised steel service pole, no more than 6.6m in height above existing ground level, and 0.2m in diameter; or |
| | | | (ii) timber service pole, no more than 10.2m in height above existing ground level, and 0.42m in diameter, |
| | | | ss a code relating to the protection of airports applies and requires a nit for the use or development. |
| 5.2.7 | provision of linear and minor utilities and infrastructure | auth beha | or on behalf of the State Government, a Council, a Statutory nority, or a corporation all the shares of which are held by or on all of the State or by a Statutory authority, of electricity, gas, erage, and water reticulation to individual streets, lots or buildings, as there is: |
| | | (a) | a code in this planning scheme which lists a heritage place or precinct and requires a permit for the use or development that is to be undertaken; |
| | | (b) | disturbance of more than 1m2 of land that has been affected by a potentially contaminating activity; |
| | | (c) | excavation or fill of more than 0.5m depth in a salinity hazard area or landslip hazard area shown in the planning scheme; |
| | | (d) | the removal of any threatened vegetation; or |
| | | (e) | land located within 30m of a wetland or watercourse. |
| 5.2.8 | upgrades of linear and minor utilities and infrastructure | a sta or o (exc wor | inor upgrades by or on behalf of the State government, a Council, or atutory authority or a corporation all the shares of which are held by n behalf of the State or by a statutory authority, of infrastructure luding stormwater infrastructure under subclause 5.2.2 and road ks under subclause 5.2.4) such as roads, rail lines, footpaths, cycle is, drains, sewers, power lines and pipelines including: |
| | | (a) | minor widening or narrowing of existing carriageways; or |
| | | (b) | making, placing or upgrading kerbs, gutters, footpaths, roadsides, traffic control devices and markings, street lighting and landscaping, unless the following apply: |
| | | (c) | a code in this planning scheme which lists a heritage place or |

| | | precinct and requires a permit for the use or development that is to be undertaken; or (d) the removal of any threatened vegetation. | |
|--------|---|--|--|
| 5.2.9 | maintenance and repair of linear and minor utilities and | If by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority, maintenance and repair of: | |
| | infrastructure | (a) electricity, gas, sewerage, and water reticulation to individual streets, lots or buildings; and | |
| | | (b) infrastructure (excluding stormwater infrastructure under subclause 5.2.2 and road works under subclause 5.2.4) such as roads, rail lines, drains, sewers, power lines and pipelines. | |
| 5.2.10 | minor infrastructure | Provision, maintenance and modification of footpaths, cycle paths, playground equipment, seating, shelters, bus stops and bus shelters, street lighting, telephone booths, public toilets, post boxes, cycle racks, fire hydrants, drinking fountains, waste or recycling bins, public art, and the like by, or on behalf of, the Crown, a council or a State authority. | |
| 5.2.11 | navigation aids | Provision, maintenance and modification of any sort of marker which aids in navigation of nautical or aviation craft such as lighthouses, buoys, fog signals, landing lights, beacons, and the like, unless a code relating to the protection of airports applies and requires a permit for the use or development. | |
| 5.2.12 | electric car charger | Provision and maintenance if in a car park. | |

Table 5.3 Exempt building and works

| | Use or development | Requirements | |
|-------|---|---|--|
| 5.3.1 | emergency works | Urgent works, that are undertaken for public safety or to protect property or the environment as a result of an emergency situation, that are required or authorised by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority. | |
| 5.3.2 | maintenance and repair of buildings | Maintenance and repair of buildings including repainting, re-cladding and re-roofing whether using similar or different materials provided this does not contravene a condition of an existing permit which applies to a site. | |
| 5.3.3 | temporary buildings or works | The erection of temporary buildings or works to facilitate development for which a permit has been granted or for which no permit is required provided they are not occupied for residential use and are removed within 14 days of completion of development. | |
| 5.3.4 | unroofed decks | If: (a) not attached to or abutting a habitable building; and (b) the floor level is less than 1m above existing ground level, unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development. | |

| 5.3.5 | outbuildings | Con | struc | tion or placement of an outbuilding if: | | |
|-------|--|------------------|-------|---|--|--|
| | | (a) | build | not between a frontage and the building line, or if on a lot with no dings, the setback from the frontage is not less than the relevant eptable Solution requirement; and | | |
| | | (b) | the | area of the new outbuilding that is roofed is not more than: | | |
| | | | (i) | 10m² if: | | |
| | | | | a. there is not more than one other outbuilding on the lot; | | |
| | | | | b. the total area of all outbuildings on the lot that are roofed will not be more than 20m²; | | |
| | | | | c. no side of the new outbuilding is longer than 3.2m; and | | |
| | | | | d. the building height of the new outbuilding is not more than 2.4m; or | | |
| | | | (ii) | 18m² if: | | |
| | | | | a. there is no other outbuilding on the lot; | | |
| | | | | b. the roof span of the new outbuilding is not more than 3m; | | |
| | | | | c. the building height of the new outbuilding is not more than 2.4m; | | |
| | | | | d. the new outbuilding is not less than 0.9m from an existing building on the lot; | | |
| | | | | e. the new outbuilding has a setback of not less than 0.9m from any boundary; and | | |
| | | | | f. the change in existing ground level as a result of cut or fill is not more than 0.5m, | | |
| | | | | code relating to historic heritage values or significant trees applies ires a permit for the use or development. | | |
| 5.3.6 | buildings and | If fo | r: | | | |
| | works in the Rural Resource Zone or Significant | (a) | | construction of buildings or works, other than a dwelling, that are ctly associated with, and a subservient part of, an agricultural use | | |
| | Agricultural | | (i) | individual buildings do not exceed 100m2 in gross floor area; | | |
| | Zone | | (ii) | the setback from all property boundaries is not less than 30m; | | |
| | | | (iii) | no part of the building or works are located within 30m of a wetland or watercourse; | | |
| | | | (iv) | no part of the building or works encroach within any service easement or within 1m of any underground service; and | | |
| | | | (v) | the building or works are not located on prime agricultural land, | | |
| | | unless there is: | | | | |
| | | (b) | and | de in this planning scheme which lists a heritage place or precinct requires a permit for the use or development that is to be ertaken; | | |

| | | (c) | a code in this planning scheme which expressly regulates impacts on scenic or landscape values and requires a permit for the use or development that is to be undertaken; |
|-------|--------------------------------|------|---|
| | | (d) | a code in this planning scheme which expressly regulates impacts on biodiversity values and requires a permit for the use or development that is to be undertaken; |
| | | (e) | disturbance of more than 1m2 of land that has been affected by a potentially contaminating activity; |
| | | (f) | excavation or fill of more than 0.5m depth in a salinity hazard area or landslip hazard area shown in the planning scheme; or |
| | | (g) | the removal of any threatened vegetation. |
| 5.3.7 | demolition of exempt buildings | | demolition in whole or in part of a building, the erection of which would xempt under this planning scheme. |
| 5.3.8 | garden | Gard | den structures, such as a pergola, garden arch, trellis or frame, if: |
| | structures | (a) | the total area is no greater than 20m²; |
| | | (b) | the height is no more than 3m above ground level; and |
| | | (c) | it is uncovered or covered by an open-weave permeable material that allows water through, |
| | | | ss a code relating to historic heritage values or significant trees applies requires a permit for the use or development. |

Table 5.4 Vegetation exemptions

| | Use or development | Requirements |
|-------|---|---|
| 5.4.1 | vegetation removal for safety or in accordance with other Acts | If for: (a) clearance and conversion of a threatened native vegetation community, or the disturbance of a vegetation community, in accordance with a forest practices plan certified under the Forest Practices Act 1985, unless for the construction of a building or the carrying out of any associated development; |
| | | (b) harvesting of timber or the clearing of trees, or the clearance and conversion of a threatened native vegetation community, on any land to enable the construction and maintenance of electricity infrastructure in accordance with the Forest Practices Regulations 2017; |
| | | (c) fire hazard management in accordance with a bushfire hazard management plan approved as part of a use or development; |
| | | (d) fire hazard reduction required in accordance with the <i>Fire Service Act</i> 1979 or an abatement notice issued under the <i>Local Government Act</i> 1993; |
| | | (e) fire hazard management works necessary to protect existing assets and ensure public safety in accordance with a plan for fire hazard management endorsed by the Tasmanian Fire Service, Sustainable |

| | | Timbers Tasmania, the Parks and Wildlife Service, or council; |
|-------|--|--|
| | | (f) clearance within 2m of lawfully constructed buildings or infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, power lines, pipelines and telecommunications facilities, for maintenance, repair and protection; |
| | | (g) safety reasons where the work is required for the removal of dead wood, or treatment of disease, or required to remove an unacceptable risk to public or private safety, or where the vegetation is causing or threatening to cause damage to a substantial structure or building; or |
| | | (h) within 1.5m of a lot boundary for the purpose of erecting or maintaining a boundary fence. |
| 5.4.2 | planting, clearing or modification of vegetation on | If for the landscaping and the management of vegetation on pasture or cropping land, other than for plantation forestry on prime agricultural land, provided the vegetation is not protected by permit condition, an agreement made under Part 5 of the Act, covenant or other legislation, unless there is: |
| | pasture or cropping land | (a) a code in this planning scheme which lists a heritage place or precinct and requires a permit for the use or development to be undertaken; |
| | | a code in this planning scheme which expressly regulates impacts on scenic or landscape values and requires a permit for the use or development that is to be undertaken; |
| | | a code in this planning scheme which expressly regulates impacts on biodiversity values and requires a permit for the use or development that is to be undertaken; |
| | | (d) disturbance of more than 1m2 of land that has been affected by a potentially contaminating activity; |
| | | (e) excavation or fill of more than 0.5m depth in a salinity hazard area or landslip hazard area shown in the planning scheme; |
| | | (f) the removal of any threatened vegetation; or |
| | | (g) land located within 30m of a wetland or watercourse. |
| 5.4.3 | landscaping and vegetation | Landscaping and vegetation management within a private garden, public garden or park, or within State-reserved land or a council reserve, if: |
| | management | (a) the vegetation is not protected by legislation, a permit condition, an agreement made under section 71 of the Act, or a covenant; or |
| | | (b) the vegetation is not specifically listed and described as part of a historic heritage place or a significant trees in the relevant interim planning schemes, |
| | | unless the management is incidental to the general maintenance. |
| 5.4.4 | vegetation | The planting, clearing or modification of vegetation for: |
| | rehabilitation works | (a) soil conservation or rehabilitation works including Landcare activities and the like, provided that ground cover is maintained and erosion is managed; |
| | | (b) the removal or destruction of declared weeds or environmental weeds listed under a strategy or management plan approved by a council; |

| 1 | water quality protection or stream bank stabilisation works approved by the relevant State authority or a council; |
|---|---|
| | the implementation of a vegetation management agreement or a natural resource, catchment, coastal, reserve or property management plan or the like, provided the agreement or plan has been endorsed or approved by the relevant State authority or a council; or |
| | the implementation of a mining and rehabilitation plan approved under the terms of a permit, an Environment Protection Notice, or rehabilitation works approved under the <i>Mineral Resources</i> Development Act 1995. |

Table 5.5 Renewable energy exemptions

| | Use or development | Requirements | |
|-------|---|--|--|
| 5.5.1 | _ | If covering an area of not more than 18m², unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development. | |
| 5.5.2 | roof mounted solar energy installations | Unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development. | |
| 5.5.3 | wind turbines and | Use or development described in clauses 5.5.4 and 5.5.5 is exempt from requiring a permit under this planning scheme, unless it involves: | |
| | anemometers | (a) a place or precinct listed in a heritage code that is part of this planning scheme; | |
| | | (b) the removal of any threatened vegetation; | |
| | | (c) an area that is subject to a code that is part of this planning scheme and which expressly regulates impacts on scenic or landscape values; | |
| | | (d) an area that is subject to a code that is part of this planning scheme and which expressly regulates impacts on biodiversity values or is otherwise within 100m of a wetland; or | |
| | | (e) building or works within any service easement or within 1m of any underground service. | |
| 5.5.4 | wind turbines | One free standing wind turbine per lot, unless within the Inner Residential Zone, General Residential Zone, Low Density Residential Zone or a Particular Purpose Zone, if: | |
| | | (a) no part of the structure is closer to a frontage than any other building on the lot (excluding a fence); | |
| | | (b) no part of the structure is within 15m of any boundary; | |
| | | (c) the height of the pole above natural ground level is no higher than: | |
| | | (i) 15m in the Commercial Zone or General Business Zone; or | |
| | | (ii) 20m in the General Industrial Zone, Light Industrial Zone, Port and Marine Zone, Rural Resource Zone, Significant Agricultural Zone, or Utilities Zone; and | |

| | | (iii) | 12m in any other zone; and |
|-------|-------------|----------|---|
| | | (d) no į | part of the structure is closer to a sensitive use on another lot than: |
| | | (i) | 60m if the wind turbine has an energy generation potential of 10kW or less; or |
| | | (ii) | 250m if the wind turbine has an energy generation potential of 10kW or more. |
| 5.5.5 | anemometers | anemom | oorary installation of an anemometer provided that the eter and all traces of works associated with the anemometer are no more than 36 months after the commencement of wind ments and all land affected is rehabilitated within a further period nths. |

Table 5.6 Miscellaneous exemptions

| | Use or development | Requirements | |
|-------|---|--|--|
| 5.6.1 | use or development in a road reserve or on public land | f: a) for outdoor dining facilities, signboards, roadside vendors and stalls on a road that is managed by a relevant council; or b) a community garden on public land used for growing vegetables, fruit or ornamentals. | |
| 5.6.2 | fences (excluding fences within 4.5m of a frontage in the | The construction or demolition of: a) side and rear boundary fences not adjoining a road or public reserve or not within 4.5m of the site's primary frontage and not more than a total height of 2.1m above natural ground level; | |
| | General Residential Zone or Inner Residential Zone) | b) boundary fences adjoining a road or public reserve or within 4.5m of the site's primary frontage (excluding a fence under subclause 5.6.3) and not more than a total height of 1.2m above natural ground level; | |
| | | fencing of agricultural land or for protection of wetlands and watercourses; | |
| | | d) fencing for security purposes, no higher than 2.8m, that is within the Port and Marine Zone; | |
| | | e) fencing for security purposes, no higher than 2.8m, at an airport, unless there is: | |
| | | f) a code in this planning scheme which lists a heritage place or precinct and requires a permit for the use or development that is to be undertaken; | |
| | | g) the removal of any threatened vegetation; or | |
| | | h) land located within 30m of a wetland or watercourse. | |
| 5.6.3 | fences within 4.5m of a frontage in the | ences (including free-standing walls) within 4.5m of a frontage, if located in he General Residential Zone or Inner Residential Zone if not more than a neight of: | |
| | General Residential | a) 1.2m above existing ground level if the fence is solid; or | |
| | Zone or Inner | b) 1.8m above existing ground level, if the fence has openings above the | |

| | Residential Zone | height of 1.2m which provide a uniform transparency of at least 30% (excluding any posts or uprights), | |
|---|------------------------|--|--|
| | | unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development. | |
| 5.6.4 | temporary fencing | If for public safety, construction works or occasional sporting, social or cultural events. | |
| 5.6.5 | retaining walls | Retaining walls, excluding any land filling, if: | |
| | | (a) it has a setback of not less than 1.5m from any boundary; and | |
| | | (b) it retains a difference in ground level of less than 1m, | |
| | | unless a code relating to historic heritage values, significant trees, or landslip hazards, applies and requires a permit for the use or development. | |
| 5.6.6 | hot water cylinders | If attached, or located, to the side or rear of a building, unless a code relating to historic heritage values or significant trees applies and requires a permit for the use or development. | |
| 5.6.7 | minor | If: | |
| or rear of a building that are in as heat pumps, rain water tan | | (a) they are at least 1m from any boundary, minor attachments to the side or rear of a building that are incidental to any use or development such as heat pumps, rain water tanks with a capacity of less than 45 kilolitres and on a stand no higher than 1.2m, and air-conditioners; or | |
| | | (b) they are incidental to any use or development including: | |
| | | (i) a maximum of 2 masts for telecommunications or flagpoles provided each are no more than 6m in length; | |
| | | (ii) one satellite dish no more than 2m in diameter, | |
| | | unless there is a code in this planning scheme which lists a heritage place or precinct and requires a permit for the use or development that is to be undertaken. | |
| 5.6.8 | strata division | Division by strata titles of lawfully constructed or approved buildings for a use granted a permit under this planning scheme or previously lawfully approved. | |

6.0 Limited Exemptions

This clause number is not used in this planning scheme.

7.0 Planning Scheme Operation

7.1 Special Provisions

- 7.1.1 Part C sets out provisions, for certain types of use or development, that are not specific to any zone, specific area plan, or area to which a code applies.
- 7.1.2 Where there is a conflict between a provision in a zone, specific area plan or code and a special provision in Part C, the special provision in Part C prevails.

7.2 Operation of Zones

- 7.2.1 The planning scheme area is divided into zones in respect of which the primary controls for the use or development of land are set out.
- 7.2.2 The planning scheme maps show how land is zoned.
- 7.2.3 Part D sets out the zones and the use and development standards applying to each zone.

7.3 Operation of Codes

- 7.3.1 Part E specifies codes that identify areas or planning issues which require compliance with additional provisions set out in the codes.
- 7.3.2 Overlays on the maps may be used to indicate the areas where codes apply.
- 7.3.3 Codes set out provisions for:
 - (a) particular types of use or development that may apply to more than one zone; and
 - (b) matters that affect land that cannot be described by zone boundaries.
- 7.3.4 Where there is a conflict between a provision in a code and a provision in a zone, the code provision prevails.

7.4 Operation of Specific Area Plans

- 7.4.1 Part F sets out specific area plans, which plans identify areas either within a single zone or covered by a number of zones, and set out more detailed planning provisions for use or development in those areas.
- 7.4.2 Where there is a conflict between a provision in a specific area plan and a provision in a zone or a code, the specific area plan provision prevails.

7.5 Compliance with Applicable Standards

- 7.5.1 A use or development must comply with each applicable standard in a zone, specific area plan or code.
- 7.5.2 A standard in a zone, specific area plan or code is an applicable standard if:
 - (a) the proposed use or development will be on a site within a zone or the area to which a specific plan relates, or is a use or development to which the code applies; and
 - (b) the standard deals with a matter that could affect, or could be affected by, the proposed use or development.
- 7.5.3 Compliance for the purposes of subclause 7.5.1 consists of complying with the acceptable solution or the performance criterion for that standard.
- 7.5.4 The planning authority may consider the relevant objective in an applicable standard to help determine whether a use or development complies with the performance criterion for that standard.

8.0 Assessment of an Application for Use or Development

8.1 Application Requirements

- 8.1.1 An application must be made for any use or development for which a permit is required under this planning scheme.
- 8.1.2 An application must include:
 - (a) a signed application form;
 - (b) any written permission and declaration of notification required under s.52 of the Act and, if any document is signed by the delegate, a copy of the delegation;
 - (c) details of the location of the proposed use or development;
 - (d) a copy of the current certificate of title for all land to which the permit sought is to relate, including the title plan; and
 - (e) a full description of the proposed use or development.
- 8.1.3 In addition to the information that is required by clause 8.1.2, a planning authority may, in order to enable it to consider an application, require such further or additional information as the planning authority considers necessary to satisfy it that the proposed use or development will comply with any relevant standards and purpose statements in the zone, codes or a specific area plan, applicable to the use or development including:
 - (a) any schedule of easements if listed in the folio of the title and appear on the plan, where applicable;
 - (b) a site analysis and site plan at a scale acceptable to the planning authority showing, where applicable:
 - (i) the existing and proposed use(s) on the site;
 - (ii) the boundaries and dimensions of the site;
 - (iii) topography including contours showing AHD levels and major site features;
 - (iv) natural drainage lines, watercourses and wetlands on or adjacent to the site;
 - (v) soil type;
 - (vi) vegetation types and distribution including any known threatened species, and trees and vegetation to be removed;
 - (vii) the location and capacity and connection point of any existing services and proposed services;
 - (viii) the location of easements on the site or connected to the site;
 - (ix) existing pedestrian and vehicle access to the site;
 - (x) the location of existing and proposed buildings on the site;
 - (xi) the location of existing adjoining properties, adjacent buildings and their uses;
 - (xii) any natural hazards that may affect use or development on

the site;

- (xiii) proposed roads, driveways, parking areas and footpaths within the site;
- (xiv) any proposed open space, common space, or facilities on the site; and
- (xv) proposed subdivision lot boundaries;
- (c) where it is proposed to erect buildings, a detailed layout plan of the proposed buildings with dimensions at a scale of 1:100 or 1:200 as required by the planning authority showing, where applicable:
 - (i) the internal layout of each building on the site;
 - (ii) the private open space for each dwelling;
 - (iii) external storage spaces;
 - (iv) parking space location and layout;
 - (v) major elevations of every building to be erected;
 - (vi) the relationship of the elevations to existing ground level, showing any proposed cut or fill;
 - (vii) shadow diagrams of the proposed buildings and adjacent structures demonstrating the extent of shading of adjacent private open spaces and external windows of buildings on adjacent sites; and
 - (viii) materials and colours to be used on roofs and external walls.

8.2 Categorising Use or Development

- 8.2.1 Each proposed use or development must be categorised into one of the use classes in Table
- 8.2.2 A use or development that is directly associated with and a subservient part of another use on the same site must be categorised into the same use class as that other use.
- 8.2.3 If a use or development fits a description of more than one use class, the use class most specifically describing the use applies.
- 8.2.4 If a use or development does not readily fit any use class, it must be categorised into the most similar use class.
- 8.2.5 If more than one use or development is proposed, each use that is not directly associated with and subservient to another use on the same site must be individually categorised into a use class.

Table 8.2 Use Classes

Use Class Description

| Bulky goods sales | use of land for the sale of heavy or bulky goods which require a large | |
|-------------------|--|--|
| | area for handling, storage and display. Examples include garden and | |
| | landscape suppliers, rural suppliers, timber yards, trade suppliers, | |
| | showrooms for furniture, electrical goods and floor coverings, and motor | |
| | vehicle, boat or caravan sales. | |
| | | |

| Business and professional services | use of land for administration, clerical, technical, professional or similar activities. Examples include a bank, call centre, consulting room, funeral parlour, medical centre, office, post office, real estate agency, travel agency and veterinary centre. |
|--|---|
| Community meeting and entertainment | use of land for social, religious and cultural activities, entertainment and meetings. Examples include an art and craft centre, church, cinema, civic centre, function centre, library, museum, public art gallery, public hall and theatre. |
| Crematoria and cemeteries | use of land for the burial or cremation of human or animal remains, and if land is so used, the use includes a funeral chapel. |
| Custodial facility | use of land, other than psychiatric facilities, for detaining or reforming persons committed by the courts or during judicial proceedings. Examples include a prison, remand centre and any other type of detention facility. |
| Domestic animal breeding, boarding or training | use of land for breeding, boarding or training domestic animals. Examples include an animal pound, cattery and kennel. |
| Educational and occasional care | use of land for educational or short-term care purposes. Examples include a childcare centre, day respite facility, employment training centre, kindergarten, primary school, secondary school and tertiary institution. |
| Emergency services | use of land for police, fire, ambulance and other emergency services including storage and deployment of emergency vehicles and equipment. Examples include ambulance station, fire station and police station. |
| Equipment and machinery sales and hire | use of land for displaying, selling, hiring or leasing plant, equipment or machinery, associated with, but not limited to, cargo-handling, construction, earth-moving, farming, industry and mining. |
| Extractive industry | use of land for extracting or removing material from the ground, other than Resource development, and includes the treatment or processing of those materials by crushing, grinding, milling or screening on, or adjoining the land from which it is extracted. |
| | Examples include mining, quarrying, and sand mining. |
| Food services | use of land for preparing or selling food or drink for consumption on or off the premises. Examples include a cafe, restaurant and take-away food premises. |
| General retail and hire | use of land for selling goods or services, or hiring goods. Examples include an adult sex product shop, amusement parlour, beauty salon, betting agency, commercial art gallery, department store, hairdresser, market, primary produce sales, shop, shop front dry cleaner, supermarket and video shop |
| Hospital services | use of land to provide health care (including preventative care, diagnosis, medical and surgical treatment, rehabilitation, psychiatric care and counselling) to persons admitted as inpatients. If the land is so used, the use includes the care or treatment of outpatients. |
| Hotel industry | use of land to sell liquor for consumption on or off the premises. If the |

| | land is so used, the use may include accommodation, food for consumption on the premises, entertainment, dancing, amusement machines and gambling. Examples include a hotel, bar, bottle shop, nightclub and tavern. |
|--|--|
| Manufacturing and processing | use of land for manufacturing, assembling or processing products other than Resource processing. Examples include boat building, brick making, cement works, furniture making, glass manufacturing, metal and wood fabrication, mineral processing and textile manufacturing. |
| Motor racing facility | use of land (other than public roads) to race, rally, scramble or test vehicles, including go-karts, motor boats, and motorcycles, and includes other competitive motor sports. |
| Natural and cultural values management | use of land to protect, conserve or manage ecological systems, habitat, species, cultural sites or landscapes. |
| Passive recreation | use of land for informal leisure and recreation activities principally conducted in the open. Examples include public parks, gardens and playgrounds, and foreshore and riparian reserves. |
| Pleasure boat facility | use of land to provide facilities for boats operated primarily for pleasure or recreation, including boats operated commercially for pleasure or recreation. An example is a marina. |
| Port and shipping | use of land for: |
| | (a) berthing, navigation, servicing and maintenance of marine vessels which may include loading, unloading and storage of cargo or other goods, and transition of passengers and crew; or |
| | (b) maintenance dredging. |
| | Examples include berthing and shipping corridors, shipping container storage, hardstand loading and unloading areas, passenger terminals, roll-on roll-off facilities and associated platforms, stevedore and receipt offices, and a wharf. |
| Recycling and waste disposal | use of land to collect, dismantle, store, dispose of, recycle or sell used or scrap material. Examples include a recycling depot, refuse disposal site, scrap yard, vehicle wrecking yard and waste transfer station. |
| Research and development | use of land for electronic technology, biotechnology, or any other research and development purposes, other than as part of an educational use. |
| Residential | use of land for self contained or shared living accommodation. Examples include an ancillary dwelling, boarding house, communal residence, home-based business, hostel, residential aged care home, residential college, respite centre, retirement village, single or multiple dwellings, and a display home. |
| Resource development | use of land for propagating, cultivating or harvesting plants or for keeping and breeding of livestock or fishstock. If the land is so used, the use may include the handling, packing or storing of produce for dispatch to processors. Examples include agricultural use, aquaculture, bee keeping, controlled environment agriculture, crop production, horse stud, intensive animal husbandry, plantation forestry and turf growing. |

| Resource processing | use of land for treating, processing or packing plant or animal resources. Examples include an abattoir, animal saleyard, cheese factory, fish processing, milk processing, winery and sawmilling. | |
|----------------------------------|---|--|
| Service industry | use of land for cleaning, washing, servicing or repairing articles, machinery, household appliances or vehicles. Examples include a car wash, commercial laundry, electrical repairs, motor repairs and panel beating. | |
| Sports and recreation | use of land for organised or competitive recreation or sporting purposes including associated clubrooms. Examples include a bowling alley, fitness centre, firing range, golf course or driving range, gymnasium, outdoor recreation facility, public swimming pool, race course and sports ground. | |
| Storage | use of land for storage or wholesale of goods, and may incorporate distribution. Examples include boat and caravan storage, contractors yard, freezing and cool storage, liquid fuel depot, solid fuel depot, vehicle storage, warehouse and wood yard. | |
| Tourist operation | use of land specifically to attract tourists, other than for accommodation. Examples include a theme park, visitors centre, wildlife park and zoo. | |
| Transport depot and distribution | use of land for distributing goods or passengers, or to park or garage vehicles associated with those activities, other than Port and shipping. Examples include an airport, bus terminal, council depot, heliport, mail centre, railway station, road or rail freight terminal and taxi depot. | |
| Utilities | use of land for utilities and infrastructure including: | |
| | (a) telecommunications; | |
| | (b) electricity generation; | |
| | (c) transmitting or distributing gas, oil, or power; | |
| | (d) transport networks; | |
| | (e) collecting, treating, transmitting, storing or distributing water; or | |
| | (f) collecting, treating, or disposing of storm or floodwater, sewage, or sullage. | |
| | Examples include an electrical sub-station or powerline, gas, water or sewerage main, optic fibre main or distribution hub, pumping station, railway line, retarding basin, road, sewage treatment plant, storm or flood water drain, water storage dam and weir. | |
| Vehicle fuel sales and service | use of land primarily for the sale of motor vehicle fuel and lubricants, and if the land is so used, the use may include the routine maintenance of vehicles. An example is a service station. | |
| Vehicle parking | use of land for the parking of motor vehicles. Examples include single and multi-storey car parks. | |
| Visitor accommodation [S1] | use of land for providing short or medium term accommodation for persons away from their normal place of residence. Examples include a backpackers hostel, bed and breakfast establishment, camping and caravan park, holiday cabin, holiday unit, motel, overnight camping area, residential hotel and serviced apartment. | |

[S1] This definition is suspended, for the current definition refer to Planning Directive No. 6

- Exemption and Standards for Visitor Accommodation in Planning Schemes.

8.3 Qualification of Use

8.3.1 A use class may be subject to qualification in a Use Table which provides for conditions or limitations on the use class.

8.4 Requirement for a Permit

- 8.4.1 Except as provided in subclauses 8.5 and 8.6, use or development of land must not be commenced or carried out:
 - (a) without a permit granted and in effect in accordance with the Act and the provisions of this planning scheme; or
 - (b) in a manner contrary to the conditions and restrictions of a permit.
- 8.4.2 A change from an individual use to another individual use whether within the same use class or not requires a permit unless the planning scheme specifies otherwise.

8.5 Exempt Use or Development

8.5.1 A permit is not required to commence or carry out a use or development if it is exempt from requiring a permit under clauses 5.0 or 6.0.

8.6 No Permit Required

- 8.6.1 A permit is not required to commence or carry out a use or development if:
 - (a) the use is within a use class specified in the applicable Use Table as being a use for which no permit is required;
 - (b) the use or development does not rely on a performance criterion to comply with an applicable standard;
 - (c) the use or development is not discretionary or prohibited under any other provision of the planning scheme; and
 - (d) a permit for such use and development is not required by a Code.

8.7 Permitted Use or Development

- 8.7.1 A use or development must be granted a permit if:
 - the use is within a use class specified in the applicable Use Table as being a use which is permitted;
 - (b) the use or development complies with each applicable standard and does not rely on a performance criterion to do so; and
 - (c) the use or development is not discretionary or prohibited under any other provision of the planning scheme.

8.8 Discretionary Use or Development

- 8.8.1 The planning authority has a discretion to refuse or permit a use or development if:
 - the use is within a use class specified in the applicable Use Table as being a use which is discretionary;

- (b) the use or development complies with each applicable standard but relies upon a performance criterion to do so; or
- (c) it is discretionary under any other provision of the planning scheme,
- (d) and the use or development is not prohibited under any other provision of the planning scheme.

8.9 Prohibited Use or Development

- 8.9.1 A use or development must not be granted a permit if:
 - (a) the use is within a use class specified in the applicable Use Table as being a use which is prohibited;
 - (b) the use or development does not comply with an acceptable solution for an applicable standard and there is no corresponding performance criterion; or
 - (c) it is prohibited under any other provision of the planning scheme.

8.10 Determining Applications

- 8.10.1 In determining an application for any permit the planning authority must, in addition to the matters required by ss51(2) of the Act, take into consideration:
 - (a) all applicable standards and requirements in this planning scheme; and
 - (b) any representations received pursuant to and in conformity with ss57(5) of the Act, but in the case of the exercise of discretion, only insofar as each such matter is relevant to the particular discretion being exercised.
- 8.10.2 In determining an application for a permit for a discretionary use the planning authority must, in addition to the matters referred to in subclause 8.10.1, have regard to:
 - (a) the purpose of the applicable zone;
 - (b) any relevant local area objective or desired future character statement for the applicable zone;
 - (c) the purpose of any applicable code; and
 - (d) the purpose of any applicable specific area plan,

but only insofar as each such purpose, local area objective or desired future character statement is relevant to the particular discretion being exercised.

8.10.3 In determining an application for any permit the planning authority must not take into consideration matters referred to in clauses 2.0 and 3.0 of the planning scheme.

8.11 Conditions and Restrictions on a Permit

- 8.11.1 When deciding whether to attach conditions to a permit, the planning authority may consider the matters contained in subclauses 8.10.1 and 8.10.2.
- 8.11.2 Conditions and restrictions imposed by the planning authority on a permit may include:
 - (a) requirements that specific things be done to the satisfaction of the planning authority;
 - (b) staging of a use or development, including timetables for commencing and completing stages;

- (c) the order in which parts of the use or development can be commenced;
- (d) limitations on the life of the permit; and
- (e) requirements to modify the development in accordance with predetermined triggers, criteria or events.
- 8.11.3 The planning authority may also impose conditions on a permit to minimise impact from construction works on the environment and infrastructure and to ensure that works will be undertaken in accordance with best practice management that limits the potential for significant impacts arising from the following:
 - (a) soil loss and associated sedimentation of watercourses, wetlands and stormwater infrastructure;
 - (b) the spread of weeds;
 - (c) the spread of soil pathogens;
 - (d) unsatisfactorily managed waste; and
 - (e) carparking, traffic flow and circulation during construction.

Part C

Special Provisions

9.0 Special provisions

9.1 Changes to an Existing Non-conforming Use

- 9.1.1 Notwithstanding any other provision of this planning scheme, whether specific or general, the planning authority may at its discretion, approve an application:
 - (a) to bring an existing use of land that does not conform to the scheme into conformity, or greater conformity, with the scheme; or
 - (b) to extend or transfer a non-conforming use and any associated development, from one part of the site to another part of that site; or
 - (c) for a minor development to a non-conforming use, where there is -
 - (a) no detrimental impact on adjoining uses; or
 - (b) the amenity of the locality; and
 - (c) no substantial intensification of the use of any land, building or work.

In exercising its discretion, the planning authority may have regard to the purpose and provisions of the zone and any applicable codes.

9.2 Development for Existing Discretionary Uses

9.2.1 Notwithstanding clause 8.8.1, proposals for development (excluding subdivision), associated with a use class specified in an applicable Use Table, as a discretionary use, must be considered as if that use class had permitted status in that Use Table, where the proposal for development does not establish a new use, or substantially intensify the use.

9.3 Adjustment of a Boundary

- 9.3.1 An application for a boundary adjustment is permitted and a permit must be granted if:
 - (a) no additional lots are created;
 - (b) there is only minor change to the relative size, shape and orientation of the existing lots;
 - (c) no setback from an existing building will be reduced below the applicable minimum setback requirement;
 - (d) no frontage is reduced below the applicable minimum frontage requirement; and
 - (e) no lot boundary that aligns with a zone boundary will be changed.

9.4 Demolition

9.4.1 Unless approved as part of another development or Prohibited by another provision in

this planning scheme, or a code relating to historic heritage values applies, an application for demolition is Permitted and a permit must be granted subject to any conditions and restrictions specified in clause 8.11.2 of the relevant interim planning scheme.

9.5 Change of Use of a Place listed on the Tasmanian Heritage Register or a heritage place

- 9.5.1 An application for a use of a place listed on the Tasmanian Heritage Register or as a heritage place in a code relating to historic heritage values that would otherwise be Prohibited is Discretionary.
- 9.5.2 The planning authority may approve such an application if it would facilitate the restoration, conservation and future maintenance of:
 - (a) the local historic heritage significance of the heritage place; or
 - (b) the historic cultural heritage significance of the place as described in the Tasmanian Heritage Register.
- 9.5.3 In determining an application the planning authority must have regard to:
 - (a) any statement of historic cultural heritage significance for the place, as described in the Tasmanian Heritage Register;
 - (b) any statement of local historic heritage significance and historic heritage values, as described in a code relating to historic heritage values;
 - (c) any heritage impact statement prepared by a suitably qualified person setting out the effect of the proposed use and any associated development on:
 - (i) the local historic heritage significance of the heritage place or heritage precinct; and
 - (ii) the historic cultural heritage significance of the place as described in the Tasmanian Heritage Register;
 - (d) any conservation plan prepared by a suitably qualified person in accordance with The Conservation Plan: A guide to the preparation of conservation plans for places of European cultural significance 7th edition, 2013;
 - (e) the degree to which the restoration, conservation and future maintenance of the heritage significance of the place is dependent upon the establishment of the proposed use;
 - (f) the likely impact of the proposed use on the amenity, or operation, of surrounding uses;
 - (g) any Heritage Agreement that may be in place, in accordance with the provisions contained in the *Historic Cultural Heritage Act 1995*;
 - (h) the purpose and provisions of the applicable zone; and
 - (i) the purpose and provisions of any applicable code.

9.6 Change of Use

9.6.1 A permit is not required for a change of use from an existing lawful use to another use

in the same Use Class if:

- (a) the use is not otherwise Prohibited or Discretionary under any provision of the planning scheme;
- (b) the use complies with all applicable standards and does not rely on any **Performance Criteria** to do so; and
- (c) there is no:
 - (i) increase in the gross floor area of the use;
 - (ii) increase in the requirement for parking spaces under a code relating to parking;
 - (iii) change in the arrangements for site access, parking, or for the loading and servicing of vehicles on the site;
 - (iv) change in arrangements for the use of external areas of the site for display, operational activity or storage;
 - (v) increase in emissions or change in the nature of emissions;
 - (vi) increase in the required capacity of utility services; and
 - (vii) increase in the existing hours of operation if outside the hours of 8.00am to 6.00pm Monday to Sunday inclusive.

9.7 Access and Provision of Infrastructure Across Land in Another Zone

- 9.7.1 If an application for use or development includes access or provision of infrastructure across land that is in a different zone to that in which the main part of the use or development is located, and the access or infrastructure is prohibited by the provisions of the different zone, the planning authority may at its discretion approve an application for access or provision of infrastructure over the land in the other zone, having regard to:
 - (a) whether there is no practical and reasonable alternative for providing the access or infrastructure to the site;
 - (b) the purpose and provisions of the zone and any applicable code for the land over which the access or provision of infrastructure is to occur; and
 - (c) the potential for land use conflict with the use or development permissible under the planning scheme for any adjoining properties and for the land over which the access or provision of infrastructure is to occur.

9.8 Buildings Projecting onto Land in a Different Zone

9.8.1 If an application for use or development includes a building that projects over land in a different zone, the status of the use for the projecting portion of the building is to be determined in accordance with the provisions of the zone in which the main part of the building is located.

9.9 Port and Shipping in Proclaimed Wharf Areas

9.9.1 Notwithstanding any other provision in this planning scheme, an application for a use or development for Port and Shipping within a proclaimed wharf area must be considered as No Permit Required.

9.10 Subdivision

- 9.10.1 A permit is required for development involving a plan of subdivision.
- 9.10.2 A permit for development involving a plan of subdivision is discretionary unless:
 - (a) for adjustment of a boundary in accordance with clause 9.3.1;
 - (b) the subdivision is prohibited in accordance with clause 8.9; or
 - (c) the plan of subdivision must not be approved under section 84 Local Government (Building and Miscellaneous Provisions) Act 1993.

9.11 Accretions

- 9.11.1 Unless excluded by s.20 of the Act, use or development of an existing or proposed accretion of land from the sea, whether natural or unnatural, located either partially or wholly outside the planning scheme area and including structures and use and development of the type referred to in s.7 (c) and s.7 (d) of the Act may be approved at the discretion of the planning authority having regard to all of the following:
 - (a) the provisions of the Environmental Management Zone;
 - (b) the purpose and any relevant standards of all Codes;
 - (c) the compliance with the planning scheme standards of any related use or development wholly contained within the planning scheme area.

Part D

Zones

10.0 General Residential Zone

10.1 Zone Purpose

- 10.1.1 Zone Purpose Statements
- 10.1.1.1 To provide for residential use or development that accommodates a range of dwelling types at suburban densities, where full infrastructure services are available or can be provided.
- 10.1.1.2 To provide for compatible non-residential uses that primarily serve the local community.
- 10.1.1.3 To provide for the efficient utilisation of services.
- 10.1.2 Local Area Objectives

There are no local area objectives for this zone.

10.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

10.2 Use Table

| No Permit Required | | |
|--|--|--|
| Use Class | Qualification | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> . | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Residential | Only if single dwelling. | |
| | Only if home-based business with no more than 1 non-resident worker/employee, no more than 1 commercial vehicle and a floor area no more than 30m ² . | |
| Utilities | Only if minor utilities. | |
| Permitted | | |
| Use Class | Qualification | |
| Residential | Except if no permit required. | |
| | Except if home-based business with more than 1 non-resident worker/employee, more than 1 commercial vehicle or a floor area more than 30m2. | |

| Discretionary | | |
|---|--|--|
| Qualification | | |
| Only if a consulting room, medical centre, veterinary surgery or child health clinic. | | |
| Only if church, art and craft centre or public hall | | |
| Except if no permit required | | |
| | | |
| | | |
| Only if a local shop. | | |
| Except if No Permit Required or Permitted. | | |
| | | |
| Except if no permit required. | | |
| 1 | | |
| Qualification | | |
| | | |
| | | |

10.3 Use Standards

10.3.1 Non-Residential Use

| Obj | Objective: | | |
|--|--|--|--|
| То є | To ensure that non-residential use does not unreasonably impact residential amenity. | | |
| Acc | eptable Solutions | Performance Criteria | |
| A1 | | P1 | |
| Hours of operation must be within 8.00 am to 6.00 pm, except for office and administrative tasks or visitor accommodation. | | Hours of operation must not have an unreasonable impact upon the residential amenity through commercial vehicle movements, noise or other emissions that are unreasonable in their timing, duration or extent. | |
| A2 | | P2 | |
| Noise emissions measured at the boundary of the site must not exceed the following: | | Noise emissions measured at the boundary of the site must not cause environmental harm. | |
| (a) | 55 dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm; | | |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm to 8.00 am; | | |
| (c) | 65dB(A) (LAmax) at any time. | | |
| Mea | asurement of noise levels must be in | | |

accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness.

Noise levels are to be averaged over a 15 minute time interval.

A3

Α4

External lighting must comply with all of the following:

- (a) be turned off between 6:00 pm and 8:00 am, except for security lighting;
- (b) security lighting must be baffled to ensure they do not cause emission of light into adjoining private land.

Р3

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site must be limited to 20 vehicle movements per day and be within the hours of:

- (a) 7.00 am to 5.00 pm Mondays to Fridays inclusive;
- (b) 9.00 am to 12 noon Saturdays;
- (c) nil on Sundays and Public Holidays.

External lighting must not adversely affect existing or future residential amenity, having regard to all of the following:

- (a) level of illumination and duration of lighting;
- (b) distance to habitable rooms in an adjacent dwelling.

Commercial vehicle movements, (including loading and unloading and garbage removal) must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements;
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;
- (f) the level of traffic on the road;
- (g) the potential for conflicts with other traffic.

10.3.2 Visitor Accommodation

Objective:

To ensure visitor accommodation is of a scale that accords with the residential character and use of the area.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Visitor accommodation must comply with all of the following: | Visitor accommodation must satisfy all of the following: |

Р4

- (a) is accommodated in existing buildings;
- (b) provides for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site;
- (c) has a floor area of no more than 160m².
- (a) not adversely impact residential amenity and privacy of adjoining properties;
- (b) provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site;
- (c) be of an intensity that respects the character of use of the area;
- (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way.

10.4 Development Standards for Dwellings

10.4.1 Residential density for multiple dwellings

Objective:

That the density of multiple dwellings:

- (a) makes efficient use of land for housing; and
- (b) optimises the use of infrastructure and community services.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| Multiple dwellings must have a site area per dwelling of not less than 325m ² . | Multiple dwellings must only have a site area per dwelling that is less than 325m ² , if the development will not exceed the capacity of infrastructure services and: | |
| | (a) is compatible with the density of existing development on established properties in the area; or | |
| | (b) provides for a significant social or community benefit and is: | |
| | (i) wholly or partly within 400m walking distance of a public transport stop; or | |
| | (ii) wholly or partly within 400m walking distance of an Inner Residential Zone, Village Zone, Urban Mixed Use Zone, Local Business Zone, General Business Zone, Central Business Zone or Commercial Zone. | |

10.4.2 Setbacks and building envelope for all dwellings

Objective:

The siting and scale of dwellings:

(a) provides reasonably consistent separation between dwellings and their frontage within a street;

- (b) provides consistency in the apparent scale, bulk, massing and proportion of dwellings;
- (c) provides separation between dwellings on adjoining properties to allow reasonable opportunity for daylight and sunlight to enter habitable rooms and private open space; and
- (d) provides reasonable access to sunlight for existing solar energy installations.

Acceptable Solutions

Α1

Unless within a building area on a sealed plan, a dwelling, excluding garages, carports and protrusions that extend not more than 0.9m into the frontage setback, must have a setback from a frontage that is:

- (a) if the frontage is a primary frontage, not less than 4.5m, or, if the setback from the primary frontage is less than 4.5m, not less than the setback, from the primary frontage, of any existing dwelling on the site;
- (b) if the frontage is not a primary frontage, not less than 3m, or, if the setback from the frontage is less than 3m, not less than the setback, from a frontage that is not a primary frontage, of any existing dwelling on the site;
- (c) if for a vacant site and there are existing dwellings on adjoining properties on the same street, not more than the greater, or less than the lesser, setback for the equivalent frontage of the dwellings on the adjoining sites on the same street;
- (d) if located above a non-residential use at ground floor level, not less than the setback from the frontage of the ground floor level; or
- (e) if the development is on land that abuts a road specified in Table 10.4.2, at least that specified for the road.

Performance Criteria

P1

A dwelling must:

- (a) have a setback from a frontage that is compatible with the streetscape, having regard to any topographical constraints; and
- (b) if abutting a road identified in Table 10.4.2, include additional design elements that assist in attenuating traffic noise or any other detrimental impacts associated with proximity to the road.

A2

A garage or carport for a dwelling must have a setback from a primary frontage of not less than:

- (a) 5.5m, or alternatively 1m behind the building line;
- (b) the same as the building line, if a portion of the dwelling gross floor area is located above the garage or carport; or
- (c) 1m, if the existing ground level slopes up or

P2

A garage or carport for a dwelling must have a setback from a primary frontage that is compatible with the setbacks of existing garages or carports in the street, having regard to any topographical constraints.

down at a gradient steeper than 1 in 5 for a distance of 10m from the frontage.

A3

A dwelling, excluding outbuildings with a building | The siting and scale of a dwelling must: height of not more than 2.4m and protrusions that extend not more than 0.9m horizontally beyond the building envelope, must:

- (a) be contained within a building envelope (refer to Figures 10.1, 10.2 and 10.3) determined by:
 - a distance equal to the frontage setback or, for an internal lot, a distance of 4.5m from the rear boundary of a property with an adjoining frontage; and
 - projecting a line at an angle of 45 degrees from the horizontal at a height of 3m above existing ground level at the side and rear boundaries to a building height of not more than 8.5m above existing ground level; and
- (b) only have a setback of less than 1.5m from a side or rear boundary if the dwelling:
 - does not extend beyond an existing building built on or within 0.2m of the boundary of the adjoining property; or
 - (ii) does not exceed a total length of 9m or one third the length of the side boundary (whichever is the lesser).

P3

- not cause an unreasonable loss of amenity to adjoining properties, having regard to:
 - reduction in sunlight to a habitable room (other than a bedroom) of a dwelling on an adjoining property;
 - (ii) overshadowing the private open space of a dwelling on an adjoining property;
 - (iii) overshadowing of an adjoining vacant property; and
 - (iv) visual impacts caused by the apparent scale, bulk or proportions of the dwelling when viewed from an adjoining property;
- provide separation between dwellings on adjoining properties that is consistent with that existing on established properties in the area: and
- not cause an unreasonable reduction in sunlight to an existing solar energy installation on:
 - an adjoining property; or (i)
 - another dwelling on the same site.

Table 10.4.2

| Road | Setback (m) |
|--------------|-------------|
| Huon Highway | 6 |
| Main Road | 6 |




Figure 10.1 Building envelope as required by clause 10.4.2 A3(a)




Figure 10.2 Building envelope for corner lots as required by clause 10.4.2 A3(a)




Figure 10.3 Building envelope for internal lots as required by clause 10.4.2 A3(a)

10.4.3 Site coverage and private open space for all dwellings

Objective:

That dwellings are compatible with the amenity and character of the area and provide:

- (a) for outdoor recreation and the operational needs of the residents;
- (b) opportunities for the planting of gardens and landscaping; and
- (c) private open space that is conveniently located and has access to sunlight.

Performance Criteria Acceptable Solutions Α1 **P1** Dwellings must have: Dwellings must have: (a) a site coverage of not more than 50% (a) site coverage consistent with that existing (excluding eaves up to 0.6m wide); and on established properties in the area; (b) for multiple dwellings, a total area of (b) private open space that is of a size and with private open space of not less than 60m2 dimensions that are appropriate for the size associated with each dwelling, unless the of the dwelling and is able to dwelling has a finished floor level that is accommodate: entirely more than 1.8m above the finished outdoor recreational space consistent ground level (excluding a garage, carport or with the projected requirements of entry foyer). the occupants and, for multiple dwellings, take into account any common open space provided for this purpose within the development; and (ii) operational needs, such as clothes drying and storage; and reasonable space for the planting of gardens and landscaping. Α2 **P2**

A dwelling must have private open space that:

- (a) is in one location and is not less than:
 - (i) 24m²; or
 - (ii) 12m², if the dwelling is a multiple dwelling with a finished floor level that is entirely more than 1.8m above the finished ground level (excluding a garage, carport or entry foyer);
- (b) has a minimum horizontal dimension of not less than:
 - (i) 4m; or
 - (ii) 2m, if the dwelling is a multiple dwelling with a finished floor level that is entirely more than 1.8m above the finished ground level (excluding a garage, carport or entry foyer);
- (c) is located between the dwelling and the frontage only if the frontage is orientated between 30 degrees west of true north and 30 degrees east of true north;
- (d) has a gradient not steeper than 1 in 10; and
- (e) is not used for vehicle access or parking

A dwelling must have private open space that includes an area capable of serving as an extension of the dwelling for outdoor relaxation, dining, entertaining and children's play and is:

- (a) conveniently located in relation to a living area of the dwelling; and
- (b) orientated to take advantage of sunlight.

10.4.4 Sunlight to private open space of multiple dwellings

Objective:

That the separation between multiple dwellings provides reasonable opportunity for sunlight to private open space for dwellings on the same site.

Acceptable Solutions

A1

A multiple dwelling, that is to the north of the private open space of another dwelling on the same site, required to satisfy A2 or P2 of clause 10.4.3, must satisfy (a) or (b), unless excluded by (c):

- (a) the multiple dwelling is contained within a line projecting (see Figure 10.4):
 - (i) at a distance of 3m from the northern edge of the private open space; and
 - vertically to a height of 3m above existing ground level and then at an angle of 45 degrees from the horizontal;
- (b) the multiple dwelling does not cause 50% of the private open space to receive less than

Performance Criteria

P1

A multiple dwelling must be designed and sited to not cause an unreasonable loss of amenity by overshadowing the private open space, of another dwelling on the same site, which is required to satisfy A2 or P2 of clause 10.4.3 of this planning scheme.

- 3 hours of sunlight between 9.00am and 3.00pm on 21st June; and
- (c) this Acceptable Solution excludes that part of a multiple dwelling consisting of:
 - (i) an outbuilding with a building height not more than 2.4m; or
 - (ii) protrusions that extend not more than 0.9m horizontally from the multiple dwelling.




Figure 10.4 Separation from the private open space of another dwelling on the same site as required by clause 10.4.4 A1(a)

10.4.5 Width of openings for garages and carports for all dwellings

Objective: To reduce the potential for garage or carport openings to dominate the primary frontage. **Acceptable Solutions Performance Criteria A1 P1** A garage or carport for a dwelling within 12m of A garage or carport for a dwelling must be a primary frontage, whether the garage or designed to minimise the width of its openings carport is free-standing or part of the dwelling, that are visible from the street, so as to reduce must have a total width of openings facing the the potential for the openings of a garage or primary frontage of not more than 6m or half the carport to dominate the primary frontage. width of the frontage (whichever is the lesser).

10.4.6 Privacy for all dwellings

Objective:

To provide a reasonable opportunity for privacy for dwellings.

Acceptable Solutions

Α1

A balcony, deck, roof terrace, parking space, or carport for a dwelling (whether freestanding or part of the dwelling), that has a finished surface or floor level more than 1m above existing ground level must have a permanently fixed screen to a height of not less than 1.7m above the finished surface or floor level, with a uniform transparency of not more than 25%, along the sides facing a:

- (a) side boundary, unless the balcony, deck, roof terrace, parking space, or carport has a setback of not less than 3m from the side boundary;
- rear boundary, unless the balcony, deck, roof terrace, parking space, or carport has a setback of not less than 4m from the rear boundary; and
- (c) dwelling on the same site, unless the balcony, deck, roof terrace, parking space, or carport is not less than 6m:
 - from a window or glazed door, to a habitable room of the other dwelling on the same site; or
 - (ii) from a balcony, deck, roof terrace or the private open space of the other dwelling on the same site.

Performance Criteria

P1

A balcony, deck, roof terrace, parking space or carport for a dwelling (whether freestanding or part of the dwelling) that has a finished surface or floor level more than 1m above existing ground level, must be screened, or otherwise designed, to minimise overlooking of:

- (a) a dwelling on an adjoining property or its private open space; or
- (b) another dwelling on the same site or its private open space.

A2

A window or glazed door to a habitable room of a dwelling, that has a floor level more than 1m above existing ground level, must satisfy (a), unless it satisfies (b):

- (a) the window or glazed door:
 - (i) is to have a setback of not less than 3m from a side boundary;
 - (ii) is to have a setback of not less than4m from a rear boundary;
 - (iii) if the dwelling is a multiple dwelling, is to be not less than 6m from a window or glazed door, to a habitable room, of another dwelling on the same site; and
 - (iv) if the dwelling is a multiple dwelling, is to be not less than 6m from the private open space of another dwelling

P2

A window or glazed door to a habitable room of a dwelling that has a floor level more than 1m above existing ground level, must be screened, or otherwise located or designed, to minimise direct views to:

- (a) a window or glazed door, to a habitable room of another dwelling; and
- (b) the private open space of another dwelling.

on the same site.

- (b) the window or glazed door:
 - is to be offset, in the horizontal plane, not less than 1.5m from the edge of a window or glazed door, to a habitable room of another dwelling;
 - (ii) is to have a sill height of not less than 1.7m above the floor level or have fixed obscure glazing extending to a height of not less than 1.7m above the floor level; or
 - (iii) is to have a permanently fixed external screen for the full length of the window or glazed door, to a height of not less than 1.7m above floor level, with a uniform transparency of not more than 25%.

Α3

A shared driveway or parking space (excluding a parking space allocated to that dwelling) must be separated from a window, or glazed door, to a habitable room of a multiple dwelling by a horizontal distance of not less than:

- (a) 2.5m; or
- (b) 1m if:
 - (i) it is separated by a screen of not less than 1.7m in height; or
 - (ii) the window, or glazed door, to a habitable room has a sill height of not less than 1.7m above the shared driveway or parking space, or has fixed obscure glazing extending to a height of not less than 1.7m above the floor level.

Р3

A shared driveway or parking space (excluding a parking space allocated to that dwelling), must be screened, or otherwise located or designed, to minimise unreasonable impact of vehicle noise or vehicle light intrusion to a habitable room of a multiple dwelling.

10.4.7 Frontage fences for all dwellings

Objective:

The height and transparency of frontage fences:

- (a) provides adequate privacy and security for residents;
- (b) allows the potential for mutual passive surveillance between the road and the dwelling; and
- (c) is reasonably consistent with that on adjoining properties.

| Acceptable Solutions | Performance Criteria |
|----------------------|--|
| A1 | P1 |
| | A fence (including a free-standing wall) for a |

| No Acceptable Solution ¹ . | dwelling within 4.5m of a frontage must: |
|---------------------------------------|---|
| | (a) provide for security and privacy while allowing for passive surveillance of the road; and |
| | (b) be compatible with the height and transparency of fences in the street, having regard to: |
| | (i) the topography of the site; and |
| | (ii) traffic volumes on the adjoining road. |

¹ An exemption applies for fences in this zone – see Table 5.6 in Exemptions

10.4.8 Waste storage for multiple dwellings

| Obj | Objective: | | | |
|---|--|--|---|--|
| Тор | To provide for the storage of waste and recycling bins for multiple dwellings. | | | |
| Acceptable Solutions | | Performance Criteria | | |
| A1 | | | P1 | |
| A multiple dwelling must have a storage area, for waste and recycling bins, that is not less than | | A multiple dwelling must have storage for waste and recycling bins that is: | | |
| | 1.5m2 per dwelling and is within one of the following locations: | | (a) | capable of storing the number of bins required for the site; |
| (a) | dwe | rea for the exclusive use of each elling, excluding the area in front of the elling; or | (b) | screened from the frontage and any dwellings; and |
| • | mmon storage area with an impervious ace that: | (c) | if the storage area is a common storage area, separated from any dwellings to minimise impacts caused by odours and | |
| | (i) | has a setback of not less than 4.5m from a frontage; | | noise. |
| | (ii) | is not less than 5.5m from any dwelling; and | | |
| | (iii) | is screened from the frontage and any dwelling by a wall to a height not less than 1.2m above the finished surface level of the storage area. | | |

10.5 Development Standards for Non-dwelling Buildings and Works

10.5.1 Non-dwelling Development

| Objective: | | | |
|---|--|--|--|
| To ensure that all non-dwelling development is sympathetic to the form and scale of residential development and does not significantly affect the amenity of nearby residential properties. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Non-dwelling development must comply with all | welling development must comply with all Non-dwelling development must comply with | | |

| | e following Acceptable Solutions as if it were relling: | the related Performance Criteria as if it were a dwelling. |
|-----|---|--|
| (a) | 10.4.2 A1 and A3; | |
| (b) | 10.4.3 A1 (a) and (c); | |
| (c) | 10.4.7 A1. | |

10.5.2 Non-residential Garages and Carports

Objective:

To maintain frontage setbacks consistent with the streetscape and reduce the potential for garage and carport openings to dominate the primary frontage.

| Acceptable Solutions | Performance Criteria | | |
|--|---|--|--|
| A1 | P1 | | |
| Non-residential garages and carports must comply with all of the following Acceptable Solutions as if they were ancillary to a dwelling: | Non-residential garages and carports must comply with the related Performance Criteria as if they were ancillary to a dwelling. | | |
| (a) 10.4.2 A2; | | | |
| (b) 10.4.5 A1. | | | |

10.5.3 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas do not detract from the amenity of the site or the locality.

| To ensure that outdoor storage areas do not detract from the amenity of the site of the locality. | | | | |
|---|---|--|---|--|
| Acceptable Solutions | | Performance Criteria | | |
| A1 | | P1 | | |
| Outdoor storage areas must comply with all of the following: | | Outdoor storage areas must satisfy all of the following: | | |
| (a) | be located behind the building line; | (a) | be located, treated or screened to avoid | |
| (b) | all goods and materials stored must be screened from public view; | | unreasonable adverse impact on the visual amenity of the locality; | |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. | |

10.6 Development Standards for Subdivision

10.6.1 Lot Design

Objective:

To provide for new lots that:

- (a) have appropriate area and dimensions to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements;
- (b) contain building areas which are suitable for residential development, located to avoid hazards;
- (c) are a mix of lot sizes to enable a variety of dwelling and household types;

- (d) are capable of providing for a high level of residential amenity including privacy, good solar access; and passive surveillance of public spaces;
- (e) ensure an average net density for new suburban areas no less than 15 dwellings per hectare with higher densities close to services, facilities and public transport corridors;
- (f) are not internal lots, except if the only reasonable way to provide for desired residential density;
- (g) are provided in a manner that provides for the efficient and ordered provision of infrastructure.

Acceptable Solutions

Α1

The size of each lot must comply with the minimum and maximum lot sizes specified in Table 10.1, except if for public open space, a riparian or littoral reserve or utilities.

Performance Criteria

The size of each lot must satisfy all of the following:

- (a) variance above the maximum lot size in Table 10.1 only to the extent necessary due to demonstrated site constraints;
- (b) be consistent with any applicable Local Area Objectives or Desired Future Character Statements for the area.

A2

The design of each lot must provide a minimum building area that is rectangular in shape and complies with all of the following, except if for public open space, a riparian or littoral reserve or utilities:

- (a) clear of the frontage, side and rear boundary setbacks;
- (b) not subject to any codes in this planning scheme;
- (c) clear of title restrictions such as easements and restrictive covenants;
- (d) has an average slope of no more than 1 in5;
- (e) the long axis of the building area faces north or within 20 degrees west or 30 degrees east of north;
- (f) is 10m x 15m in size.

P2

P1

The design of each lot must contain a building area able to satisfy all of the following:

- (a) be reasonably capable of accommodating residential use and development;
- (b) meets any applicable standards in codes in this planning scheme;
- enables future development to achieve maximum solar access, given the slope and aspect of the land;
- (d) minimises the need for earth works, retaining walls, and fill and excavation associated with future development;
- (e) provides for sufficient useable area on the lot for both of the following;
 - (i) on-site parking and manoeuvring;
 - (ii) adequate private open space.

А3

The frontage for each lot must comply with the minimum and maximum frontage specified in Table 10.2, except if for public open space, a riparian or littoral reserve or utilities or if an internal lot.

Р3

The frontage of each lot must satisfy all of the following:

- (a) provides opportunity for practical and safe vehicular and pedestrian access;
- (b) provides opportunity for passive

| | surveillance between residential development on the lot and the public road; |
|---|---|
| | (c) is no less than 6m. |
| A4 | P4 |
| No lot is an internal lot. | An internal lot must satisfy all of the following: |
| | (a) the lot gains access from a road existing prior to the planning scheme coming into effect, unless site constraints make an internal lot configuration the only reasonable option to efficiently utilise land; |
| | (b) it is not reasonably possible to provide a new road to create a standard frontage lot; |
| | (c) the lot constitutes the only reasonable way to subdivide the rear of an existing lot; |
| | (d) the lot will contribute to the more efficient utilisation of residential land and infrastructure; |
| | (e) the amenity of neighbouring land is unlikely to be unreasonably affected by subsequent development and use; |
| | (f) the lot has access to a road via an access strip, which is part of the lot, or a right-ofway, with a width of no less than 3.6m; |
| | (g) passing bays are provided at appropriate distances to service the likely future use of the lot; |
| | (h) the access strip is adjacent to or combined with no more than three other internal lot access strips and it is not appropriate to provide access via a public road; |
| | (i) a sealed driveway is provided on the access strip prior to the sealing of the final plan. |
| | (j) the lot addresses and provides for passive surveillance of public open space and public rights of way if it fronts such public spaces. |
| A5 | P5 |
| Subdivision is for no more than 3 lots. | Arrangement and provision of lots must satisfy all of the following; |
| | (a) have regard to providing a higher net density of dwellings along; |
| | (i) public transport corridors; |
| | (ii) adjoining or opposite public open |

| | space, except where the public open space presents a hazard risk such as bushfire; |
|-----|---|
| | (iii) within 200 m of business zones and local shops; |
| (b) | will not compromise the future subdivision of the entirety of the parent lot to the densities envisaged for the zone; |
| (c) | staging, if any, provides for the efficient and ordered provision of new infrastructure; |
| (d) | opportunity is optimised for passive surveillance between future residential development on the lots and public spaces; |
| (e) | is consistent with any applicable Local Area Objectives or Desired Future. |

10.6.2 Roads

Objective:

To ensure that the arrangement of new roads within a subdivision provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of vehicular, pedestrian, cycling and public transport traffic;
- (c) the efficient ultimate subdivision of the entirety of the land and of neighbouring land.

| Acceptable Solutions | Performance Criteria | |
|---------------------------------------|---|--|
| A1 | P1 | |
| The subdivision includes no new road. | The arrangement and construction of roads within a subdivision must satisfy all of the following: | |
| | (a) the route and standard of roads accords with any relevant road network plan adopted by the Planning Authority; | |
| | (b) the appropriate and reasonable future subdivision of the entirety of any balance lot is not compromised; | |
| | (c) the future subdivision of any neighbouring or nearby land with subdivision potential is facilitated through the provision of connector roads and pedestrian paths, where appropriate, to common boundaries; | |
| | (d) an acceptable level of access, safety, convenience and legibility is provided through a consistent road function hierarchy; | |
| | (e) cul-de-sac and other terminated roads are | |

| | not created, or their use in road layout design is kept to an absolute minimum; |
|-----|--|
| (f) | connectivity with the neighbourhood road network is maximised; |
| (g) | the travel distance between key destinations such as shops and services is minimised; |
| (h) | walking, cycling and the efficient movement of public transport is facilitated; |
| (i) | provision is made for bicycle infrastructure on new arterial and collector roads in accordance with Austroads Guide to Road Design Part 6A; |
| (j) | any adjacent existing grid pattern of streets is extended, where there are no significant topographical constraints. |

10.6.3 Ways and Public Open Space

Objective:

To ensure that the arrangement of ways and public open space provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of pedestrian and cycling traffic.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; |
| | (d) convenient access to local shops, community facilities, public open space and public transport routes is provided; |
| | (e) new ways are designed so that adequate passive surveillance will be provided from development on neighbouring land and |

| | public roads as appropriate; | |
|---|--|--|
| (f) | provides for a legible movement network; | |
| (g) | the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; | |
| (h) Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. | | |
| (i) | new ways or extensions to existing ways must be designed to minimise opportunities for entrapment or other criminal behaviour including, but not limited to, having regard to the following: | |
| | (i) the width of the way; | |
| | (ii) the length of the way; | |
| | (iii) landscaping within the way; | |
| | (iv) lighting; | |
| | (v) provision of opportunities for 'loitering'; | |
| | (vi) the shape of the way (avoiding bends, corners or other opportunities for concealment). | |

10.6.4 Services

| - | | |
|--------------|----------|---|
| ()h | ective: | • |
| \mathbf{v} | iective. | , |

To ensure that the subdivision of land provides adequate services to meet the projected needs of future development.

| Tuttile development. | | |
|---|--|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Each lot must be connected to a reticulated potable water supply. | No Performance Criteria. | |
| A2 | P2 | |
| Each lot must be connected to a reticulated sewerage system. | No Performance Criteria. | |
| A3 | Р3 | |
| Each lot must be connected to a stormwater system able to service the building area by gravity. | If connection to a stormwater system is unavailable, each lot must be provided with an on-site stormwater management system adequate for the future use and development of the land. | |
| A4 | P4 | |

| The subdivision includes no new road. | The subdivision provides for the installation of |
|---------------------------------------|--|
| | fibre ready facilities (pit and pipe that can hold |
| | optical fibre line) and the underground provision |
| | of electricity supply. |

Table 10.1 Lot Size Requirements

| | Minimum Lot Size* | Maximum Lot Size* |
|--|---|--|
| | Not including any fee simple access strip | Not including any fee simple access strip and any balance lots or lots designated for multiple dwellings, retirement villages or residential aged care facilities, or non-residential uses |
| Ordinary lot (i.e. not otherwise specified below) | 450m ² | 1000m ² |
| Corner lots | 550m ² | 1000m ² |
| Internal lots | 550m ² | 1000m ² |
| Lots adjoining or opposite public open space, or Lots within 400m of a public transport corridor, or | 400m ² | 600m ^z |
| Lots within 200m walking distance of a business | | |
| zone, local shop or school. | | |

^{*}For lots with a slope greater than 1 in 5, the minimum lot size is 750m² and the maximum lot size is 1,000m² in all cases.

Table 10.2 Frontage Requirements

| | Minimum Frontage | Maximum Frontage |
|--|--|---|
| All lots, unless otherwise specified below. | 15m | Not applicable |
| Corner lots | 15m with primary frontage on the higher order road and secondary frontage on lower order road. | Not applicable |
| | Where roads are of the same order orient frontages to optimise solar access. | |
| Lots adjoining or opposite public open space, or | 12m | 15m, unless for a lot designated for multiple |

| Lots on a public transport corridor, or | dwellings. |
|---|------------|
| Lots within 200m walking distance of a business zone or local shop. | |

11.0 Inner Residential Zone

This zone is not used in this planning scheme.

12.0 Low Density Residential Zone

12.1 Zone Purpose

- 12.1.1 Zone Purpose Statements
- 12.1.1.1 To provide for residential use or development on larger lots in residential areas where there are infrastructure or environmental constraints that limit development.
- 12.1.1.2 To provide for non-residential uses that are compatible with residential amenity.
- 12.1.1.3 To avoid land use conflict with adjacent Rural Resource or Significant Agricultural zoned land by providing for adequate buffer areas.
- 12.1.2 Local Area Objectives

There are no local area objectives for this zone.

12.1.3 Desired Future Character Statements

There no desired future character statements for this zone.

12.2 Use Table

| No Permit Required | | |
|--|--|--|
| Use Class | Qualification | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Residential | Only if a single dwelling or home-based business or an extension or alteration of an existing multiple dwelling development. | |
| Utilities | Only if for minor utilities | |
| Permitted | | |
| Use Class | Qualification | |
| Visitor accommodation | | |
| Discretionary | | |

| Use Class | Qualification | |
|--|--|--|
| Business and professional services | Only if a consulting room or medical centre at 3494 Huon Highway, Franklin (folio of the Register volume 170363 folio 2). | |
| Community meeting and entertainment | Only if church, art and craft centre or public hall | |
| Domestic animal breeding, boarding or training | | |
| Educational and occasional care | Except if No Permit Required Only if day respite facility | |
| Emergency services | | |
| Food services | Only if addition or alteration to existing. | |
| Residential | Except if no permit required | |
| Resource development | Only if for agriculture at 3494 Huon Highway, Franklin (folio of the Register volume 170363 folio 2). | |
| Resource processing | Only if on land at 3300 Huon Highway, Franklin (CT 169799/1), for the treating, processing and packing of produce (plant resources) from the area, for a brewery, cidery, distillery, winery, or similar, located not less than 100m from the Huon Highway frontage. | |
| Sports and recreation | | |
| Tourist operation | Only if at 3494 Huon Highway, Franklin (folio of the Register volume 170363 folio 2). | |
| Utilities | Except if no permit required | |
| Vehicle parking | Only if at 3494 Huon Highway, Franklin (folio of the Register volume 170363 folio 2). | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

12.3 Use Standards

12.3.1 Non-Residential Use

| Objective: | | |
|--|--|--|
| To ensure that non-residential use does not unreasonably impact residential amenity. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| Hours of operation must be within: (a) 8.00 am to 6.00 pm Mondays to Fridays inclusive; (b) 9.00 am to 12.00 noon Saturdays; | Hours of operation must not have an unreasonable impact upon the residential amenity through commercial vehicle movements, noise or other emissions that are unreasonable in their timing, duration or extent. | |

(c) nil Sundays and Public Holidays; except for office and administrative tasks or visitor accommodation.

P2

Noise emissions measured at the boundary of the site must not cause environmental harm.

A2

Noise emissions measured at the boundary of the site must not exceed the following:

- (a) 55 dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm;
- (b) 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm to 8.00 am;
- (c) 65dB(A) (LAmax) at any time.

А3

External lighting must comply with all of the following:

- (a) be turned off between 6:00 pm and 8:00 am, except for security lighting;
- (b) security lighting must be baffled to ensure they do not cause emission of light into adjoining private land.

Р3

External lighting must not adversely affect existing or future residential amenity, having regard to all of the following:

- (a) level of illumination and duration of lighting;
- (b) distance to habitable rooms in an adjacent dwelling.

Α4

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site must be limited to 20 vehicle movements per day and be within the hours of:

- (a) 7.00 am to 5.00 pm Mondays to Fridays inclusive;
- (b) 9.00 am to 12 noon Saturdays;
- (c) nil on Sundays and Public Holidays.

Ρ4

Commercial vehicle movements, (including loading and unloading and garbage removal) must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements;
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;
- (f) the level of traffic on the road;
- (g) the potential for conflicts with other traffic.

12.3.2 Visitor Accommodation

Objective:

To ensure visitor accommodation is of a scale that accords with the residential character and use of the area.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Visitor accommodation must comply with all of the following: | Visitor accommodation must satisfy all of the following: |
| (a) is accommodated in existing buildings; (b) provides for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; (c) has a floor area of no more than 160m2. | (a) not adversely impact residential amenity and privacy of adjoining properties; (b) provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; (c) be of an intensity that respects the character of use of the area; (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way. |

12.4 Development Standards for Buildings and Works

12.4.1 Non-dwelling development

| Objective: | | |
|---|---|--|
| To ensure that all non-dwelling development is sympathetic to the form and scale of residential development and does not significantly affect the amenity of nearby residential properties. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Non-dwelling development must comply with the following Acceptable Solutions as if it were a dwelling: | Non-dwelling development must comply with the related Performance Criteria as if it were a dwelling. | |
| (a) 12.4.2 A1 and A3; | | |
| (b) 12.4.3 A1 (a) and (b); | | |
| (c) 12.4.7 A1. | | |
| A2 | P2 | |
| Non-residential garages and carports must comply with all of the following Acceptable Solutions as if they were ancillary to a dwelling: | Non-residential garages and carports must comply with the related Performance Criteria as if they were ancillary to a dwelling. | |
| (a) 12.4.2 A2; | | |
| (b) 12.4.5 A1. | | |
| A3 | Р3 | |
| Outdoor storage areas must comply with all of the following: | Outdoor storage areas must satisfy all of the following: | |

- be located behind the building line; be located, treated or screened to avoid (a) (a) unreasonable adverse impact on the visual (b) all goods and materials stored must be amenity of the locality; screened from public view; (b) not encroach upon car parking areas, not encroach upon car parking areas, driveways or landscaped areas. driveways or landscaped areas.
- 12.4.2 Setbacks and building envelope

Objective:

To control the siting and scale of dwellings to:

- provide reasonably consistent separation between dwellings on adjacent sites and a dwelling and its frontage; and
- (b) provide consistency in the apparent scale, bulk, massing and proportion of dwellings; and
- provide separation between dwellings on adjacent sites to provide reasonable opportunity for daylight and sunlight to enter habitable rooms and private open space

| daylight and sunlight to enter habitable rooms and private open space. | | | |
|---|--|--|--|
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Unless within a building area, a dwelling, | A dwelling must: | | |
| excluding protrusions (such as eaves, steps, porches, and awnings) that extend not more than 0.6 m into the frontage setback, must have a setback from a frontage that is: | (a) be compatible with the relationship of existing buildings to the road in terms of setback or in response to slope or other physical constraints of the site; and | | |
| (a) if the frontage is a primary frontage, at least 4.5 m, or, if the setback from the primary frontage is less than 4.5 m, not less than the setback, from the primary frontage, of any existing dwelling on the site; or | (b) have regard to streetscape qualities or assist the integration of new development into the streetscape. | | |
| (b) if the frontage is not a primary frontage, at least 3 m, or, if the setback from the frontage is less than 3 m, not less than the setback, from a frontage that is not a primary frontage, of any existing dwelling on the site; or | | | |
| (c) if for a vacant site with existing dwellings on adjoining sites on the same street, not more than the greater, or less than the lesser, setback for the equivalent frontage of the dwellings on the adjoining sites on the same street. | | | |
| A2 | P2 | | |
| A garage or carport must have a setback from a | The setback of a garage or carport from a | | |

frontage of at least:

- (a) 5.5 m, or alternatively 1m behind the façade of the dwelling; or
- (b) the same as the dwelling façade, if a portion

frontage must:

provide separation from the frontage that complements or enhances the existing streetscape, taking into account the specific

- of the dwelling gross floor area is located above the garage or carport; or
- (c) 1m, if the natural ground level slopes up or down at a gradient steeper than 1 in 5 for a distance of 10 m from the frontage.
- constraints and topography of the site; and
- (b) allow for passive surveillance between the dwelling and the street.

A3

A dwelling, excluding outbuildings with a building height of not more than 2.4m and protrusions (such as eaves, steps, porches, and awnings) that extend not more than 0.6m horizontally beyond the building envelope, must:

- (a) be contained within a building envelope (refer to diagrams 12.4.2A, 12.4.2B, 12.4.2C and 12.4.2D) determined by:
 - a distance equal to the frontage setback or, for an internal lot, a distance of 4.5m from the rear boundary of a lot with an adjoining frontage; and
 - (ii) projecting a line at an angle of 45 degrees from the horizontal at a height of 3m above natural ground level at the side boundaries and a distance of 4m from the rear boundary to a building height of not more than 8.5m above natural ground level; and
- (b) only have a setback within 1.5m of a side boundary if the dwelling:
 - (i) does not extend beyond an existing building built on or within 0.2m of the boundary of the adjoining lot; or
 - (ii) does not exceed a total length of 9m or one-third the length of the side boundary (whichever is the lesser).

P3

The siting and scale of a dwelling must:

- (a) not cause unreasonable loss of amenity by:
 - reduction in sunlight to a habitable room (other than a bedroom) of a dwelling on an adjoining lot; or
 - (ii) overshadowing the private open space of a dwelling on an adjoining lot; or
 - (iii) overshadowing of an adjoining vacant lot; or
 - (iv) visual impacts caused by the apparent scale, bulk or proportions of the dwelling when viewed from an adjoining lot; and
- (b) provide separation between dwellings on adjoining lots that is compatible with that prevailing in the surrounding area.

Diagram 12.4.2A. Building envelope as required by 12.4.2 A3(a).





Diagram 12.4.2B. Building envelope for sloping sites as required by 12.4.2 A3(a).






Diagram 12.4.2C. Building envelope for corner lots as required by 12.4.2 A3(a)





Diagram 12.4.2D. Building envelope for internal lots as required by 12.4.2 A3(a)



12.4.3 Site coverage and private open space

Objective:

To provide:

- (a) for outdoor recreation and the operational needs of the residents; and
- (b) opportunities for the planting of gardens and landscaping; and

- (c) private open space that is integrated with the living areas of the dwelling; and
- (d) private open space that has access to sunlight; and
- (e) for development that is compatible with the existing built and natural environment of the area.

Acceptable Solutions Performance Criteria P1 Dwellings must have: Dwellings must have: (a) a site coverage of not more than 25% (a) private open space that is of a size and dimensions that are appropriate for the size (excluding eaves up to 0.6m); and of the dwelling and is able to (b) a site area of which at least 25% of the site accommodate: area is free from impervious surfaces; outdoor recreational space consistent (c) for multiple dwellings, a total area of with the projected requirements of the private open space of not less than 60 m2 occupants; and associated with each dwelling. (ii) operational needs, such as clothes drying and storage; and (b) have reasonable space for the planting of gardens and landscaping. (c) not be out of character with the pattern of development in the surrounding area; and (d) not result in an unreasonable loss of natural

A2

A dwelling must have an area of private open space that:

- (a) is in one location and is at least:
 - (i) 24 m2; or
 - (ii) 12 m2, if the dwelling has a finished floor level that is entirely more than 1.8 m above the finished ground level (excluding a garage, carport or entry foyer); and
- (b) has a minimum horizontal dimension of:
 - (i) 4 m; or
 - (ii) 2 m, if the dwelling has a finished floor level that is entirely more than 1.8 m above the finished ground level (excluding a garage, carport or entry foyer); and
- (c) is directly accessible from, and adjacent to, a habitable room (other than a bedroom);and

P2

A dwelling must have private open space that:

or landscape values.

- (a) includes an area that is capable of serving as an extension of the dwelling for outdoor relaxation, dining, entertaining and children's play and that is:
 - (i) conveniently located in relation to a living area of the dwelling; and
 - ii) orientated to take advantage of sunlight.

- (d) is not located to the south, south-east or south-west of the dwelling, unless the area receives at least 3 hours of sunlight to 50% of the area between 9.00am and 3.00pm on the 21st June; and
- (e) is located between the dwelling and the frontage only if the frontage is orientated between 30 degrees west of north and 30 degrees east of north, excluding any dwelling located behind another on the same site; and
- (f) has a gradient not steeper than 1 in 10; and
- (g) is not used for vehicle access or parking.

12.4.4 Sunlight and overshadowing

Objective:

To provide:

- (a) the opportunity for sunlight to enter habitable rooms (other than bedrooms) of dwellings;
- (b) separation between dwellings on the same site to provide reasonable opportunity for daylight and sunlight to enter habitable rooms and private open space.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| A dwelling must have at least one habitable room (other than a bedroom) window that faces between 30 degrees west of north and 30 degrees east of north (see diagram 12.4.4A). | A dwelling must be sited and designed so as to allow sunlight to enter at least one habitable room (other than a bedroom). | |
| A2 | P2 | |
| A multiple dwelling that is to the north of a | A multiple dwelling must be designed and sited | |

A multiple dwelling that is to the north of a window of a habitable room (other than a bedroom) of another dwelling on the same site, which window faces between 30 degrees west of north and 30 degrees east of north (see diagram 12.4.4A), must be in accordance with (a) or (b), unless excluded by (c):

- (a) The multiple dwelling is contained within a line projecting (see diagram 12.4.4B):
 - (i) at a distance of 3 m from the window; and
 - (ii) vertically to a height of 3 m above natural ground level and then at an angle of 45 degrees from the horizontal.
- (b) The multiple dwelling does not cause the habitable room to receive less than 3 hours of sunlight between 9.00 am and 3.00 pm

A multiple dwelling must be designed and sited to not cause unreasonable loss of amenity by overshadowing a window of a habitable room (other than a bedroom), of another dwelling on the same site, that faces between 30 degrees west of north and 30 degrees east of north (see diagram 12.4.4A).

on 21st June.

- (c) That part, of a multiple dwelling, consisting of:
 - (i) an outbuilding with a building height no more than 2.4 m; or
- (ii) protrusions (such as eaves, steps, and awnings) that extend no more than 0.6 m horizontally from the multiple dwelling.

А3

A multiple dwelling, that is to the north of the private open space, of another dwelling on the same site, required in accordance with A2 or P2 of 12.4.3, must be in accordance with (a) or (b), unless excluded by (c):

- (a) The multiple dwelling is contained within a line projecting (see diagram 12.4.4C):
 - (i) at a distance of 3 m from the northern edge of the private open space; and
 - (ii) vertically to a height of 3 m above natural ground level and then at an angle of 45 degrees from the horizontal.
- (b) The multiple dwelling does not cause 50% of the private open space to receive less than 3 hours of sunlight between 9.00 am and 3.00 pm on 21st June.
- (c) That part, of a multiple dwelling, consisting of:
 - (i) an outbuilding with a building height no more than 2.4 m; or
 - (ii) protrusions (such as eaves, steps, and awnings) that extend no more than 0.6 m horizontally from the multiple dwelling.

Р3

A multiple dwelling must be designed and sited to not cause unreasonable loss of amenity by overshadowing the private open space, of another dwelling on the same site, required in accordance with A2 or P2 of 12.4.3.

Diagram 12.4.4A. Orientation of a window of a habitable room as specified in 12.4.4 A1, A2 and P2.




Diagram 12.4.4B. Separation from a north-facing window of a habitable room, of another dwelling on the same site, as required by 12.4.4 A2(a).






Diagram 12.4.4C. Separation from the private open space of another dwelling on the same site as required by 12.4.4 A3 (a).





12.4.5 Width of openings for garages and carports

Objective:

To reduce the potential for garage or carport openings to dominate the primary frontage.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| A garage or carport within 12 m of a primary frontage (whether the garage or carport is free-standing or part of the dwelling) must have a total width of openings facing the primary frontage not exceeding 6m or half the width of the frontage (whichever is the lesser). | A garage or carport must be designed to minimise the width of its openings that are visible from the street, so as to reduce the potential for the openings of a garage or carport to dominate the primary frontage. | |

12.4.6 Privacy

Objective:

To provide reasonable opportunity for privacy for dwellings.

Acceptable Solutions

Α1

A balcony, deck, roof terrace, parking space, or carport (whether freestanding or part of the dwelling) that has a finished surface or floor level more than 1 m above natural ground level must have a permanently fixed screen to a height of at least 1.7 m above the finished surface or floor level, with a uniform transparency of no more than 25%, along the sides facing a:

- (a) side boundary, unless the balcony, deck, roof terrace, parking space, or carport has a setback of at least 3 m from the side boundary;
- (b) rear boundary, unless the balcony, deck, roof terrace, parking space or carport has a setback of at least 4m from the rear boundary;
- (c) dwelling on the same site, unless the balcony, deck, roof terrace, parking space, or carport is at least 6 m:
 - from a window or glazed door, to a habitable room of the other dwelling on the same site; or
 - (ii) from a balcony, deck, roof terrace or the private open space, or the other dwelling on the same site.

Performance Criteria

P1

A balcony, deck, roof terrace, parking space or carport (whether freestanding or part of the dwelling) that has a finished surface or floor level more than 1 m above natural ground level, must be screened, or otherwise designed, to minimise overlooking of:

- (a) a dwelling on an adjoining lot or its private open space; or
- (b) another dwelling on the same site or its private open space; or
- (c) an adjoining vacant residential lot.

A2

A window or glazed door, to a habitable room, of a dwelling, that has a floor level more than 1 m above the natural ground level, must be in accordance with (a), unless it is in accordance with (b):

- (a) The window or glazed door:
 - (i) is to have a setback of at least 3 m from a side boundary;
 - (ii) is to have a setback of at least 4 m from a rear boundary;
 - (iii) if the dwelling is a multiple dwelling, is to be at least 6 m from a window or glazed door, to a habitable room, of another dwelling on the same site;
 - (iv) if the dwelling is a multiple dwelling, is to be at least 6 m from the private open space of another dwelling on the

P2

A window or glazed door, to a habitable room of a dwelling, that has a floor level more than 1 m above the natural ground level, must be screened, or otherwise located or designed, to minimise direct views to:

- (a) a window or glazed door, to a habitable room of another dwelling; and
- (b) the private open space of another dwelling; and
- (c) an adjoining vacant residential lot.

same site.

- (b) The window or glazed door:
 - is to be offset, in the horizontal plane, at least 1.5 m from the edge of a window or glazed door, to a habitable room of another dwelling; or
 - (ii) is to have a sill height of at least 1.7 m above the floor level or has fixed obscure glazing extending to a height of at least 1.7 m above the floor level;
 - (iii) is to have a permanently fixed external screen for the full length of the window or glazed door, to a height of at least 1.7 m above floor level, with a uniform transparency of not more than 25%.

А3

A shared driveway or parking space (excluding a parking space allocated to that dwelling) must be separated from a window, or glazed door, to a habitable room of a multiple dwelling by a horizontal distance of at least:

- (a) 2.5m; or
- (b) 1m if:
 - (i) it is separated by a screen of at least1.7 m in height; or
 - (ii) the window, or glazed door, to a habitable room has a sill height of at least 1.7 m above the shared driveway or parking space, or has fixed obscure glazing extending to a height of at least 1.7 m above the floor level.

Р3

A shared driveway or parking space (excluding a parking space allocated to that dwelling), must be screened, or otherwise located or designed, to minimise detrimental impacts of vehicle noise or vehicle light intrusion to a habitable room of a multiple dwelling.

12.4.7 Frontage fences

Objective:

To control the height and transparency of frontage fences to:

- (a) allow the potential for mutual passive surveillance between the road and the dwelling; and
- (b) provide reasonably consistent height and transparency.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| A fence (including a free-standing wall) within 4.5 m of a frontage must have a height above natural ground level of not more than: | A fence (including a free-standing wall) within 4.5 m of a frontage must allow for mutual passive surveillance between the road and the |

- (a) 1.2 m if the fence is solid; or
- (b) 1.5 m, if any part of the fence that is within 4.5 m of a primary frontage has openings above a height of 1.2 m which provide a uniform transparency of not less than 30% (excluding any posts or uprights).

dwelling (particularly on primary frontages), and maintain or enhance the streetscape.

12.4.10 Outbuildings

Objective:

To ensure that the size and number of outbuildings does not detract from the amenity of the area and does not visually dominate an associated dwelling.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Outbuildings (including garages and carports not incorporated within the dwelling) must comply with all of the following: | Outbuildings (including garages and carports not incorporated within the dwelling) must be designed and located to satisfy all of the | |
| (a) have a combined gross floor area no more than 100 m²; | following: (a) be less visually prominent than the existing or proposed dwelling on the site; | |
| (b) have a wall height no more than 3.5 m and a building height not more than 4.5 m; | (b) be consistent with the scale of outbuildings on the site or in close visual proximity; | |
| (c) have setback from frontage no less than that of the existing or proposed dwelling on the site. | (c) be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape. | |

12.4.11 Works associated with residential and non-residential development

Objective:

To ensure that the scale and appearance of buildings and works minimises adverse impact to the appearance of the site and adjoining land.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Clearance and conversion of native vegetation on a lot greater than 2500m ² must be no more than 500m ² . | Clearance and conversion of native vegetation on a lot greater than 2500m ² must satisfy all of the following: |
| | (a) there are no locations within the site clear of native vegetation or any such areas are not suitable for development due to access difficulties or excessive slope; |
| | (b) the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures; |
| | (c) there is no significant impact on the semi- |

| | | urban landscape. | |
|-----|--|------------------|---|
| A2 | | P2 | |
| | and excavation must comply with all of the owing: | | and excavation must satisfy all of the owing: |
| (a) | height of fill and depth of excavation is no more than 1m from natural ground level, except for building support purposes; | (a) | does not significantly detract from the appearance of the site or the visual amenity of the area; |
| (b) | extent does not exceed $250m^2$ at a depth of $0.5m$ or more. | (b) | does not affect land stability on the lot or adjoining land. |

12.4.12 Ancillary Dwellings

| Objective: | | |
|---|--|--|
| To ensure that the siting of ancillary dwellings are | appurtenant to a single dwelling. | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| At least one external wall of an ancillary dwelling must be within 15m of a wall of the dwelling (excluding any outbuilding). | At least one external wall of an ancillary dwelling must be within 25m of a wall of the dwelling (excluding any outbuilding) and the ancillary dwelling must be designed to reinforce the ancillary relationship with the single dwelling through orientation and landscaping. | |

12.5 Development Standards for Subdivision

12.5.1 Lot Design

Objective:

To provide for new lots that:

- (a) have appropriate area and dimensions to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements;
- (b) contain building areas which are suitable for residential development, located to avoid hazards and values and will not lead to land use conflict and fettering of resource development use on adjoining rural land;
- (c) are not internal lots, except if the only reasonable way to provide for desired residential density.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| The size of each lot must be in accordance with the following, except if for public open space, a riparian or littoral reserve or utilities: | The size of each lot must be greater than 2500m2 only to the extent necessary due to site constraints. |
| (a) no less than 1,000 m2 and no more than 2,500 m2 (except for the balance lot). | |
| A2 | P2 |
| The design of each lot must provide a minimum | The design of each lot must contain a building |

building area that is rectangular in shape and complies with all of the following, except if for public open space, a riparian or littoral reserve or utilities;

- (a) clear of the frontage, side and rear boundary setbacks;
- (b) not subject to any codes in this planning scheme:
- (c) clear of title restrictions such as easements and restrictive covenants;
- (d) has an average slope of no more than 1 in5;
- (e) is a minimum of 20 m x 20 m in size.

area able to satisfy all of the following:

- is reasonably capable of accommodating residential use and development;
- (b) meets any applicable standards in codes in this planning scheme;
- (c) enables future development to achieve reasonable solar access, given the slope and aspect of the land;
- (d) minimises the requirement for earth works, retaining walls, and cut & dill associated with future development;

А3

The frontage for each lot must be no less than the following, except if for public open space, a riparian or littoral reserve or utilities and except if an internal lot:

15m.

Р3

The frontage of each lot must provide opportunity for reasonable vehicular and pedestrian access and must be no less than:

4m.

A4

No lot is an internal lot [R1].

P4

An internal lot must satisfy all of the following:

- (a) access is from a road existing prior to the planning scheme coming into effect, unless site constraints make an internal lot configuration the only reasonable option to efficiently utilise land;
- (b) it is not reasonably possible to provide a new road to create a standard frontage lot;
- the lot constitutes the only reasonable way to subdivide the rear of an existing lot;
- (d) the lot will contribute to the more efficient utilisation of living land;
- the amenity of neighbouring land is unlikely to be unreasonably affected by subsequent development and use;
- (f) the lot has access to a road via an access strip, which is part of the lot, or a right-ofway, with a width of no less than 3.6m;
- g) passing bays are provided at appropriate distances along the access strip to service the likely future use of the lot;
- the access strip is adjacent to or combined with no more than three other internal lot

| | access strips and it is not appropriate to provide access via a public road; |
|---|--|
| | (i) a sealed driveway is provided on the access strip prior to the sealing of the final plan. |
| | (j) the lot addresses and provides for passive surveillance of public open space and public rights of way if it fronts such public spaces. |
| A5 | P5 |
| Setback from a new boundary for an existing building must comply with the relevant Acceptable Solution for setback. | Setback from a new boundary for an existing building must satisfy the relevant Performance Criteria for setback. |

Footnote

Generally, new internal lots are not appropriate and any subdivisions in which new roads are constructed are not to include internal lots.

They should only be contemplated in existing developed areas (in order to make more efficient use of previously poorly subdivided land).

They may also be appropriate if fronting certain forms of public open space instead of a public road. Such arrangements may be designed into an area through the development of a Specific Area Plan.

12.5.2 Roads

Objective:

To ensure that the arrangement of new roads within a subdivision provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of vehicular, pedestrian and cycling traffic;
- (c) the efficient ultimate subdivision of the entirety of the land and of neighbouring land.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|--|
| A1 | P1 |
| The subdivision includes no new road. | The arrangement and construction of roads within a subdivision must satisfy all of the following: |
| | (a) the appropriate and reasonable future subdivision of the entirety of any balance lot is not compromised; |
| | (b) the route and standard of roads accords with any relevant road network plan adopted by the Planning Authority; |
| | (c) the subdivision of any neighbouring or nearby land with subdivision potential is facilitated through the provision of connector roads and pedestrian paths, where appropriate, to common boundaries; |

| (d) | an acceptable level of access, safety, convenience and legibility is provided through a consistent road function hierarchy; |
|-----|--|
| (e) | cul-de-sac and other terminated roads are not created, or their use in road layout design is kept to an absolute minimum; |
| (f) | connectivity with the neighbourhood road network is maximised; |
| (g) | the travel distance between key destinations such as shops and services is minimised; |
| (h) | walking, cycling and the efficient movement of public transport is facilitated; |
| (i) | provision is made for bicycle infrastructure on new arterial and collector roads in accordance with Austroads Guide to Road Design Part 6A; |
| (j) | multiple escape routes are provided if in a bushfire prone area. |

12.5.3 Ways and Public Open Space

Objective:

To ensure that the arrangement of ways and public open space provides for all of the following:

- (a) the provision of safe, convenient and efficient connections for accessibility, mobility and recreational opportunities for the community;
- (b) the adequate accommodation of pedestrian and cycling traffic;
- (c) the adequate accommodation of equestrian traffic.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; |
| | (d) new ways are designed so that adequate |

| | | passive surveillance will be provided from development on neighbouring land and public roads as appropriate; |
|-------------------------|------|--|
| | | topographical and other physical conditions of the site are appropriately accommodated in the design; |
| | | the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; |
| | | new ways or extensions to existing ways must be designed to minimise opportunities for entrapment or other criminal behaviour including, but not limited to, having regard to the following: |
| | | (i) the width of the way; |
| | | (ii) the length of the way; |
| | | (iii) landscaping within the way; |
| | | (iv) lighting; |
| | | (v) provision of opportunities for 'loitering'; |
| | | (vi) the shape of the way (avoiding bends, corners or other opportunities for concealment). |
| | | the route of new equestrian ways has regard to any equestrian trail plan adopted by the Planning Authority. |
| A2 | P2 | |
| No Acceptable Solution. | cash | c Open Space must be provided as land or in lieu, in accordance with the relevant icil policy. |

12.5.4 Services

Objective:

To ensure that the subdivision of land provides adequate services to meet the projected needs of future development.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Each lot must be connected to a reticulated potable water supply where such a supply is available. R1 | No Performance Criteria. | |
| A2 | P2 | |
| Each lot must be connected to a reticulated | Where a reticulated sewerage system is not | |

| sewerage system where available. R1 | available, each lot must be capable of accommodating an on-site wastewater treatment system adequate for the future use and development of the land. |
|--|--|
| А3 | P3 |
| Each lot must be connected to a stormwater system able to service the building area by gravity. R2 | Each lot must be capable of accommodating an on-site stormwater management system adequate for the likely future use and development of the land. |
| A4 | P4 |
| The subdivision includes no new road. | The subdivision provides for the installation of fibre ready facilities (pit and pipe that can hold optical fibre line) and the underground provision of electricity supply. |

^{12.5.4.}R1 The Water and Sewer Corporation governs specific details separately to the planning scheme.

12.5.4.R2 Refer to the Stormwater Management Code for details.

13.0 Rural Living Zone

13.1 Zone Purpose

- 13.1.1 Zone Purpose Statements
- 13.1.1.1 To provide for residential use or development on large lots in a rural setting where services are limited.
- 13.1.1.2 To provide for compatible use and development that does not adversely impact on residential amenity.
- 13.1.1.3 To provide for agricultural uses that do not adversely impact on residential amenity.
- 13.1.1.4 To facilitate passive recreational uses that enhance pedestrian, cycling and horse trail linkages.
- 13.1.1.5 To avoid land use conflict with adjacent Rural Resource or Significant Agriculture zoned land by providing for adequate buffer areas.
- 13.1.1.6 To provide for higher density rural living areas subject to land constraints.
- 13.1.2 Local Area Objectives

There are no local area objectives for this zone.

13.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

13.2 Use Table

| No Permit Required | |
|---------------------------------|--|
| Use Class | Qualification |
| Educational and occasional care | Only if for home-based child care in accordance with a licence |

| | under the Child Care Act 2001. |
|--|---|
| Natural and Cultural Values Management | |
| Passive Recreation | |
| Residential | Only if single dwelling or home-based business. |
| Utilities | Only if minor utilities. |
| Permitted | |
| Use Class | Qualification |
| Resource Development | Only if for agricultural use. |
| Visitor accommodation | |
| Discretionary | |
| Use Class | Qualification |
| Business and professional services | Only a veterinary surgery. |
| Community meeting and entertainment | Only if church, art and craft centre or public hall. |
| Domestic animal breeding, boarding or training | |
| Educational and occasional care | Except if No Permit Required. Only if day respite facility. |
| Emergency services | |
| General retail and hire | Only if roadside stall. |
| Resource Development | Except if permitted. |
| Resource Processing | |
| Sports and recreation | |
| Tourist Operation | |
| Utilities | Except if No Permit Required. |
| Prohibited | |
| Use Class | Qualification |
| All other uses | |

13.3 Use Standards

13.3.1 Non-Residential Use

| Objective: | | |
|--|----------------------|--|
| To ensure that non-residential use does not unreasonably impact residential amenity. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |

Hours of operation must be within:

- (a) 8.00 am to 6.00 pm Mondays to Fridays inclusive;
- (b) 9.00 am to 12.00 noon Saturdays;
- (c) nil Sundays and Public Holidays;

except for office and administrative tasks or visitor accommodation.

Hours of operation must not have an unreasonable impact upon the residential amenity through commercial vehicle movements, noise or other emissions that are unreasonable in their timing, duration or extent.

A2

Noise emissions measured at the boundary of the site must not exceed the following:

- (a) 55 dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm;
- (b) 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm to 8.00 am;
- (c) 65dB(A) (LAmax) at any time.

P2

Noise emissions measured at the boundary of the site must not cause environmental harm.

A3

External lighting must comply with all of the following:

- (a) be turned off between 6:00 pm and 8:00 am, except for security lighting;
- (b) security lighting must be baffled to ensure they do not cause emission of light into adjoining private land.

Р3

External lighting must not adversely affect existing or future residential amenity, having regard to all of the following:

- (a) level of illumination and duration of lighting;
- (b) distance to habitable rooms in an adjacent dwelling.

Α4

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site must be limited to 20 vehicle movements per day and be within the hours of:

- (a) 7.00 am to 5.00 pm Mondays to Fridays inclusive;
- (b) 9.00 am to 12 noon Saturdays;
- (c) nil on Sundays and Public Holidays.

P4

Commercial vehicle movements, (including loading and unloading and garbage removal) must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements;
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;
- (f) the level of traffic on the road;

13.3.2 Visitor Accommodation

Objective:

To ensure visitor accommodation is of a scale that accords with the semi-rural character and use of the area.

| Acceptable Solutions | | Performance Criteria | | |
|--|---|--|--|--|
| A1 | | P1 | | |
| Visitor accommodation must comply with all of the following: | | Visitor accommodation must satisfy all of the following: | | |
| (a) (b) | is accommodated in existing buildings; provides for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; has a floor area of no more than 160m ² . | (a) (b) | not adversely impact residential amenity and privacy of adjoining properties; | |
| (c) | | (5) | provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; | |
| | | (c) | be of an intensity that respects the character of use of the area; | |
| | | (d) | not adversely impacts the safety and efficiency of the local road network or disadvantage owners and users of private rights of way. | |

13.4 Development Standards for Buildings and Works

13.4.1 Building Height

Objective:

To ensure that building height contributes positively to the landscape character and does not result in unreasonable impact on residential amenity of adjoining land.

| Acceptable Solutions | Performance Criteria | | |
|--|--|--|--|
| A1 | P1 | | |
| Building height must not be more than: | Building height must satisfy all of the following: | | |
| 8.5 m. | (a) be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape of the area; | | |
| | (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: | | |
| | (i) overlooking and loss of privacy; | | |
| | (ii) visual impact when viewed from adjoining lots, due to bulk and height; | | |
| | (c) be reasonably necessary due to the slope of the site; | | |

13.4.2 Setback

Objective:

To maintain desirable characteristics of the landscape, protect amenity of adjoining lots, avoid land use conflict and fettering of use on adjoining rural land and protect environmental values on adjoining land zoned Environmental Management.

| Acceptable Solutions | Performance Criteria | | |
|---|---|--|--|
| A1 | P1 | | |
| Building setback from frontage must be must be no less than: 20 m. | Building setback from frontages must maintain the desirable characteristics of the surrounding landscape and protect the amenity of adjoining lots, having regard to all of the following: | | |
| | (a) the topography of the site; | | |
| | (b) the prevailing setbacks of existing buildings on nearby lots; | | |
| | (c) the size and shape of the site; | | |
| | (d) the location of existing buildings on the site; | | |
| | (e) the proposed colours and external materials of the building; | | |
| | (f) the visual impact of the building when viewed from an adjoining road; | | |
| | (g) retention of vegetation. | | |
| A2 | P2 | | |
| Building setback from side and rear boundaries must be no less than: 20 m. | Building setback from side and rear boundaries must maintain the desirable characteristics of the surrounding landscape and protect the amenity of adjoining lots, having regard to all of the following: | | |
| | (a) the topography of the site; | | |
| | (b) the size and shape of the site; | | |
| | (c) the location of existing buildings on the site; | | |
| | (d) the proposed colours and external materials of the building; | | |
| | (e) visual impact on skylines and prominent ridgelines; | | |
| | (f) impact on native vegetation; | | |
| | (g) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: | | |
| | (i) overlooking and loss of privacy; | | |
| | (ii) visual impact, when viewed from | | |

adjoining lots, through building bulk and massing.

P3

Building setback for buildings for sensitive use (including residential use) must comply with all (including residential use) must prevent conflict

- be sufficient to provide a separation distance from land zoned Rural Resource no less than 100 m;
- (ii) be sufficient to provide a separation distance from land zoned Significant Agriculture no less than 200 m.

of the following:

Building setback for buildings for sensitive use (including residential use) must prevent conflict or fettering of primary industry uses on adjoining land, having regard to all of the following:

- (a) the topography of the site;
- (b) the prevailing setbacks of existing buildings on nearby lots;
- (c) the size of the site;
- (d) the location of existing buildings on the site;
- (e) retention of vegetation;
- (f) the zoning of adjoining and immediately opposite land;
- (g) the existing use on adjoining and immediately opposite sites;
- the nature, frequency and intensity of emissions produced by primary industry uses on adjoining and immediately opposite lots;
- (i) any proposed attenuation measures;
- (j) any buffers created by natural or other features.

A4

Buildings and works must be setback from land zoned Environmental Management no less than 100 m.

Ρ4

Buildings and works must be setback from land zoned Environmental Management to minimise unreasonable impact from development on environmental values, having regard to all of the following:

- (a) the size of the site;
- (b) the location of existing buildings on the site;
- (c) the potential for the spread of weeds or soil pathogens;
- (d) the potential for contamination or sedimentation from water runoff;
- (e) any alternatives for development.

13.4.3 Design

Objective:

To ensure that the location and appearance of buildings and works minimises adverse impact on the landscape.

| Acceptable Solutions | | Performance Criteria | | | | | |
|---|---|--|---|---|--|--|--|
| A1 | | P1 | | | | | |
| The location of buildings and works must comply with any of the following: | | The location of buildings and works must satisfy all of the following: | | | | | |
| (a) | be located within a building area, if | (a) | be l | ocated on a skyline or ridgeline only if: | | | |
| (b) | provided on the title; be an addition or alteration to an existing building. be located on a site that does not require | | (i) | there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope; | | | |
| (0) | the clearing of native vegetation and is not on a skyline or ridgeline. | | (ii) | there is no significant impact on the rural landscape; | | | |
| | | | (iii) | building height is minimised; | | | |
| | | | (iv) | any screening vegetation is maintained. | | | |
| | | (b) | Cha or, i | consistent with any Desired Future racter Statements provided for the area f no such statements are provided, have ard to the landscape. | | | |
| | | (c) | | ocated in an area requiring the clearing ative vegetation only if: | | | |
| | | | (i) | there are no sites clear of native vegetation or any such areas are not suitable for development due to access difficulties or excessive slope; | | | |
| | | | (ii) | the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures. | | | |
| A2 | | P2 | | | | | |
| Exterior building surfaces must be coloured using colours with a light reflectance value not greater than 40 percent. | | Exterior building surfaces must avoid adverse impacts on the visual amenity of neighbouring land and detracting from the contribution the site makes to the landscape, views and vistas. | | | | | |
| А3 | | P3 | | | | | |
| The combined gross floor area of buildings must be no more than: | | The combined gross floor area of buildings must satisfy all of the following: | | | | | |
| 375 | 375 m2. | | (a) there is no unreasonable adverse impact on the landscape; | | | | |
| | | | (b) buildings are consistent with the domestic scale of dwellings on the site or in close visual proximity; | | | | |
| | | (c) | | consistent with any Desired Future racter Statements provided for the | | | |

| | | | area; |
|--|--|--|--|
| A4 | | P4 | |
| Fill and excavation must comply with all of the following: | | Fill and excavation must satisfy all of the following: | |
| (a) | height of fill and depth of excavation is no more than 1 m from natural ground level, except where required for building | (a) (b) | does not detract from the landscape character of the area; does not unreasonably impact upon the |
| | foundations; | | privacy for adjoining properties; |
| (b) | extent is limited to the area required for the construction of buildings and vehicular access. | (c) | does not affect land stability on the lot or adjoining land. |

13.4.4 Outbuildings

Objective:

To ensure that the size and number of outbuildings does not detract from the amenity of the area and does not visually dominate an associated dwelling.

| Acc | eptable Solutions | Perf | ormance Criteria |
|------|---|--------------|--|
| A1 | | P1 | |
| inco | buildings (including garages and carports not prporated within the dwelling) must comply a all of the following: have a combined gross floor area no more than 100 m²; have a wall height no more than 6.5 m and a building height not more than 7.5 m; have setback from frontage no less than that of the existing or proposed dwelling on the site. | inco desi | buildings (including garages and carports not irporated within the dwelling) must be gned and located to satisfy all of the owing: be less visually prominent than the existing or proposed dwelling on the site; be consistent with the scale of outbuildings on the site or in close visual proximity be consistent with any Desired Future Character Statements provided for the area |
| | | | or, if no such statements are provided, have regard to the landscape. |

13.4.5 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | | Performance Criteria | |
|---|-----------------------|---|----|
| A1 | | P1 | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | | Outdoor storage areas for non-residential uses must satisfy all of the following: | |
| (a) be located behind (b) all goods and mate screened from pub | erials stored must be | (a) be located, treated or screened to avoid unreasonable adverse impact on the visual amenity of the locality; | al |
| (c) not encroach upor | n car parking areas, | (b) not encroach upon car parking areas, | |

| driveways or landscaped areas. | driveways or landscaped areas. |
|--------------------------------|--------------------------------|
| | l · |

13.4.6 Ancillary Dwellings

| Objective: | | | |
|---|--|--|--|
| To ensure that the siting of ancillary dwellings are appurtenant to a single dwelling. | | | |
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| At least one external wall of an ancillary dwelling must be within 20m of a wall of the dwelling (excluding any outbuilding). | At least one external wall of an ancillary dwelling must be within 40m of a wall of the dwelling (excluding any outbuilding) and the ancillary dwelling must be designed to reinforce the ancillary relationship with the single dwelling through orientation and landscaping. | | |

13.5 Development Standards for Subdivision

13.5.1 Lot Design

Objective:

To provide for new lots that:

- (a) have appropriate area and dimensions to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements;
- (b) contain building areas which are suitable for residential development, located to avoid hazards and values and will not lead to land use conflict and fettering of resource development use on adjoining rural land;
- (c) are not internal lots, except if the only reasonable way to provide for infill development in existing subdivided areas.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| The size of each lot must be no less than the following, except if for public open space, a riparian or littoral reserve, or a Utilities, Emergency services, or Community meeting and entertainment use class, by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority: | No Performance Criteria. | |
| as specified in Table 13.1. | | |
| A2 | P2 | |
| The design of each lot must provide a minimum building area that is rectangular in shape and | The design of each lot must contain a building area able to satisfy all of the following: | |
| complies with all of the following, except if for public open space, a riparian or littoral reserve or utilities; | (a) is reasonably capable of accommodating residential use and development; | |
| | (b) meets any applicable standards in codes in | |

- (a) clear of the frontage, side and rear boundary setbacks;
- (b) not subject to any codes in this planning scheme;
- (c) clear of title restrictions such as easements and restrictive covenants;
- (d) has an average slope of no more than 1 in5;
- (e) has a separation distance no less than:
 - (i) 100 m from land zoned Rural Resource;
 - (ii) 200 m from land zoned Significant Agriculture;
- (f) has a setback from land zoned
 Environmental Management no less than
 100 m.
- (g) is a minimum of 30 m x 30 m in size.

- this planning scheme;
- (c) enables future development to achieve reasonable solar access, given the slope and aspect of the land;
- (d) minimises the requirement for earth works, retaining walls, and cut & fill associated with future development;
- (e) is sufficiently separated from the land zoned Rural Resource and Significant Agriculture to prevent potential for land use conflict that would fetter non-sensitive use of that land, and the separation distance is no less than:
 - (i) 40 m from land zoned Rural Resource;
 - (ii) 80 m from land zoned Significant Agriculture;
- (f) is setback from land zoned Environmental Management to satisfy all of the following:
 - there is no significant impact from the development on environmental values;
 - (ii) the potential for the spread of weeds or soil pathogens onto the land zoned Environmental Management is minimised;
 - (iii) there is minimal potential for contaminated or sedimented water runoff impacting the land zoned Environmental Management;
 - (iv) there are no reasonable and practical alternatives to developing close to land zoned Environmental Management.

А3

The frontage for each lot must be no less than the following, except if for public open space, a riparian or littoral reserve or utilities and except if an internal lot:

40 m.

Р3

The frontage of each lot must provide opportunity for reasonable vehicular and pedestrian access and must be no less than:

6m.

Α4

No lot is an internal lot. [R1]

Ρ4

An internal lot must satisfy all of the following:

(a) access is from a road existing prior to the planning scheme coming into effect, unless site constraints make an internal lot

| Setback from a new boundary for an existing building must comply with the relevant Acceptable Solution for setback. | Setback from a new boundary for an existing building must satisfy the relevant Performance Criteria for setback. |
|---|---|
| A5 | P5 |
| | (j) the lot addresses and provides for passive surveillance of public open space and public rights of way if it fronts such public spaces. |
| | (i) a sealed driveway is provided on the access strip prior to the sealing of the final plan. |
| | (h) the access strip is adjacent to or combined with no more than three other internal lot access strips and it is not appropriate to provide access via a public road; |
| | (g) passing bays are provided at appropriate distances along the access strip to service the likely future use of the lot; |
| | (f) the lot has access to a road via an access strip, which is part of the lot, or a right-ofway, with a width of no less than 3.6m; |
| | (e) the amenity of neighbouring land is unlikely to be unreasonably affected by subsequent development and use; |
| | (d) the lot will contribute to the more efficient utilisation of rural living land; |
| | (c) the lot constitutes the only reasonable way to subdivide the rear of an existing lot; |
| | (b) it is not reasonably possible to provide a new road to create a standard frontage lot; |
| | configuration the only reasonable option to efficiently utilise land; |

Footnotes

[R1] Generally, new internal lots are not appropriate and any subdivisions in which new roads are constructed are not to include internal lots.

They should only be contemplated in existing developed areas (in order to make more efficient use of previously poorly subdivided land).

They may also be appropriate if fronting certain forms of public open space instead of a public road. Such arrangements may be designed into an area through the development of a Specific Area Plan.

13.5.2 Roads

Objective:

To ensure that the arrangement of new roads within a subdivision provides for all of the following:

(a) the provision of safe, convenient and efficient connections to assist accessibility and mobility

of the community;

- (b) the adequate accommodation of vehicular, pedestrian and cycling traffic;
- (c) the efficient ultimate subdivision of the entirety of the land and of neighbouring land.

Acceptable Solutions Performance Criteria A1 P1 The subdivision includes no new road. The arrangement and construction of roads within a subdivision must satisfy all of the following: (a) the appropriate and reasonable future subdivision of the entirety of any balance lot is not compromised; (b) the route and standard of roads accords with any relevant road network plan adopted by the Planning Authority; (c) the subdivision of any neighbouring or nearby land with subdivision potential is facilitated through the provision of connector roads and pedestrian paths, where appropriate, to common boundaries; (d) an acceptable level of access, safety, convenience and legibility is provided through a consistent road function hierarchy; (e) cul-de-sac and other terminated roads are not created, or their use in road layout design is kept to an absolute minimum; (f) internal lots are not created; (g) connectivity with the neighbourhood road network is maximised; (h) the travel distance between key destinations such as shops and services is minimised; (i) walking, cycling and the efficient movement of public transport is facilitated; provision is made for bicycle infrastructure on new arterial and collector roads in accordance with Austroads Guide to Road Design Part 6A; (k) multiple escape routes are provided if in a bushfire prone area.

13.5.3 Ways and Public Open Space

| 0 | u | _ | L | LI | v | _ | _ |
|---|----|---|---|----|---|---|---|
| _ | ~, | _ | _ | •• | _ | _ | • |

To ensure that the arrangement of ways and public open space provides for all of the following:

- (a) the provision of safe, convenient and efficient connections for accessibility, mobility and recreational opportunities for the community;
- (b) the adequate accommodation of pedestrian and cycling traffic;
- (c) the adequate accommodation of equestrian traffic.

| Acceptable Solutions | Performance Criteria | | |
|-------------------------|---|--|--|
| A1 | P1 | | |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: | | |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; | | |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; | | |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; | | |
| | (d) topographical and other physical conditions of the site are appropriately accommodated in the design; | | |
| | (e) the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; | | |
| | (f) the route of new equestrian ways has regard to any equestrian trail plan adopted by the Planning Authority. | | |
| A2 | P2 | | |
| No Acceptable Solution. | Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. | | |

13.5.4 Services

Objective:

To ensure that the subdivision of land provides adequate services to meet the projected needs of future development.

| Acceptable Solutions | Performance Criteria | |
|---|--------------------------|--|
| A1 | P1 | |
| Each lot must be connected to a reticulated potable water supply where such a supply is | No Performance Criteria. | |

| available. R1 | | |
|--|---|--|
| A2 | P2 | |
| No Acceptable Solution. | Each lot must be capable of accommodating an on-site wastewater treatment system adequate for the future use and development of the land. | |
| A3 | Р3 | |
| Each lot must be connected to a stormwater system able to service the building area by gravity. R2 | Each lot must be capable of accommodating an on-site stormwater management system adequate for the likely future use and development of the land. | |

13.5.4.R1 The Water and Sewer Corporation governs specific details separately to the planning scheme. 13.5.4.R2The Stormwater Management Code governs specific details.

Table 13.1 Minimum Lot Size

| Rural Living Zone Area | Minimum Lot Size | Area defined by map overlay? |
|--------------------------|--|------------------------------|
| Rural Living Zone Area A | 0.25ha if no additional lot created, 0.5ha otherwise | Yes |
| Rural Living Zone Area B | 0.5ha if no additional lot created, 1ha otherwise | Yes |
| Rural Living Zone Area C | 1ha if no additional lot created, 2ha otherwise | Yes |
| Rural Living Zone Area D | 1ha if no additional lot created, 4ha otherwise | Yes |

14.0 Environmental Living Zone

14.1 Zone Purpose

- 14.1.1 Zone Purpose Statements
- 14.1.1.1 To provide for residential use or development in areas where existing natural and landscape values are to be retained. This may include areas not suitable or needed for resource development or agriculture and characterised by native vegetation cover, and where services are limited and residential amenity may be impacted on by nearby or adjacent rural activities.
- 14.1.1.2 To ensure development is reflective and responsive to the natural or landscape values of the land.
- 14.1.1.3 To provide for the management and protection of natural and landscape values, including skylines and ridgelines.
- 14.1.1.4 To protect the privacy and seclusion that residents of this zone enjoy.
- 14.1.1.5 To provide for limited community, tourism and recreational uses that do not impact on natural values or residential amenity.
- 14.1.1.6 To encourage passive recreational opportunities through the inclusion of pedestrian, cycling and horse trail linkages.

- 14.1.1.7 To avoid land use conflict with adjacent Rural Resource or Significant Agriculture zoned land by providing for adequate buffer areas.
- 14.1.1.8 To provide for low impact tourism development and other commercial uses that benefit from natural areas including those areas in the south of the planning scheme area.
- 14.1.1.9 To provide for sensitive uses in locations where the risk to life and property from land hazards in minimal.
- 14.1.1.10 To provide for the maintenance of scenic values along the coast including those areas in the south of the planning scheme area.
- 14.1.2 Local Area Objectives

There are no local area objectives for this zone.

14.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

14.2 Use Table

| No Permit Required | | | |
|--|---|--|--|
| Use Class | Qualification | | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> . | | |
| Natural and cultural values management | | | |
| Passive recreation | | | |
| Utilities | Only if minor utilities and located underground. | | |
| Permitted | | | |
| Use Class | Qualification | | |
| Residential | Only if single dwelling or home-based business. | | |
| Visitor accommodation | | | |
| Discretionary | | | |
| Use Class | Qualification | | |
| Community meeting and entertainment | Only if church, art and craft centre or public hall. | | |
| Education and occasional care | Only if: | | |
| | (a) for a childcare centre, kindergarten, primary school, or secondary school; and | | |
| | (b) located at 1118 Nicholls Rivulet Road, Nicholls Rivulet (CT 143492/1). | | |
| Emergency services | Only if a fire station. | | |
| Resource development | | | |
| Sports and recreation | | | |

| Utilities Except if No Permit Required. | | | |
|---|---------------|--|--|
| Prohibited | | | |
| Use Class | Qualification | | |
| All other uses | | | |

14.3 Use Standards

14.3.1 Non-Residential Use

| Objective: | | | |
|--|--|--|--|
| To ensure that non-residential use does not unreasonably impact residential amenity. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Hours of operation must be within: | Hours of operation must not have an | | |
| (a) 8.00 am to 6.00 pm Mondays to Fridays inclusive; | unreasonable impact upon the residential amenity through commercial vehicle movements, noise or other emissions that are | | |
| (b) 9.00 am to 12.00 noon Saturdays; | unreasonable in their timing, duration or extent. | | |
| (c) nil Sundays and Public Holidays; | | | |
| except for office and administrative tasks or visitor accommodation. | | | |
| A2 | P2 | | |
| Noise emissions measured at the boundary of the site must not exceed the following: | Noise emissions measured at the boundary of the site must not cause environmental harm. | | |
| (a) 55 dB(A) (LAeq) between the hours of 8.0 am to 6.00 pm; | 0 | | |
| (b) 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower between the hours of 6.00 pm to 8.00 am | , | | |
| (c) 65dB(A) (LAmax) at any time. | | | |

14.3.2 Vistor Accommodation

| Objective: | | | |
|---|---|--|--|
| To ensure visitor accommodation is of a scale that accords with the bushland character and use of the area. | | | |
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| Visitor accommodation must comply with all of the following: | Visitor accommodation must satisfy all of the following: | | |
| (a) is accommodated in existing buildings;(b) provides for any parking and manoeuvring | (a) not adversely impact residential amenity and privacy of adjoining properties; | | |
| spaces required pursuant to the Parking | (b) provide for any parking and manoeuvring spaces required pursuant to the Parking | | |

| and Access Code on-site; | and Access Code on-site; |
|--|--|
| (c) has a floor area of no more than 160m ² . | (c) be of an intensity that respects the character of use of the area; |
| | (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way. |

14.4 Development Standards for Buildings and Works

14.4.1 Building Height

Objective:

To ensure that building height contributes positively to the landscape character and does not result in unreasonable impact on residential amenity of adjoining land.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Building height must not be more than: | Building height must satisfy all of the following: |
| 7.5 m. | (a) be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape of the area; |
| | (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: |
| | (i) overlooking and loss of privacy; |
| | (ii) visual impact when viewed from adjoining lots, due to bulk and height; |
| | (c) be reasonably necessary due to the slope of the site; |
| | (d) be no more than 8.5 m. |

14.4.2 Setback

Objective:

To maintain desirable characteristics of the landscape, protect amenity of adjoining lots, avoid land use conflict and fettering of use on adjoining rural land and protect environmental values on adjoining land zoned Environmental Management.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Building setback from frontage must be must be no less than: 30 m. | Building setback from frontages must maintain the desirable characteristics of the surrounding landscape and protect the amenity of adjoining lots, having regard to all of the following: | |
| | (a) the topography of the site; | |

- (b) the prevailing setbacks of existing buildings on nearby lots;
- (c) the size and shape of the site;
- (d) the location of existing buildings on the site;
- (e) the proposed colours and external materials of the building;
- (f) the visual impact of the building when viewed from an adjoining road;
- (g) retention of vegetation.

A2

Building setback from side and rear boundaries must be no less than:

30 m.

P2

Building setback from side and rear boundaries must maintain the desirable characteristics of the surrounding landscape and protect the amenity of adjoining lots, having regard to all of the following:

- (a) the topography of the site;
- (b) the size and shape of the site;
- (c) the location of existing buildings on the site;
- (d) the proposed colours and external materials of the building;
- (e) visual impact on skylines and prominent ridgelines;
- (f) impact on native vegetation;
- (g) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by:
 - overlooking and loss of privacy;
 - (ii) visual impact, when viewed from adjoining lots, through building bulk and massing.

Α3

Building setback for buildings for sensitive use (including residential use) must comply with all of the following:

- be sufficient to provide a separation distance from land zoned Rural Resource no less than 100 m;
- (ii) be sufficient to provide a separation distance from land zoned Significant Agriculture no less than 200 m.

Р3

Building setback for buildings for sensitive use (including residential use) must prevent conflict or fettering of primary industry uses on adjoining land, having regard to all of the following:

- (a) the topography of the site;
- (b) the prevailing setbacks of existing buildings on nearby lots;
- (c) the size of the site;
- (d) the location of existing buildings on the site;
- (e) retention of vegetation;

(f) the zoning of adjoining and immediately opposite land; (g) the existing use on adjoining and immediately opposite sites; (h) the nature, frequency and intensity of emissions produced by primary industry uses on adjoining and immediately opposite lots: (i) any proposed attenuation measures; any buffers created by natural or other features. 40 m from land zoned Rural Resource unless the lot size is less than the minimum lot size in this zone or if there is an existing building with a separation distance less than this distance, the separation distance must not be less than the existing building; 80 m from land zoned Significant Agriculture unless the lot size is less than the minimum lot size in this zone or if there is an existing building with a separation distance less than this distance, the separation distance must not be less than the existing building. **P4** Buildings and works must be setback from land Buildings and works must be setback from land zoned Environmental Management to minimise zoned Environmental Management no less than 100 m. unreasonable impact from development on environmental values, having regard to all of the following: (a) the size of the site; (b) the location of existing buildings on the site; (c) the potential for the spread of weeds or soil pathogens; (d) the potential for contamination or sedimentation from water runoff;

14.4.3 Design

Objective:

To ensure that the location and appearance of buildings and works minimises adverse impact on natural values and on the landscape.

(e) any alternatives for development.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
| A1 | P1 |

The location of buildings and works must comply with any of the following:

- (a) be located within a building area, if provided on the title;
- (b) be an addition or alteration to an existing building;
- (c) be located on a site that does not require the clearing of native vegetation and is not on a skyline or ridgeline.

The location of buildings and works must satisfy all of the following:

- (a) be located in an area requiring the clearing of native vegetation only if:
 - there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope;
 - the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures;
 - (iii) the location of clearing has the least environmental impact;
- (b) be located on a skyline or ridgeline only if:
 - there are no other sites suitable for development due to access difficulties or excessive slope;
 - (ii) there is no significant impact on the rural landscape;
 - (iii) building height is minimised;
 - (iv) any screening vegetation is maintained.
- (c) be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape.

A2

Exterior building surfaces must be coloured using colours with a light reflectance value not greater than 40 percent.

P2

Exterior building surfaces must avoid adverse impacts on the visual amenity of neighbouring land and detracting from the contribution the site makes to the landscape, views and vistas.

А3

The combined gross floor area of buildings must be no more than:

300m².

Р3

The combined gross floor area of buildings must satisfy all of the following:

- (a) there is no unreasonable impact on natural values;
- (b) there is no unreasonable impact on the landscape;
- (c) buildings are consistent with the domestic scale of dwellings on the site or in close visual proximity;
- (d) be consistent with any Desired Future

| | | | | Character Statements provided for the area; |
|-----------|---|--|--|--|
| Α4 | | | P4 | |
| | and ex | xcavation must comply with all of the :: | | and excavation must satisfy all of the owing: |
| (a) | height of fill and depth of excavation is no more than 1 m from natural ground level, | | (a) | there is no unreasonable impact on natural values; |
| | except where required for building foundations; | (b) | does not detract from the landscape character of the area; | |
| (b) | construction of buildings and venicular | (c) | does not unreasonably impact upon the privacy of adjoining properties; | |
| | acce | | (d) | does not affect land stability on the lot or adjoining land. |
| A5 | | | P5 | |
| | Building design must comply with all of the following: | | Building design must minimise the potential for avoidable bird strike with particular attention to | |
| (a) | refle | d or obscure transparent or highly ective obstacles that are not readily eptible by birds in flight including: | the Swift Parrot. | |
| | (i) | mesh fences greater than 1.2m; and | | |
| | (ii) | uncovered corner or opposing windows that allow sightlines through buildings | | |
| (b) | use glazing that consists of: | | | |
| | (i) | low reflective glass on external surfaces; or | | |
| | (ii) | glass surfaces angled to reflect the ground or built environment and not the sky or vegetation. | | |

14.4.4 Outbuildings

Objective:

To ensure that the size and number of outbuildings does not detract from the amenity of the area and does not visually dominate an associated dwelling.

| Acceptable Solutions | | Performance Criteria | | |
|---|---|---|-----------------------------------|--|
| A1 | A1 | | P1 | |
| Outbuildings (including garages and carports not incorporated within the dwelling) must comply with all of the following: | | Outbuildings (including garages and carports not incorporated within the dwelling) must be designed and located to satisfy all of the | | |
| (a) | have a combined floor area no more than $80m^2$; | following: (a) be less visually prominent than the exit | | |
| (b) | have a wall height no more than 5.5 m and | | or proposed dwelling on the site; | |

a building height not more than 6.5 m; be consistent with the scale of outbuildings (b) on the site or in close visual proximity (c) have setback from frontage no less than that of the existing or proposed dwelling on be consistent with any Desired Future the site. Character Statements provided for the area or, if no such statements are provided, have regard to the landscape.

Ancillary Dwellings 14.4.5

| Objective: | | |
|---|--|--|
| To ensure that the siting of ancillary dwellings are | appurtenant to a single dwelling. | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| At least one external wall of an ancillary dwelling must be within 20m of a wall of the dwelling (excluding any outbuilding). | At least one external wall of an ancillary dwelling must be within 40m of a wall of the dwelling (excluding any outbuilding) and the ancillary dwelling must be designed to reinforce the ancillary relationship with the single dwelling through orientation and landscaping. | |

14.5 **Development Standards for Subdivision**

14.5.1 Lot Design

Objective:

To provide for new lots that:

- (a) have appropriate area and dimensions to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements;
- contain building areas which are suitable for residential development, located to avoid hazards and values and will not lead to land use conflict and fettering of resource development use on adjoining rural land;
- (c) are not internal lots, except if the only reasonable way to provide for infill development in existing subdivided areas.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| The size of each lot must be no less than the following, except if for public open space, a | The size of lots may be less than that specified in A1 provided all of the following are satisfied: | |
| riparian or littoral reserve, or a Utilities, Emergency services, or Community meeting and entertainment use class, by or on behalf of the | (a) the total number of lots is no more than would be possible under A1; | |
| State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by | (b) lots are clustered so that their building areas are in proximity to each other thereby reducing overall impact on natural values; | |
| a statutory authority: | (c) a net conservation benefit is provided | |
| 6 ha. | through mechanisms on titles for collective | |
| 20 ha if located within the Cannells Hill Area | responsibility and management of natural values on private land outside those areas | |

- required for building areas, private open space and bushfire protection measures;
- (d) mechanisms on large titles, with nominal future subdivision potential under A1, prevent further subdivision.

A2

The design of each lot must provide a minimum building area that is rectangular in shape and complies with all of the following, except if for public open space, a riparian or littoral reserve or utilities;

- (a) clear of the frontage, side and rear boundary setbacks;
- (b) not subject to any codes in this planning scheme;
- (c) clear of title restrictions such as easements and restrictive covenants;
- (d) has an average slope of no more than 1 in5;
- (e) has a separation distance no less than:
 - (i) 100 m from land zoned Rural Resource;
 - (ii) 200 m from land zoned Significant Agriculture;
- (f) has a setback from land zoned Environmental Management no less than 100 m.
- (g) is a minimum of 30 m x 30 m in size.

P2

The design of each lot must contain a building area able to satisfy all of the following:

- (a) is reasonably capable of accommodating residential use and development;
- (b) meets any applicable standards in codes in this planning scheme;
- (c) enables future development to achieve reasonable solar access, given the slope and aspect of the land;
- (d) minimises the requirement for earth works, retaining walls, and cut & fill associated with future development;
- (e) is located to minimise environmental impacts.
- (f) is sufficiently separated from the land zoned Rural Resource and Significant Agriculture to prevent potential for land use conflict that would fetter non-sensitive use of that land, and the separation distance is no less than:
 - (i) 40 m from land zoned Rural Resource;
 - (ii) 80 m from land zoned Significant Agriculture;
- (g) is setback from land zoned Environmental Management to satisfy all of the following:
 - there is be no significant impact from the development on environmental values;
 - the potential for the spread of weeds or soil pathogens onto the land zoned Environmental Management is minimised;
 - (iii) there is minimal potential for contaminated or sedimented water runoff impacting the land zoned Environmental Management;
 - (iv) there are no reasonable and practical alternatives to developing close to

| | land zoned Environmental Management. | |
|--|--|--|
| A3 | Р3 | |
| The frontage for each lot must be no less than the following, except if for public open space, a riparian or littoral reserve or utilities and except if an internal lot: 40 m. | The frontage of each lot must provide opportunity for reasonable vehicular and pedestrian access and must be no less than: 6m. | |
| A4 | P4 | |
| No lot is an internal lot. [R1] | An internal lot must satisfy all of the following: | |
| No loc is all internal loc. [N1] | (a) access is from a road existing prior to the planning scheme coming into effect, unless site constraints make an internal lot configuration the only reasonable option to efficiently utilise land; | |
| | (b) it is not reasonably possible to provide a new road to create a standard frontage lot; | |
| | (c) the lot constitutes the only reasonable way to subdivide the rear of an existing lot; | |
| | (d) the lot will contribute to the more efficient utilisation of environmental living land; | |
| | (e) the amenity of neighbouring land is unlikely to be unreasonably affected by subsequent development and use; | |
| | (f) the lot has access to a road via an access strip, which is part of the lot, or a right-ofway, with a width of no less than 3.6m; | |
| | (g) passing bays are provided at appropriate distances along the access strip to service the likely future use of the lot; | |
| | (h) the access strip is adjacent to or combined with no more than three other internal lot access strips and it is not appropriate to provide access via a public road; | |
| | (i) a sealed driveway is provided on the access strip prior to the sealing of the final plan. | |
| | (j) the lot addresses and provides for passive surveillance of public open space and public rights of way if it fronts such public spaces. | |
| A5 | P5 | |
| Setback from a new boundary for an existing building must comply with the relevant Acceptable Solution for setback. | Setback from a new boundary for an existing building must satisfy the relevant Performance Criteria for setback. | |

Footnotes

[R1] Generally, new internal lots are not appropriate and any subdivisions in which new roads are constructed are not to include internal lots.

They should only be contemplated in existing developed areas (in order to make more efficient use of previously poorly subdivided land).

They may also be appropriate if fronting certain forms of public open space instead of a public road. Such arrangements may be designed into an area through the development of a Specific Area Plan.

14.5.2 Roads

Objective:

To ensure that the arrangement of new roads within a subdivision provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of vehicular, pedestrian and cycling traffic;
- (c) the efficient ultimate subdivision of the entirety of the land and of neighbouring land.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|--|
| A1 | P1 |
| The subdivision includes no new road. | The arrangement and construction of roads within a subdivision must satisfy all of the following: |
| | (a) the appropriate and reasonable future subdivision of the entirety of any balance lot is not compromised; |
| | (b) the route and standard of roads accords with any relevant road network plan adopted by the Planning Authority; |
| | (c) the subdivision of any neighbouring or nearby land with subdivision potential is facilitated through the provision of connector roads and pedestrian paths, where appropriate, to common boundaries; |
| | (d) an acceptable level of access, safety, convenience and legibility is provided through a consistent road function hierarchy; |
| | (e) cul-de-sac and other terminated roads are not created, or their use in road layout design is kept to an absolute minimum; |
| | (f) internal lots are not created; |
| | (g) connectivity with the neighbourhood road network is maximised; |
| | (h) multiple escape routes are provided if in a |

| bushfire prone area; |
|---|
| be designed, located and constructed to minimise adverse impacts on environmental values. |

14.5.3 Ways and Public Open Space

Objective:

To ensure that the arrangement of ways and public open space provides for all of the following:

- (a) the provision of safe, convenient and efficient connections for accessibility, mobility and recreational opportunities for the community;
- (b) the adequate accommodation of pedestrian and cycling traffic;
- (c) the adequate accommodation of equestrian traffic.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; |
| | (d) topographical and other physical conditions of the site are appropriately accommodated in the design; |
| | (e) the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; |
| | (f) the route of new equestrian ways has regard to any equestrian trail plan adopted by the Planning Authority. |
| A2 | P2 |
| No Acceptable Solution. | Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. |

14.5.4 Services

| Objective: | | |
|--------------|--|--|
| l Oblective: | | |
| | | |
| _ | | |

| To ensure that the subdivision of land provides adequate services to meet the projected needs of future development. | | |
|--|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| It is not necessary to connect a lot to a reticulated potable water supply. R1 | No Performance Criteria. | |
| A2 | P2 | |
| No Acceptable Solution. R1 | Each lot must be capable of accommodating an on-site wastewater treatment system adequate for the future use and development of the land. | |
| A3 | P3 | |
| Each lot must be connected to a stormwater system able to service the building area by gravity. R2 | Each lot must be capable of accommodating an on-site stormwater management system adequate for the likely future use and development of the land. | |

14.5.4.R1 The Water and Sewer Corporation governs specific details separately to the planning scheme. 14.5.4.R2The Stormwater Management Code governs specific details.

15.0 Urban Mixed Use Zone

This zone is not used in this planning scheme.

16.0 Village Zone

16.1 Zone Purpose

- 16.1.1 Zone Purpose Statements
- 16.1.1.1 To provide for small rural centres with a mix of residential, community services and commercial activities.
- 16.1.1.2 To provide for residential and associated development in small communities.
- 16.1.1.3 To ensure development is accessible by walking and cycling.
- 16.1.1.4 To allow for a small shopping precinct that may include supermarket, tourism related business and a range of shops and rural services.
- 16.1.1.5 To allow for office based employment provided that it supports the viability of the centre and the surrounding area and maintains an active street frontage.
- 16.1.1.6 To provide for the efficient utilisation of existing reticulated services in serviced villages.
- 16.1.1.7 To enhance the current mix of residential and commercial uses in Franklin and ensure that the town is an attractive place for locals and visitors.
- 16.1.1.8 To provide for existing industrial activities in Dover and Geeveston without reducing residential amenity or streetscape qualities.
- 16.1.1.9 To provide for hotel use and complimentary tourism development at established individual sites in Dover and Geeveston.

16.1.1.10 To provide for community interaction by encouraging development of community services, visitor services and community meeting places.

16.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy | |
|---|--|--|
| Cygnet | | |
| The mixed use area along the northern part of Mary Street provides a range of commercial uses that have the capacity to increase township resilience and meet community needs together with a diverse range of housing types. | A range of complementary uses are provided for. | |
| Dover | | |
| The redevelopment of the former steam museum to stimulate economic and tourism development. | Ensure that a range of tourism and non- residential uses can be considered that may be suitable for the established buildings and the location of the site. | |
| Dover Hotel (CT 100571/1) and Southport Tavern | (CT 103811/1) | |
| The sites continue to provide for hotel use as well complimentary tourism use. | Only uses consistent with this objective will be provided for. | |
| Franklin | | |
| Franklin provides a range of entertainment, tourism and food services together with active and attractive streetscapes that enhances its position as an important visitor destination. | Ensure that a range of non-residential uses permitted if fronting Main Road / Huon Highway. | |
| Huonville | | |
| The establishment of commercial, community services, live-work units and medium density housing to complement the adjacent activity centre. | A range of complimentary uses are provided for. | |

16.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

16.2 Use Table

| No Permit Required | | |
|--|---|--|
| Use Class | Qualification | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> . | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Utilities | Only if minor utilities. | |
| Permitted | | |

| Use Class | Qualification | |
|--|---|--|
| Residential | Only if single dwelling or home-based business. | |
| Business and professional services | Only if fronting Main Road / Huon Highway, Franklin or not located within Franklin. | |
| Educational and occasional care | Only if a kindergarten, primary school, child care centre or day respite facility. | |
| Emergency services | | |
| Food services | Only if fronting Main Road / Huon Highway, Franklin or not located within Franklin. | |
| General retail and hire | Only if fronting Main Road / Huon Highway, Franklin or not located within Franklin. | |
| Visitor accommodation | Only if bed and breakfast establishment, holiday cabin or holiday unit. | |
| Discretionary | | |
| Use Class | Qualification | |
| Bulky goods sales | | |
| Business and professional services | Except if permitted. | |
| Community meeting and entertainment | | |
| Crematoria and cemeteries | Only if for cemeteries. | |
| Domestic animal breeding, boarding or training | | |
| Equipment and machinery sales and hire | | |
| Hotel industry | Only if located at Southport Tavern (CT 103811/10), Dover Hotel (CT 100571/1) or Port Huon. | |
| Food services | Except if permitted. | |
| General retail and hire | Except if permitted. | |
| Hospital services | | |
| Manufacturing and processing | Only if associated with an existing Manufacturing and processing use. | |
| Pleasure boat facility | | |
| Research and development | | |
| Residential | Except if permitted. | |
| Resource processing | Except if abattoir or sawmilling. | |
| Service industry | | |
| Sports and recreation | | |

| Storage | | |
|----------------------------------|-------------------------------|--|
| Tourist operation | | |
| Transport depot and distribution | | |
| Utilities | Except if No Permit Required. | |
| Vehicle fuel sales and service | | |
| Vehicle parking | Only if a public car park. | |
| Visitor accommodation | Except if Permitted. | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

16.3 Use Standards

16.3.1 Non-Residential Use

| Objective: | | | |
|--------------------|---|--|--|
| То | To ensure that non-residential use does not unreasonably impact residential amenity. | | |
| Acc | eptable Solutions | Performance Criteria | |
| A1 | | P1 | |
| Ηοι | urs of operation must be within: | Hours of operation must not have an | |
| (a) | 7.00 am to 9.00 pm Mondays to Fridays inclusive; | unreasonable impact upon the residential amenity through commercial vehicle movements, noise or other emissions that are | |
| (b) | 8.00 am to 6.00 pm Saturdays; | unreasonable in their timing, duration or extent. | |
| (c) | 9.00 am to 5.00 pm Sundays and Public Holidays; | | |
| | ept for office and administrative tasks or tor accommodation. | | |
| A2 | | P2 | |
| | se emissions measured at the boundary of site must not exceed the following: | Noise emissions measured at the boundary of the site must not cause environmental harm. | |
| (a) | 55 dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm; | | |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm to 8.00 am; | | |
| (c) | 65dB(A) (LAmax) at any time. | | |
| acc Noi by t | asurement of noise levels must be in ordance with the methods in the Tasmanian se Measurement Procedures Manual, issued the Director of Environmental Management, uding adjustment of noise levels for tonality | | |

and impulsiveness.

Noise levels are to be averaged over a 15 minute time interval.

A3

External lighting must comply with all of the following:

(a) be turned off between 9:00 pm and 6:00 am, except for security lighting;

(b) security lighting must be baffled to ensure they do not cause emission of light into

Р3

External lighting must not adversely affect existing or future residential amenity, having regard to all of the following:

- (a) level of illumination and duration of lighting;
- (b) distance to habitable rooms in an adjacent dwelling.

Α4

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site must be limited to 40 vehicle movements per day and be within the hours of:

- (a) 7.00 am to 9.00 pm Mondays to Fridays inclusive;
- (b) 8.00 am to 6.00 pm Saturdays;

adjoining private land.

(c) 9.00 am to 5.00 pm on Sundays and Public Holidays.

Ρ4

Commercial vehicle movements, (including loading and unloading and garbage removal) must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements;
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;
- (f) the level of traffic on the road;
- (g) the potential for conflicts with other traffic.

Α5

The gross floor area of a non-residential use must be no more than:

- (a) 100m² if for a use in the Business and professional services use class;
- (b) 150m² if for a use in the Food services use class;
- (c) 200m² if for any other discretionary use.

P5

The size and location of a non-residential use must satisfy all of the following:

- (a) does not dominate residential areas of the settlement;
- (b) be consistent with surrounding use and development;
- (c) be consistent with any Local Area
 Objectives or Desired Future Character
 Statements.

16.3.2

Objective:

To ensure visitor accommodation is of a scale that accords with the residential character and use of the area.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Visitor accommodation must comply with all of the following: | Visitor accommodation must satisfy all of the following: |
| (a) is accommodated in existing buildings; (b) provides for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; (c) has a floor area of no more than 160m². | (a) not adversely impact residential amenity and privacy of adjoining properties; (b) provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; (c) be of an intensity that respects the character of use of the area; (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way. |

16.4 Development Standards for Buildings and Works

16.4.1 Building Height

| _ | | |
|----|----|---------|
| 11 | nı | ective: |
| v | v | CCLIVE. |

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on amenity of adjoining land.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|---|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| 8.5 m. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: |
| | (i) overlooking and loss of privacy; |
| | (ii) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; |
| | (iii) visual impact when viewed from |

| adjoining lots, due to bulk and height; |
|--|
| (c) not unreasonably overshadow adjacent public space; |
| (d) allow for a transition in height between adjoining buildings, where appropriate; |

16.4.2 Setback

Objective:

| To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of adjoining land. | | | | |
|--|---|---|--|--|
| Acceptable Solutions | | Performance Criteria | | |
| A1 | | P1 | | |
| Building setback from frontage must comply with all of the following: | | Building setback from frontage must satisfy all of the following: | | |
| (a) | be parallel to the primary frontage; | (a) | | onsistent with any Desired Future |
| (b) | no less than 6m if fronting the Huon Highway, Main Street in all localities or | | Character Statements provided for the area; | |
| | Mary Street, Cygnet; | | | ompatible with the setback of adjoining dings, generally maintaining a |
| (c) | no less than 3m in all other localities. | | cont | ings, generally maintaining a inuous building line if evident in the etscape; |
| | | (c) | | ance the characteristics of the site, ining lots and the streetscape, |
| A2 | | P2 | | |
| Building setback from side and rear boundaries must be no less than: | | Building setback from side and rear boundaries must satisfy all of the following: | | |
| (a) | (a) 2 m; | | (a) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: | |
| (b) | | | | |
| whic | hever is the greater. | | (i) | overlooking and loss of privacy; |
| | | | (ii) | overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; |
| | | | (iii) | visual impact, when viewed from adjoining lots, through building bulk and massing; |
| | | taki | ng int | o account aspect and slope. |

16.4.3 Design

Objective:

To ensure that building design for non-residential uses contributes positively to the streetscape, the

amenity and safety of the public and adjoining land. **Acceptable Solutions Performance Criteria**

Building design for non-residential use must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front façade no less than 40% of the surface area of the ground floor level facade;
- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is not greater than 30% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- provide awnings over the public footpath if (f) existing on the site or on adjoining lots;
- not include security shutters over windows (g) or doors with a frontage to a street or public place.

Building design must enhance the streetscape by satisfying all of the following:

- (a) provide the main access to the building in a way that addresses the street or other public space boundary;
- (b) provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces;
- treat large expanses of blank wall in the (c) front façade and facing other public space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- (d) ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- not provide awnings over the public footpath only if there is no benefit to the streetscape or pedestrian amenity or if not possible due to physical constraints;
- only provide shutters where essential for (g) the security of the premises and other alternatives for ensuring security are not feasible;
- (h) be consistent with any Desired Future Character Statements provided for the area.

16.4.4 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of sites for non-residential use.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Landscaping along the frontage of a site is not | Landscaping must be provided for sites for non- |

required if all of the following apply: residential use to satisfy all of the following: (a) the building extends across the width of the enhance the appearance of the frontage, (except for vehicular access ways); development; (b) the building has a setback from the provide a range of plant height and forms to frontage of no more than 1 m. create diversity, interest and amenity; (c) not create concealed entrapment spaces; (d) be consistent with any Desired Future Character Statements provided for the area. **A2 P2** Along a boundary with a lot used for residential Along a boundary with a lot used for residential use landscaping must be provided for a depth no use landscaping or a building design solution less than: must be provided to avoid unreasonable adverse impact on the visual amenity of the adjoining 2 m. land, having regard to the characteristics of the site and the characteristics of the adjoining land.

16.4.5 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | | Performance Criteria | |
|---|--|--|----|
| A1 | | P1 | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | | Outdoor storage areas for non-residential use must satisfy all of the following: | es |
| (a) (b) | be located behind the building line; all goods and materials stored must be screened from public view; | (a) be located, treated or screened to avoic unreasonable adverse impact on the vis amenity of the locality; | |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) not encroach upon car parking areas, driveways or landscaped areas. | |

16.4.6 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | | Performance Criteria | |
|---|---|---|--|
| A1 | | P1 | |
| Fencing must comply with all of the following: (a) fences, walls and gates of greater height than 1.5 m must not be erected within 4.5 | | Fencing must contribute positively to the streetscape and not have an unreasonable adverse impact upon the amenity of the area, | |
| | m of the frontage; | having regard to all of the following: | |
| (b) | fences along a frontage must be at least 50% transparent above a height of 1.2 m; | (a) the height of the fence;(b) the degree of transparency of the fence; | |

| (c) | | (c) | the location and extent of the fence; |
|-----|--|-----|--|
| | boundaries must be no more than 2.1 m. | (d) | the design of the fence; |
| | | (e) | the fence materials and construction; |
| | | (f) | the nature of the use; |
| | | (g) | the characteristics of the site, the streetscape and the locality, including fences; |
| | | (h) | any Desired Future Character Statements provided for the area. |

16.4.7 Ancillary Dwellings

| Objective: | | |
|---|--|--|
| To ensure that the siting of ancillary dwellings are appurtenant to a single dwelling. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| At least one external wall of an ancillary dwelling must be within 15m of a wall of the dwelling (excluding any outbuilding). | At least one external wall of an ancillary dwelling must be within 25m of a wall of the dwelling (excluding any outbuilding) and the ancillary dwelling must be designed to reinforce the ancillary relationship with the single dwelling through orientation and landscaping. | |

16.5 Development Standards for Subdivision

16.5.1 Lot Design

Objective:

To provide for new lots that:

- (a) have appropriate area and dimensions to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements;
- (b) contain building areas which are suitable for development, consistent with the Zone Purpose, located to avoid hazards and values;
- (c) are capable of providing for a high level of residential amenity including privacy, good solar access; and passive surveillance of public spaces;
- (d) are not internal lots, except if the only reasonable way to provide for efficient use of land;
- (e) are provided in a manner that provides for the efficient and ordered provision of infrastructure.

| Acceptable Solutions | Performance Criteria | |
|---|--------------------------|--|
| A1 | P1 | |
| The size of each lot must be no less than as specified below, except if for public open space, a riparian or littoral reserve or utilities: | No Performance Criteria. | |
| (a) no less than 600m ² and no more than 1,000 | | |

| | m² (except balance lot); | | |
|---|--|---|---|
| (b) | as specified in Table 16.1. | | |
| | no less than $600m^2$ and no more than 1,000 m^2 (except for the balance lot). | | |
| A2 | | P2 | |
| buil | design of each lot must provide a minimum ding area that is rectangular in shape and | | design of each lot must contain a building able to satisfy all of the following: |
| complies with all of the following, except if for public open space, a riparian or littoral reserve or utilities: | | (a) | be reasonably capable of accommodating residential use and development; |
| (a) | clear of the frontage, side and rear boundary setbacks; | (b) | meets any applicable standards in codes in this planning scheme; |
| (b) | not subject to any codes in this planning scheme; | (c) | enables future development to achieve maximum solar access, given the slope and aspect of the land; |
| (c) | clear of title restrictions such as easements and restrictive covenants; | (d) | minimises the need for earth works, retaining walls, and fill and excavation |
| (d) | has an average slope of no more than 1 in 5; | (e) | associated with future development; provides for sufficient useable area on the |
| (e) | has the long axis of the developable area facing north or within 20 degrees west or | | lot for both of the following; (i) on-site parking and manoeuvring; |
| (f) | 30 degrees east of north; is a minimum of 10 m x 15 m in size. | | (ii) adequate private open space. |
| A3 | | Р3 | |
| The frontage for each lot must be no less than 15 m, except if for public open space, a riparian or | | The frontage of each lot must satisfy all of the following: | |
| litto | ral reserve or utilities or if an internal lot. | (a) | provides opportunity for practical and safe vehicular and pedestrian access; |
| | | (b) | provides opportunity for passive surveillance between residential development on the lot and the public road, |
| | | (c) | is no less than 6m. |
| A4 | | P4 | |
| No lot is an internal lot. | | An i | nternal lot must satisfy all of the following: |
| | | (a) | the lot gains access from a road existing prior to the planning scheme coming into effect, unless site constraints make an internal lot configuration the only reasonable option to efficiently utilise land; |
| | | (b) | it is not reasonably possible to provide a new road to create a standard frontage lot; |
| | | (c) | the lot constitutes the only reasonable way |

to subdivide the rear of an existing lot;

| | (d) the lot will contribute to the more efficient utilisation of residential land and infrastructure; |
|---|---|
| | (e) the amenity of neighbouring land is unlikely to be unreasonably affected by subsequent development and use; |
| | (f) the lot has access to a road via an access strip, which is part of the lot, or a right-ofway, with a width of no less than 3.6m; |
| | (g) passing bays are provided at appropriate distances to service the likely future use of the lot; |
| | (h) the access strip is adjacent to or combined with no more than three other internal lot access strips and it is not appropriate to provide access via a public road; |
| | (i) a sealed driveway is provided on the access strip prior to the sealing of the final plan. |
| | (j) the lot addresses and provides for passive surveillance of public open space and public rights of way if it fronts such public spaces. |
| A5 | P5 |
| Setback from a new boundary for an existing building must comply with the relevant Acceptable Solution for setback. | Setback from a new boundary for an existing building must satisfy the relevant Performance Criteria for setback. |

16.5.2 Roads

Objective:

To ensure that the arrangement of new roads within a subdivision provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of vehicular, pedestrian, cycling and public transport traffic;
- (c) the efficient ultimate subdivision of the entirety of the land and of neighbouring land.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|--|
| A1 | P1 |
| The subdivision includes no new road. | The arrangement and construction of roads within a subdivision must satisfy all of the following: |
| | (a) the route and standard of roads accords with any relevant road network plan adopted by the Planning Authority; |
| | (b) the appropriate and reasonable future subdivision of the entirety of any balance |

| | lot is not compromised; |
|-----|---|
| (c) | the future subdivision of any neighbouring or nearby land with subdivision potential is facilitated through the provision of connector roads and pedestrian lanes, where appropriate, to common boundaries; |
| (d) | an acceptable level of access, safety, convenience and legibility is provided through a consistent road function hierarchy; |
| (e) | cul-de-sac and other terminated roads are not created, or their use in road layout design is kept to an absolute minimum; |
| (f) | connectivity with the neighbourhood road network is maximised; |
| (g) | the travel distance between key destinations such as shops and services is minimised; |
| (h) | walking, cycling and the efficient movement of public transport is facilitated; |
| (i) | provision is made for bicycle infrastructure on new arterial and collector roads in accordance with Austroads Guide to Road Design Part 6A; |
| (j) | any adjacent existing grid pattern of streets is extended, where there are no significant topographical constraints. |

16.5.3 Ways and Public Open Space

Objective:

To ensure that the arrangement of ways and public open space provides for all of the following:

- (a) the provision of safe, convenient and efficient connections to assist accessibility and mobility of the community;
- (b) the adequate accommodation of pedestrian and cycling traffic.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; |
| | (b) connections with any neighbouring land with subdivision potential is provided |

through the provision of ways to the common boundary, as appropriate; (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; (d) convenient access to local shops, community facilities, public open space and public transport routes is provided; (e) new ways are designed so that adequate passive surveillance will be provided from development on neighbouring land and public roads as appropriate; provides for a legible movement network; (f) (g) the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; (h) Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. new ways or extensions to existing ways must be designed to minimise opportunities for entrapment or other criminal behaviour including, but not limited to, having regard to the following: the width of the way; (ii) the length of the way; (iii) landscaping within the way; (iv) lighting; (v) provision of opportunities for 'loitering';

16.5.4 Services

Objective:

To ensure that the subdivision of land provides adequate services to meet the projected needs of future development.

(vi) the shape of the way (avoiding bends, corners or other opportunities for

concealment).

| Acceptable Solutions | Performance Criteria |
|---|--------------------------|
| A1 | P1 |
| It is not necessary to connect a lot to a reticulated potable water supply. | No Performance Criteria. |

| A2 | P2 |
|---|---|
| Each lot must be connected to a reticulated sewerage system where available. | Where a reticulated sewerage system is not available, each lot must be capable of accommodating an on-site wastewater treatment system adequate for the future use and development of the land. |
| А3 | Р3 |
| Each lot must be connected to a stormwater system able to service the building area by gravity. | If connection to a stormwater system is unavailable, each lot must be provided with an on-site stormwater management system adequate for the future use and development of |

17.0 Community Purpose Zone

17.1 Zone Purpose

- 17.1.1 Zone Purpose Statements
- 17.1.1.1 To provide for key community facilities and services where those facilities and services are not appropriate for inclusion as an associated activity within another zone.
- 17.1.1.2 To ensure land required for future public use is protected from inappropriate use or development.
- 17.1.1.3 To encourage multi-purpose, flexible and adaptable social infrastructure to respond to changing and emerging community needs.

17.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy |
|--|---|
| Esperance Multi Purpose Health Centre, Dover | |
| The site provides integrated health and community services including aged care, acute care, general practitioner and outreach services as well as independent living units. Huonville (Sale Street) | A range of complementary uses are provided for. |
| Co-location of community services particularly those that benefit from a central and accessible location and that meet the needs of the Huon Valley community. | A range of complementary uses are provided for. |

17.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

17.2 Use Table

| No Permit Required | |
|--------------------|---------------|
| Use Class | Qualification |

| Natural and Cultural Values Management | | |
|---|--|--|
| Passive Recreation | | |
| Utilities | Only if minor utilities. | |
| Permitted | | |
| Use Class | Qualification | |
| Business and professional services | Only if office for a community-based organisation. | |
| Community meeting & entertainment | Only if church, civic centre, library, museum, public art gallery or public hall. | |
| Crematoria and cemeteries | | |
| Educational and occasional care | | |
| Emergency services | | |
| Hospital services | | |
| Sports and recreation | | |
| Tourist operation | Only if visitor centre. | |
| Discretionary | | |
| Discretionary | | |
| Discretionary Use Class | Qualification | |
| · | Qualification | |
| Use Class Business and professional | Qualification Only if existing. | |
| Use Class Business and professional services | | |
| Use Class Business and professional services Custodial facility | | |
| Use Class Business and professional services Custodial facility Food services | | |
| Use Class Business and professional services Custodial facility Food services General retail and hire | Only if existing. Only if residential aged care, respite centre or retirement village, or multiple dwellings for the aged or community | |
| Use Class Business and professional services Custodial facility Food services General retail and hire Residential | Only if existing. Only if residential aged care, respite centre or retirement village, or multiple dwellings for the aged or community housing. | |
| Use Class Business and professional services Custodial facility Food services General retail and hire Residential Tourist operation | Only if existing. Only if residential aged care, respite centre or retirement village, or multiple dwellings for the aged or community housing. Except if Permitted. | |
| Use Class Business and professional services Custodial facility Food services General retail and hire Residential Tourist operation Utilities | Only if existing. Only if residential aged care, respite centre or retirement village, or multiple dwellings for the aged or community housing. Except if Permitted. | |
| Use Class Business and professional services Custodial facility Food services General retail and hire Residential Tourist operation Utilities Vehicle parking | Only if existing. Only if residential aged care, respite centre or retirement village, or multiple dwellings for the aged or community housing. Except if Permitted. | |

17.3 Use Standards

17.3.1 Hours of Operation

| Objective: |
|---|
| To ensure that hours of operation near a residential zone do not result in unreasonable adverse |

| impact on residential amenity. | |
|---|---|
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Hours of operation of a use within 50 m of a residential zone must be within: | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable |
| (a) 8.00 am to 8.00 pm Mondays to Fridays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are |
| (b) 9.00 am to 6.00 pm Saturdays; | unreasonable in their timing, duration or extent. |
| (c) 10.00 am to 5.00 pm Sundays and Public Holidays; | |
| except for office and administrative tasks. | |

17.3.2 Noise

Objective:

To ensure that noise emissions near a residential zone do not result in unreasonable adverse impact on residential amenity.

| 0111 | on residential amenity. | | |
|---|---|---|--|
| Acc | eptable Solutions | Performance Criteria | |
| A1 | | P1 | |
| Noise emissions measured at the boundary of a residential zone must not exceed the following: | | Noise emissions measured at the boundary of a residential zone must not cause environmental | |
| (a) | 55dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; | harm within the residential zone. | |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm and 7.00 am; | | |
| (c) | 65dB(A) (LAmax) at any time. | | |
| Measurement of noise levels must be in accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness. | | | |
| | se levels are to be averaged over a 15 minute e interval. | | |
| A2 | | P2 | |
| not exc | ernal amplified loud speakers or music must be used within 50 m of a residential zone, ept if a school system used for school councements. | Noise emissions measured at the boundary of a residential zone must not cause environmental harm within the residential zone. | |

17.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land

| within a residential zone. | | | |
|---|---|---|---|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| External lighting, other than flood lighting of sport and recreation facilities, within 50 m of a residential zone must comply with all of the following: (a) be turned off between 9:00 pm and 6:00 | | External lighting, other than flood lighting of sport and recreation facilities, within 50 m of a residential zone must not adversely affect the amenity of adjoining residential areas, having regard to all of the following: | |
| am, except for security lighting;(b) security lighting must be baffled to ensuthey do not cause emission of light outsithe zone. | | (a) | level of illumination and duration of lighting; |
| | they do not cause emission of light outside | (b) | distance to habitable rooms in an adjacent dwellings. |
| A2 | | P2 | |
| Flood lighting of sport and recreation facilities within 200 m of a residential zone must not subject nearby residential lots to obtrusive light, | | with | od lighting of sport and recreation facilities nin 200 m of a residential zone must satisfy all he following: |
| as defin | fined in AS 4282-1997-1.4.7.R1 | (a) | be necessary for sport or recreational use; |
| | | (b) | not operate after 9.00 pm unless spill light does not unreasonably impact residential amenity of nearby land. |

17.3.3.R1 Obtrusive light defined under AS 4282-1997-1.4.7 means: ...spill light which, because of quantitative, directional or spectral attributes in a given context, gives rise to annoyance, discomfort, distraction or a reduction in the ability to see essential information, e.g. Signal lights.

17.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| amenity on land within a residential zone. | | | |
|--|--|-----------------------------|---|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| load or f | nmercial vehicle movements, (including ding and unloading and garbage removal) to from a site within 50 m of a residential zone st be within the hours of: 7.00 am to 6.00 pm Mondays to Fridays inclusive; | load or fi mus upo | nmercial vehicle movements, (including ding and unloading and garbage removal) to rom a site within 50 m of a residential zone at not result in unreasonable adverse impact in residential amenity having regard to all of following: |
| (b) | 9.00 am to 5 pm Saturdays; | (a) | the time and duration of commercial vehicle movements; |
| (c) | c) 10.00 am to 12 noon Sundays and Public Holidays. | (b) | the number and frequency of commercial vehicle movements; |
| | | (c) | the size of commercial vehicles involved; |
| | | (d) | the ability of the site to accommodate commercial vehicle turning movements, |

| | including the amount of reversing (including associated warning noise); |
|-----|---|
| (e) | noise reducing structures between vehicle movement areas and dwellings; |
| (f) | the level of traffic on the road; |
| (g) | the potential for conflicts with other traffic. |

17.3.5 Discretionary Use

| Objective: | | |
|---|---|--|
| To avoid the commercialisation and privatisation of public land intended for community use. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| No Acceptable Solution. | Discretionary use must complement and enhance the use of the land for community purposes by providing for facilities and services that augment and support Permitted use or No Permit Required use. | |

17.4 Development Standards for Buildings and Works

17.4.1 Building Height

| Objective: | | |
|---|---|--|
| To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| Building height must be no more than: 10 m. | Building height must satisfy all of the following | |

| Building height must be no more than: 10 m. | Building height must satisfy all of the following: |
|---|--|
| | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the scale of nearby buildings; |
| | (c) not unreasonably overshadow adjacent public space; |
| | (d) provide for a transition in height between adjoining buildings; |
| A2 | P2 |
| Building height within 10 m of a residential zone must be no more than 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. |

17.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | | |
|--|---|--|--|
| A1 | P1 | | |
| Building setback from frontage must be must be no less than: | Building setback from frontage must satisfy all of the following: | | |
| 3m except for an awning or similar roofed structure that provides covered pedestrian access to the building. | (a) be consistent with any Desired Future Character Statements provided for the area; | | |
| | (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the streetscape; | | |
| | (c) enhance the characteristics of the site, adjoining lots and the streetscape; | | |
| | (d) provide for small variations in building alignment only where appropriate to break up long building facades, provided that no potential concealment or entrapment opportunity is created; | | |
| | (e) provide for large variations in building alignment only where appropriate to provide for a forecourt for space for public use, such as outdoor dining or landscaping, provided the that no potential concealment or entrapment opportunity is created and the forecourt is afforded very good passive surveillance. | | |
| A2 | P2 | | |
| Building setback from a residential zone must be no less than: (a) 3 m; | Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by: | | |
| 3 m; half the height of the wall, chever is the greater. | (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; | | |
| | (b) overlooking and loss of privacy; | | |
| | (c) visual impact when viewed from adjoining lots, | | |
| | taking into account aspect and slope. | | |
| A3 | Р3 | | |

Building setback for buildings for sensitive use must comply with all of the following:

- (a) be sufficient to provide a separation distance from land zoned Rural Resource no less than 100 m;
- (b) be sufficient to provide a separation distance from land zoned Significant Agriculture no less than 200 m.

Building setback for buildings for sensitive use must be sufficient to prevent potential for land use conflict that would fetter resource development use of adjoining land.

17.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

P1

Acceptable Solutions

A1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front façade no less than 40% of the surface area of the ground floor level facade;
- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is not greater than 50% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.

Performance Criteria

Building design must enhance the streetscape by satisfying all of the following:

- (a) provide the main access to the building in a way that addresses the street or other public space boundary;
- (b) provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces;
- (c) treat large expanses of blank wall in the front façade and facing other public space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- (f) not provide awnings over the public footpath only if there is no benefit to the streetscape or pedestrian amenity or if not possible due to physical constraints;
- (g) only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not

| | feasible; |
|--|--|
| | (h) be consistent with any Desired Future Character Statements provided for the area. |
| A2 | P2 |
| Walls of a building facing a residential zone must be coloured using colours with a light reflectance value not greater than 40 percent. | No Performance Criteria. |

17.4.4 Passive Surveillance

Objective:

| Objective: | | | | |
|-------------|---|-----|---|--|
| То є | To ensure that building design provides for the safety of the public. | | | |
| Acc | Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | | |
| follo | Buildings design must complying with all of the following: | | Buildings design must provide for passive surveillance of public spaces by satisfying all of the following: | |
| (a) | provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site; | (a) | provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces; | |
| (b) | for new buildings or alterations to an existing facade provide windows and door | (b) | locate windows to adequately overlook the street and adjoining public spaces; | |
| | openings at ground floor level in the front façade which amount to no less than 40 % of the surface area of the ground floor level facade; | (c) | incorporate shop front windows and doors for ground floor shops and offices, so that pedestrians can see into the building and vice versa; | |
| existing fa | for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the façade | (d) | locate external lighting to illuminate any entrapment spaces around the building site; | |
| | of any wall which faces a public space or a car park which amount to no less than 30% | (e) | provide external lighting to illuminate car parking areas and pathways; | |
| | of the surface area of the ground floor level facade; | (f) | design and locate public access to provide high visibility for users and provide clear | |
| (d) | avoid creating entrapment spaces around the building site, such as concealed alcoves | | sight lines between the entrance and adjacent properties and public spaces; | |
| (e) | near public spaces; provide external lighting to illuminate car parking areas and pathways; | (g) | provide for sight lines to other buildings and public spaces. | |
| (f) | provide well-lit public access at the ground floor level from any external car park. | | | |

17.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Landscaping must be provided along the frontage of a site (except where access is provided) unless the building has nil setback to frontage. | Landscaping must be provided to satisfy all of the following: (a) enhance the appearance of the development; (b) provide a range of plant height and forms to create diversity, interest and amenity; (c) not create concealed entrapment spaces; (d) be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | P2 | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than: 2 m. | Along a boundary with a residential zone landscaping or a building design solution must be provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the site and the characteristics of the adjoining residentially-zones land. | |

17.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | | Performance Criteria | |
|----------------------|--|----------------------|--|
| A1 | | P1 | |
| | door storage areas for non-residential uses st comply with all of the following: | | door storage areas for non-residential uses at satisfy all of the following: |
| (a) | be located behind the building line; | (a) | be located, treated or screened to avoid |
| (b) | all goods and materials stored must be screened from public view; | | unreasonable adverse impact on the visual amenity of the locality; |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. |

17.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Fencing must comply with all of the following: | Fencing must contribute positively to the | |
| (a) fences, walls and gates of greater height | streetscape and not have an unreasonable adverse impact upon the amenity of land in a | |

| | than | | dential zone which lies opposite or shares a |
|-------|---|-----|--|
| 1.5 | m must not be erected within 4.5 m of the frontage; | | mon boundary with a site, having regard to f the following: |
| (b) | fences along a frontage must be at least | (a) | the height of the fence; |
| (- 7 | 50% transparent above a height of 1.2 m; | (b) | the degree of transparency of the fence; |
| (c) | height of fences along a common boundary | (c) | the location and extent of the fence; |
| | with land in a residential zone must be no more than 2.1 m and must not contain | (d) | the design of the fence; |
| | barbed wire. | (e) | the fence materials and construction; |
| | | (f) | the nature of the use; |
| | | (g) | the characteristics of the site, the streetscape and the locality, including fences; |
| | | (h) | any Desired Future Character Statements provided for the area. |

17.5 Development Standards for Subdivision

17.5.1 Subdivision

| Objective: | | | |
|--|---|--|--|
| To provide for lots appropriate to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Subdivision is for the purpose of providing lots for public open space, a riparian or littoral reserve or utilities. | Subdivision is for the purpose of providing a lot for an allowable use. | | |
| A2 | P2 | | |
| The frontage for each lot must be no less than 15 m. | The frontage of each lot must be capable of adequately serving the intended purpose. | | |
| A3 | Р3 | | |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: | | |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; | | |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; | | |
| | (c) connections with the neighbourhood road network are provided through the provision | | |

- of ways to those roads, as appropriate;
- (d) convenient access to local shops, community facilities, public open space and public transport routes is provided;
- (e) new ways are designed so that adequate passive surveillance will be provided from development on neighbouring land and public roads as appropriate;
- (f) provides for a legible movement network;
- (g) the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority;
- (h) Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy.
- (i) new ways or extensions to existing ways must be designed to minimise opportunities for entrapment or other criminal behaviour including, but not limited to, having regard to the following:
 - (i) the width of the way;
 - (ii) the length of the way;
 - (iii) landscaping within the way;
 - (iv) lighting;
 - (v) provision of opportunities for 'loitering';
 - (vi) the shape of the way (avoiding bends, corners or other opportunities for concealment).

Α4

Services capable of adequately serving the intended purpose must be connected to each lot.

Ρ4

Where reticulated services are unavailable but needed for the intended purpose, the lots must be capable of:

- (a) being self sufficient for potable water adequate for the intended purpose;
- (b) accommodating an wastewater management system adequate for the intended purpose;
- accommodating an on-site stormwater management system adequate for the intended purpose,

as the case may be.

18.0 Recreation Zone

18.1 Zone Purpose

- 18.1.1 Zone Purpose Statements
- 18.1.1.1 To provide for a range of active and organised recreational use or development and complementary uses that do not impact adversely on the recreational use of the land.
- 18.1.1.2 To encourage open space networks that are linked through the provision of walking and cycle trails.
- 18.1.2 Local Area Objectives

There are no local area objectives for this zone.

18.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

18.2 Use Table

| No Permit Required | | |
|--|--|--|
| Use Class | Qualification | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Sports and recreation | Only if provided by the Council or an agency. | |
| Utilities | Only if minor utilities. | |
| Permitted | | |
| Use Class | Qualification | |
| Sports and recreation | Except if No Permit Required. | |
| Discretionary | | |
| Use Class | Qualification | |
| Business and professional services | Only if office for a community-based organisation. | |
| Community meeting and entertainment | | |
| Domestic animal breeding, boarding or training | Only if for animal training. | |
| Educational and occasional care | Only if employment training centre. | |
| Emergency services | | |
| Food services | | |
| General retail and hire | | |
| Pleasure boat facility | | |

| Tourist operation | |
|-------------------|-------------------------------|
| Utilities | Except if No Permit Required. |
| Vehicle parking | |
| Prohibited | |
| Use Class | Qualification |
| All other uses | |

18.3 Use Standards

18.3.1 Hours of Operation

Objective:

To ensure that hours of operation near a residential zone do not result in unreasonable adverse impact on residential amenity.

| Acceptable Solutions | | Performance Criteria |
|---|---|---|
| A1 | | P1 |
| | ors of operation of a use within 50 m of a dential zone must be within: | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable |
| (a) | 7.00 am to 8.00 pm Mondays to Fridays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are |
| (b) | 8.00 am to 6.00 pm Saturdays; | unreasonable in their timing, duration or extent. |
| (c) | 10.00 am to 5.00 pm Sundays and Public Holidays; | |
| except for office and administrative tasks. | | |

18.3.2 Noise

Objective:

To ensure that noise emissions near a residential zone do not result in unreasonable adverse impact on residential amenity.

| Acc | eptable Solutions | Performance Criteria |
|---|---|---|
| A1 | | P1 |
| Noise emissions measured at the boundary of a residential zone must not exceed the following: | | Noise emissions measured at the boundary of a residential zone must not cause environmental |
| (a) | 55dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; | harm within the residential zone. |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm and 7.00 am; | |
| (c) | 65dB(A) (LAmax) at any time. | |
| Measurement of noise levels must be in accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued | | |

by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness.

Noise levels are to be averaged over a 15 minute time interval.

P2

External amplified loud speakers or music must not be used within 50 m of a residential zone.

P2

Noise emissions measured at the boundary of a residential zone must not cause environmental harm or nuisance within the residential zone.

18.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | | Per | formance Criteria |
|---|---|--------------------|--|
| A1 | | P1 | |
| External lighting, other than flood lighting of sport and recreation facilities, within 50 m of a residential zone must comply with all of the following: | | spo resi ame | ernal lighting, other than flood lighting of rt and recreation facilities, within 50 m of a dential zone must not adversely affect the enity of adjoining residential areas R1, having |
| (a) | be turned off between 9:00 pm and 6:00 | | ard to all of the following: |
| | am, except for security lighting; | (a) | level of illumination and duration of lighting; |
| (b) | security lighting must be baffled to ensure | ,,, | |
| | they do not cause emission of light outside the zone. | (b) | distance to habitable rooms in an adjacent dwelling. |
| A2 | | P2 | |
| Flood lighting of sport and recreation facilities within 200 m of a residential zone must not subject nearby residential lots to obtrusive light, | | with | od lighting of sport and recreation facilities nin 200 m of a residential zone must satisfy all ne following: |
| as defined in AS 4282-1997-1.4.7.R1 | | (a) | be necessary for sport or recreational use; |
| | | (b) | not operate after 9.00 pm unless spill light does not unreasonably impact residential amenity of nearby land. |

18.3.3.R1 Obtrusive light defined under AS 4282-1997-1.4.7 means: ...spill light which, because of quantitative, directional or spectral attributes in a given context, gives rise to annoyance, discomfort, distraction or a reduction in the ability to see essential information, eg. Signal lights.

18.3.4 Commercial and Patron Vehicle Movements

| Acceptab | ie Solutions | Performance Criteria | |
|---|---|----------------------|--|
| Acceptable Solutions Performance Criteria | | | |
| To ensure that commercial and patron vehicle movements not have unreasonable impact on residential amenity on land within a residential zone. | | | |
| Objective: | | | |
| | 8.3.4 Commercial and Patron Venicle Movements | | |

Commercial and patron vehicle movements, (including loading and unloading and garbage removal), to or from a site within 50 m of a residential zone must be within the hours of:

- (a) 7.00 am to 9.00 pm Mondays to Fridays inclusive;
- (b) 8.00 am to 7.00 pm Saturdays;
- (c) 10.00 am to 6.00 pm Sundays and Public Holidays.

Commercial and patron vehicle movements, (including loading and unloading and garbage removal), to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements;
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;
- (f) the level of traffic on the road;
- (g) the potential for conflicts with other traffic.

18.3.5 Discretionary Use

| Objective: | |
|---|--|
| To ensure land within the zone is used primarily for purposes consistent with Zone Purpose. | |
| Acceptable Solutions Performance Criteria | |
| A1 | P1 |
| No Acceptable Solution. | Discretionary use must complement and enhance the use of the land for recreational purposes by providing for facilities and services that augment and support Permitted use or No Permit Required use. |

18.4 Development Standards for Buildings and Works

18.4.1 Building Height

| Objective: | | |
|---|---|--|
| To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Building height must be no more than: | Building height must satisfy all of the following: | |
| 10 m. | (a) be consistent with any Desired Future Character Statements provided for the area; | |

| | (b) not unreasonably overshadow adjacent public space; |
|--|--|
| A2 | P2 |
| Building height within 10m of a residential zone must be no more than: 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. |

18.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| Building setback from frontage must be no less than: | Building setback from frontage must satisfy all of the following: | |
| 5m. | (a) be consistent with any Desired Future Character Statements provided for the area; | |
| | (b) enhance the characteristics of the site, adjoining lots and the streetscape; | |
| A2 | P2 | |
| Building setback from a residential zone must be no less than: (a) 3 m; | Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by: | |
| (b) half the height of the wall, whichever is the greater. | (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; | |
| | (b) overlooking and loss of privacy; | |
| | (c) visual impact when viewed from adjoining lots, | |
| | taking into account aspect and slope. | |

18.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Building design must comply with all of the | Building design must enhance the streetscape by |

following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front façade no less than 40% of the surface area of the ground floor level facade;
- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is not greater than 50% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.

satisfying all of the following:

- provide the main access to the building in a way that addresses the street or other public space boundary;
- (b) provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces;
- treat large expanses of blank wall in the front façade and facing other public space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- (d) ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- (f) not provide awnings over the public footpath only if there is no benefit to the streetscape or pedestrian amenity or if not possible due to physical constraints;
- only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not feasible;
- (h) be consistent with any Desired Future Character Statements provided for the area.

A2

Walls of a building facing a residential zone must be coloured using colours with a light reflectance value not greater than 40 percent.

P2

No Performance Criteria.

18.4.4 Passive Surveillance

Objective:

To oncure that building design provides for the safety of the public

| To ensure that building design provides for the safety of the public. | | |
|---|--|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Buildings design must comply with all of the following: | Buildings design must provide for passive surveillance of public spaces by satisfying all of | |
| (a) provide the main pedestrian entrance to | the following: | |

- the building so that it is clearly visible from the road or publicly accessible areas on the site:
- (b) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the front façade which amount to no less than 40 % of the surface area of the ground floor level facade;
- (c) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the façade of any wall which faces a public space or a car park which amount to no less than 30 % of the surface area of the ground floor level facade;
- (d) avoid creating entrapment spaces around the building site, such as concealed alcoves near public spaces;
- (e) provide external lighting to illuminate car parking areas and pathways;
- (f) provide well-lit public access at the ground floor level from any external car park.

- (a) provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces;
- (b) locate windows to adequately overlook the street and adjoining public spaces;
- incorporate shop front windows and doors for ground floor shops and offices, so that pedestrians can see into the building and vice versa;
- (d) locate external lighting to illuminate any entrapment spaces around the building site;
- (e) provide external lighting to illuminate car parking areas and pathways;
- design and locate public access to provide high visibility for users and provide clear sight lines between the entrance and adjacent properties and public spaces;
- (g) provide for sight lines to other buildings and public spaces.

18.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| if relevant provides a visual break from land in a residential zone. | | |
|--|--|--|
| Performance Criteria | | |
| P1 | | |
| Landscaping must be provided to satisfy all of the following: | | |
| (a) enhance the appearance of the development; | | |
| (b) provide a range of plant height and forms to create diversity, interest and amenity; | | |
| (c) not create concealed entrapment spaces; | | |
| (d) be consistent with any Desired Future Character Statements provided for the area. | | |
| P2 | | |
| Along a boundary with a residential zone landscaping or a building design solution must be provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the | | |
| | | |

| characteristics of the site and the characteristics |
|---|
| of the adjoining residentially-zones land. |

18.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acc | eptable Solutions | Per | formance Criteria |
|-----|--|-----|--|
| A1 | | P1 | |
| | door storage areas for non-residential uses st comply with all of the following: | | door storage areas for non-residential uses st satisfy all of the following: |
| (a) | be located behind the building line; | (a) | be located, treated or screened to avoid |
| (b) | all goods and materials stored must be screened from public view; | | unreasonable adverse impact on the visual amenity of the locality; |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. |

18.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acc | eptable Solutions | Per | formance Criteria |
|------------|--|---|--|
| A1 | | P1 | |
| Fen (a) | cing must comply with all of the following: fences, walls and gates of greater height than 1.5 m must not be erected within 4.5 | Fencing must contribute positively to the streetscape and not have an unreasonable adverse impact upon the amenity of land in residential zone which lies opposite or share common boundary with a site, having regardall of the following: | etscape and not have an unreasonable erse impact upon the amenity of land in a |
| (b) | m of the frontage; fences along a frontage must be at least | | • • |
| , , | 50% transparent above a height of 1.2 m; | (a) | the height of the fence; |
| (c) | height of fences along a common boundary with land in a residential zone must be no | (b) | the degree of transparency of the fence; |
| | more than 2.1 m and must not contain barbed wire. | (c) | the location and extent of the fence; |
| | | (d) | the design of the fence; |
| | | (e) | the fence materials and construction; |
| | | (f) | the nature of the use; |
| | | (g) | the characteristics of the site, the streetscape and the locality, including fences; |
| | | (h) | any Desired Future Character Statements provided for the area. |

18.5 Development Standards for Subdivision

18.5.1 Subdivision

Objective:

To provide for lots appropriate to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| and any relevant Local Area Objectives or Desired | Future Character Statements. |
|--|---|
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Subdivision is for the purpose of providing lots for public open space, a riparian or littoral reserve or utilities. | Subdivision is for the purpose of providing a lot for an allowable use. |
| A2 | P2 |
| The frontage for each lot must be no less than 15 m. | The frontage of each lot must be capable of adequately serving the intended purpose. |
| A3 | Р3 |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; |
| | (d) convenient access to local shops, community facilities, public open space and public transport routes is provided; |
| | (e) new ways are designed so that adequate passive surveillance will be provided from development on neighbouring land and public roads as appropriate; |
| | (f) provides for a legible movement network; |
| | (g) the route of new ways has regard to any pedestrian & cycle way or public open space plan adopted by the Planning Authority; |
| | (h) Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. |
| | (i) new ways or extensions to existing ways must be designed to minimise opportunities |

for entrapment or other criminal behaviour including, but not limited to, having regard to the following: the width of the way; (ii) the length of the way; (iii) landscaping within the way; (iv) lighting; (v) provision of opportunities for 'loitering'; (vi) the shape of the way (avoiding bends, corners or other opportunities for concealment). Α4 Ρ4 Services capable of adequately serving the Where reticulated services are unavailable but intended purpose must be connected to each needed for the intended purpose, the lots must lot. be capable of: (a) being self sufficient for potable water adequate for the intended purpose; (b) accommodating an wastewater management system adequate for the intended purpose; (c) accommodating an on-site stormwater management system adequate for the intended purpose, as the case may be.

19.0 Open Space Zone

19.1 Zone Purpose

- 19.1.1 Zone Purpose Statements
- 19.1.1.1 To provide land for open space purposes including for passive recreation and natural or landscape amenity.
- 19.1.1.2 To encourage open space networks that are linked through the provision of walking and cycle trails.
- 19.1.2 Local Area Objectives

There are no local area objectives for this zone.

19.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

19.2 Use Table

| No Permit Required | | |
|--|---|--|
| Use Class | Qualification | |
| Passive recreation | | |
| Natural and cultural values | | |
| management | | |
| Utilities | Only if minor utilities and underground. | |
| Permitted | | |
| Use Class | Qualification | |
| Discretionary | | |
| Use Class | Qualification | |
| Community meeting and entertainment | | |
| Domestic animal breeding, boarding or training | Only if for training animals. | |
| Emergency services | | |
| Food services | | |
| General retail and hire | | |
| Pleasure boat facility | | |
| Sports and recreation | | |
| Visitor accommodation | Only if camping and caravan park or overnight camping area. | |
| Utilities | Except if No Permit Required. | |
| Vehicle parking | | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

19.3 Use Standards

19.3.1 Hours of Operation

| Objective: | | |
|--|---|--|
| To ensure that hours of operation near a residential zone do not result in unreasonable adverse impact on residential amenity. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Hours of operation of a use within 50 m of a residential zone must be within: | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable | |
| (a) 8.00 am to 6.00 pm Mondays to Saturdays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are | |

| , , | unreasonable in their timing, duration or extent. |
|---|---|
| Holidays; except for office and administrative tasks. | |

19.3.2 Noise

Objective:

To ensure that noise emissions near a residential zone do not result in unreasonable adverse impact on residential amenity.

| Acceptable Solutions | Performance Criteria | | |
|---|---|--|--|
| A1 | P1 | | |
| Noise emissions measured at the boundary of a residential zone must not exceed the following: | Noise emissions measured at the boundary of a residential zone must not cause environmental | | |
| (a) 55dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm; | harm within the residential zone. | | |
| (b) 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm and 8.00 am; | | | |
| (c) 65dB(A) (LAmax) at any time. | | | |
| Measurement of noise levels must be in accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness. | | | |
| Noise levels are to be averaged over a 15 minute time interval. | | | |
| A2 | P2 | | |
| External amplified loud speakers or music must not be used within 50 m of a residential zone. | Noise emissions measured at the boundary of a residential zone must not cause environmental harm within the residential zone. | | |

19.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Performance Criteria |
|-----------|--|--|
| A1 | | P1 |
| | ernal lighting within 50 m of a residential e must comply with all of the following: be turned off between 6:00 pm and 8:00 am, except for security lighting; | External lighting within 50 m of a residential zone must not adversely affect the amenity of adjoining residential areas, having regard to all of the following: |
| (b) | security lighting must be baffled to ensure they do not cause emission of light outside | (a) level of illumination and duration of lighting; |

| the zone. | (b) | distance to habitable rooms in an adjacent |
|-----------|-----|--|
| | | dwellings. |

19.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Commercial vehicle movements, (including loading and unloading and garbage removal), to or from a site within 50 m of a residential zone must be within the hours of: (a) 7.00 am to 5.00 pm Mondays to Fridays inclusive; | Commercial vehicle movements, (including loading and unloading and garbage removal), to from a site within 50 m of a residential zone must not result in unreasonable adverse impacupon residential amenity having regard to all of the following: | |
| (b) 9.00 am to 12 noon Saturdays; | (a) the time and duration of commercial vehicle movements; | |
| (c) Nil Sundays and Public Holidays. | (b) the number and frequency of commercial vehicle movements; | |
| | (c) the size of commercial vehicles involved; | |
| | (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise); | |
| | (e) noise reducing structures between vehicle movement areas and dwellings; | |
| | (f) the level of traffic on the road; | |
| | (g) the potential for conflicts with other traffic. | |

19.3.5 Discretionary Use

| Objective: To ensure land within the zone is used primarily for purposes consistent with Zone Purpose. | | |
|---|--|--|
| | | |
| A1 | P1 | |
| No Acceptable Solution. | Discretionary use must complement and enhance the use of the land for recreational purposes by providing for facilities and services that augment and support Permitted use or No Permit Required use. | |

19.4 Development Standards for Buildings and Works

19.4.1 Building Height

| Objective: | | |
|------------|--|--|

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|---|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| 6.5 m. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the scale of nearby buildings; |
| | (c) not unreasonably overshadow adjacent public space. |

19.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | | |
|--|--|--|--|
| A1 | P1 | | |
| Building setback from frontage must be no less than: | Building setback from frontage must satisfy all of the following: | | |
| 5 m. | (a) be consistent with any Desired Future Character Statements provided for the area; | | |
| | (b) enhance the characteristics of the site, adjoining lots and the streetscape. | | |
| A2 | P2 | | |
| Building setback from a residential zone must be no less than: (a) 3 m; | Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by: | | |
| (b) half the height of the wall, whichever is the greater. | (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; | | |
| | (b) overlooking and loss of privacy; | | |
| | (c) visual impact when viewed from adjoining lots, | | |
| | taking into account aspect and slope. | | |

19.4.3 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Landscaping along the frontage of a site must be provided to a depth of no less than 2 m. | Landscaping must be provided to satisfy all of the following: | |
| | (a) enhance the appearance of the development; | |
| | (b) provide a range of plant height and forms to create diversity, interest and amenity; | |
| | (c) not create concealed entrapment spaces; | |
| | (d) be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | P2 | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than 2 m. | Along a boundary with a residential zone landscaping or a building design solution must provided to avoid unreasonable adverse impa on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the site and the characterist of the adjoining residentially-zones land. | |

19.4.4 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acc | eptable Solutions | Perf | ormance Criteria |
|-----|--|--|--|
| A1 | | P1 | |
| Fen | cing must comply with all of the following: | | cing must contribute positively to the |
| (a) | fences, walls and gates of greater height than 1.5 m must not be erected within 4.5 m of the frontage; | streetscape and not have an unreasonable adverse impact upon the amenity of land in residential zone which lies opposite or share common boundary with a site, having regard all of the following: | |
| (b) | fences along a frontage must be at least | | |
| | 50% transparent above a height of 1.2 m; | (a) | the height of the fence; |
| (c) | (c) height of fences along a common boundary with land in a residential zone must be no more than 2.1 m and must not contain | (b) | the degree of transparency of the fence; |
| | | (c) | the location and extent of the fence; |
| | barbed wire. | (d) | the design of the fence; |
| | | (e) | the fence materials and construction; |
| | | (f) | the nature of the use; |
| | | (g) | the characteristics of the site, the streetscape and the locality, including |

| fences; |
|--|
| (h) any Desired Future Character Statements provided for the area. |

19.5 Development Standards for Subdivision

| 19.5.1 Subdivision | | | |
|--|---|--|--|
| Objective: | | | |
| To provide for lots appropriate to accommodate of and any relevant Local Area Objectives or Desired | · | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Subdivision is for the purpose of providing lots for public open space, a riparian or littoral reserve or utilities. | Subdivision is for the purpose of providing a lot for an allowable use. | | |
| A2 | P2 | | |
| The frontage for each lot must be no less than 15 m. | The frontage of each lot must be capable of adequately serving the intended purpose. | | |
| A3 | Р3 | | |
| No Acceptable Solution. | The arrangement of ways and public open space within a subdivision must satisfy all of the following: | | |
| | (a) connections with any adjoining ways are provided through the provision of ways to the common boundary, as appropriate; | | |
| | (b) connections with any neighbouring land with subdivision potential is provided through the provision of ways to the common boundary, as appropriate; | | |
| | (c) connections with the neighbourhood road network are provided through the provision of ways to those roads, as appropriate; | | |
| | (d) convenient access to local shops, community facilities, public open space and public transport routes is provided; | | |
| | (e) new ways are designed so that adequate passive surveillance will be provided from development on neighbouring land and public roads as appropriate; | | |
| | (f) provides for a legible movement network; | | |
| | (g) the route of new ways has regard to any pedestrian & cycle way or public open | | |

space plan adopted by the Planning

| | | Aut | hority; |
|--|---|-------|--|
| | (h) | or c | lic Open Space must be provided as land ash in lieu, in accordance with the vant Council policy. |
| | (i) new ways or extensions to existing ways must be designed to minimise opportuniti for entrapment or other criminal behavior including, but not limited to, having regard to the following: | | |
| | | (i) | the width of the way; |
| | | (ii) | the length of the way; |
| | | (iii) | landscaping within the way; |
| | | (iv) | lighting; |
| | | (v) | provision of opportunities for 'loitering'; |
| | | (vi) | the shape of the way (avoiding bends, corners or other opportunities for concealment). |
| A4 | Р4 | | |
| Services capable of adequately serving the intended purpose must be connected to each lot. | Where reticulated services are unavailable but needed for the intended purpose, the lots must be capable of: | | |
| | (a) | | ng self sufficient for potable water quate for the intended purpose; |
| | (b) | mar | ommodating an wastewater nagement system adequate for the ended purpose; |
| | 1 | | |

20.0 Local Business Zone

20.1 Zone Purpose

- 20.1.1 Zone Purpose Statements
- 20.1.1.1 To provide for business, professional and retail services which meet the convenience needs of a local area.

(c) accommodating an on-site stormwater management system adequate for the

intended purpose,

as the case may be.

- 20.1.1.2 To ensure that facilities are accessible by public transport and by walking and cycling.
- 20.1.1.3 To allow for small scale dining and entertainment activities at night provided that residential amenity of adjoining residential zoned land is protected.
- 20.1.1.4 To encourage residential use provided that it supports the viability of the activity

centres and an active street frontage is maintained.

- 20.1.1.5 To ensure that building design and use is compatible with surrounding development and use, particularly on land in residential zones.
- 20.1.1.6 To allow for small shopping centres that might include a supermarket and specialty shops.
- 20.1.1.7 To allow for limited office based employment provided that it supports the viability of the activity centre and maintains an active street frontage.
- 20.1.1.8 To allow for dining and entertainment activities at night within food premises or local hotel.
- 20.1.1.9 To provide for community interaction by encouraging development of cafes, restaurants, shopping and community meeting places.

20.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy |
|--|---|
| Cygnet | |
| The expanded provision of retail, entertainment, food and community services continues to be consistent with the role and function of Cygnet within the activity centre network for enhanced viability and appeal for residents and visitors. | The zoning of land for the expansion of the activity centre linked to planned road provision with planning provisions that promote a suitable mix of uses in a defined town centre, improve access and movement and require high quality urban design and open space. |
| Dover | |
| Dover provides a range of retail, food and community services consistent with its role and function within the activity centre network and its position as gateway to the far south area for enhanced viability and appeal for residents and visitors. | Providing a contained area of zoning on either side of the Huon Highway as the core of the activity centre which is to consolidate over time with planning provisions that promote a suitable mix of uses, high quality urban design and open space. |
| Geeveston | |
| Geeveston provides for a range of retail, entertainment, tourism, food and community services consistent with its role and function within the activity centre network for enhanced viability and appeal for residents and visitors. | Providing zoning for a contained and consolidated core of the activity centre with planning provisions that promote a suitable mix of uses, improved access and movement, high quality urban design and open space. |

20.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

20.2 Use Table

| No Permit Required | |
|---------------------------------|--|
| Use Class | Qualification |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. |
| Educational and occasional care | Only if for home-based child care in accordance with a license |

| | under the Child Care Act 2001 |
|--|--|
| Natural and cultural values management | |
| Passive recreation | |
| Residential | Only if home-based business. |
| Utilities | Only minor utilities. |
| Permitted | |
| Use Class | Qualification |
| Business and professional services | Only if consulting room, medical centre or post office. |
| Manufacturing and processing | Only for addition or alteration to existing glass manufacturing at 43 Mary Street, Cygnet (CT33651-5). |
| Community meeting & entertainment | Only if for art and craft centre, civic centre, community hall, museum, public art gallery or public hall. |
| Educational and occasional care | Only if an employment training facility and except if no permit required. |
| Food services | Except if a take away food premises with a drive through facility. |
| General retail and hire | Except if adult sex product shop or supermarket. |
| Residential | Only if above ground floor level (except for access) or if more than 25 m from frontage, and except if no permit required. |
| Discretionary | |
| Use Class | Qualification |
| Business and professional services | Except if permitted. |
| Community meeting and entertainment | Except if permitted. |
| Educational and occasional care | Except if no permit required or permitted. |
| Emergency services | |
| Equipment and machinery sales and hire | |
| Food services | Except if permitted. |
| General retail and hire | Except if permitted. |
| | Except if adult entertainment venue. |
| Hotel industry | |
| Residential | Except if permitted. |
| | Except if permitted. |
| Residential | Except if permitted. |

| Utilities | Except if No Permit Required. | |
|---------------------------------|------------------------------------|--|
| Vehicle fuel sales and services | Only if extension of existing use. | |
| Vehicle parking | | |
| Visitor accommodation | | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

20.3 Use Standards

20.3.1 Hours of Operation

Objective:

To ensure that hours of operation do not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Performance Criteria |
|-----------|--|---|
| A1 | | P1 |
| | ors of operation of a use within 50 m of a dential zone must be within: 7.00 am to 9.00 pm Mondays to Saturdays inclusive; 9.00 am to 5.00 pm Sundays and Public Holidays. | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are unreasonable in their timing, duration or extent. |
| exce | ept for office and administrative tasks. | |

20.3.2 Noise

Objective:

To ensure that noise emissions do not cause environmental harm and do not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Performance Criteria |
|------|--|---|
| A1 | | P1 |
| | se emissions measured at the boundary of a dential zone must not exceed the following: | Noise emissions measured at the boundary of a residential zone must not cause environmental |
| (a) | 55dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; | harm within the residential zone. |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm to 7.00 am; | |
| (c) | 65dB(A) (LAmax) at any time. | |
| acco | asurement of noise levels must be in ordance with the methods in the Tasmanian se Measurement Procedures Manual, issued | |

by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness.

Noise levels are to be averaged over a 15 minute time interval.

20.3.3 **External Lighting**

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

Acceptable Solutions Performance Criteria Α1 **P1** External lighting within 50 m of a residential External lighting within 50 m of a residential zone must comply with all of the following: zone must not adversely affect the amenity of adjoining residential areas, having regard to all of (a) be turned off between 10:00 pm and 6:00 the following: am, except for security lighting; (a) level of illumination and duration of (b) security lighting must be baffled to ensure lighting; they do not cause emission of light outside the zone. (b) distance to habitable rooms in an adjacent dwellings.

20.3.4 **Commercial Vehicle Movements**

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
| A1 | P1 |

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must be within the hours of:

- (a) 7.00 am to 5.00 pm Mondays to Fridays inclusive;
- (b) 9.00 am to 5.00 pm Saturdays;
- (c) 10.00 am to 12 noon Sundays and public holidays.

Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact upon residential amenity having regard to all of the following:

- (a) the time and duration of commercial vehicle movements:
- (b) the number and frequency of commercial vehicle movements;
- (c) the size of commercial vehicles involved;
- (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise);
- (e) noise reducing structures between vehicle movement areas and dwellings;

| (f) | the level of traffic on the road; | |
|-----|---|--|
| (g) | the potential for conflicts with other traffic. $ \\$ | |

20.3.5 Scale of use

Objective:

To ensure use within the activity centre primarily serves the needs of residents and visitors of the local area consistent with the role and function of the activity centre.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Gross floor area must be no more than 250m2 for all of the following Use Classes: (a) Business and professional services; (b) General retail and hire. | Gross floor area must be no more than that necessary for an activity to meet the convenience needs of residents and visitors within the catchment of the activity centre. |
| A2 | P2 |
| Gross floor area must be no more than 300m2 for all of the following Use Classes: (a) Bulky goods sales; (b) Community meeting and entertainment; | Gross floor area must be no more than that reasonably necessary for an activity to meet the needs of residents and visitors within the catchment of the activity centre and enable a use to be of a scale and purpose that: |
| (c) Equipment and machinery sales and hire. | (a) is appropriate for the local area, based on the economic, demographic or landscape features of the local area;(b) is unlikely to detract from the role the Huonville activity centre. |

20.4 Development Standards for Buildings and Works

20.4.1 Building Height

Objective:

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|---|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| 9 m. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the scale of nearby buildings; |
| | (c) not unreasonably overshadow adjacent public space; |
| | (d) allow for a transition in height between |

| | adjoining buildings, where appropriate; |
|---|--|
| A2 | P2 |
| Building height within 10 m of a residential zone must be no more than: 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. |

20.4.2 Setback

Objective:

e that huilding sethack contributes positively to the streets:

| To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone. | | |
|--|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Building setback from frontage must be parallel to the frontage and must be no more than: | Building setback from frontage must satisfy all of the following: | |
| 1m. | (a) be consistent with any Desired Future Character Statements provided for the area; | |
| | (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the streetscape; | |
| | (c) enhance the characteristics of the site, adjoining lots and the streetscape; | |
| | (d) provide for small variations in building alignment only where appropriate to break up long building facades, provided that no potential concealment or entrapment opportunity is created; | |
| | (e) provide for large variations in building alignment only where appropriate to provide for a forecourt for space for public use, such as outdoor dining or landscaping, provided the that no potential concealment or entrapment opportunity is created and the forecourt is afforded very good passive surveillance. | |
| A2 | P2 | |
| Building setback from a residential zone must be no less than: (a) 3 m; | Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by: | |
| (b) half the height of the wall, whichever is the greater. | (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further | |

| decrease sunlight hours if already less than 3 hours; |
|---|
| (b) overlooking and loss of privacy; |
| (c) visual impact when viewed from adjoining lots, |
| taking into account aspect and slope. |

20.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

Acceptable Solutions Performance Criteria A1 P1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front façade no less than 40% of the surface area of the ground floor level facade;
- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is not greater than 30% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.

Building design must enhance the streetscape by satisfying all of the following:

- (a) provide the main access to the building in a way that addresses the street or other public space boundary;
- (b) provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces;
- (c) treat large expanses of blank wall in the front façade and facing other public space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- (d) ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- (f) not provide awnings over the public footpath only if there is no benefit to the streetscape or pedestrian amenity or if not possible due to physical constraints;
- (g) only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not feasible;
- (h) be consistent with any Desired Future

| | Character Statements provided for the area. |
|--|---|
| A2 | P2 |
| Walls of a building facing a residential zone must be coloured using colours with a light reflectance value not greater than 40 percent. | |

20.4.4 Passive Surveillance

Objective:

| То є | To ensure that building design provides for the safety of the public. | | |
|--|--|--|---|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| Building design must comply with all of the following: | | Building design must provide for passive surveillance of public spaces by satisfying all of the following: | |
| (a) | provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site; | (a) | provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces; |
| | for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the front façade which amount to no less than 40 % of the surface area of the ground floor level facade; | (b) | locate windows to adequately overlook the street and adjoining public spaces; |
| | | (c) | incorporate shop front windows and doors for ground floor shops and offices, so that pedestrians can see into the building and vice versa; |
| ex op of | openings at ground floor level in the façade of any wall which faces a public space or a car park which amount to no less than 30 % | (d) | locate external lighting to illuminate any entrapment spaces around the building site; |
| | | (e) | provide external lighting to illuminate car parking areas and pathways; |
| | | (f) | design and locate public access to provide high visibility for users and provide clear |
| (d) | avoid creating entrapment spaces around the building site, such as concealed alcoves | | sight lines between the entrance and adjacent properties and public spaces; |
| (e) | near public spaces; provide external lighting to illuminate car parking areas and pathways; | (g) | provide for sight lines to other buildings and public spaces. |
| (f) | provide well-lit public access at the ground floor level from any external car park. | | |

20.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
| A1 | P1 |

Landscaping along the frontage of a site is not Landscaping must be provided to satisfy all of required if all of the following apply: the following: the building extends across the width of the enhance the appearance of the frontage, (except for vehicular access ways); development; (b) the building has a setback from the (b) provide a range of plant height and forms to frontage of no more than 1 m. create diversity, interest and amenity; (c) not create concealed entrapment spaces; (d) be consistent with any Desired Future Character Statements provided for the area. **A2 P2** Along a boundary with a residential zone Along a boundary with a residential zone landscaping must be provided for a depth no less landscaping or a building design solution must be than: provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a 2 m. residential zone, having regard to the characteristics of the site and the characteristics

20.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

of the adjoining residentially-zones land.

| Acceptable Solutions | | Performance Criteria | |
|---|---|----------------------|--|
| A1 | | P1 | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | | | door storage areas for non-residential uses st satisfy all of the following: |
| (a) | be located behind the building line; | (a) | be located, treated or screened to avoid |
| (b) | all goods and materials stored must be screened from public view; | | unreasonable adverse impact on the visual amenity of the locality; |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. |

20.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Fencing must comply with all of the following: (a) fences, walls and gates of greater height than 1.5 m must not be erected within 4.5 m of the frontage; (b) fences along a frontage must be at least | Fencing must contribute positively to the streetscape and not have an unreasonable adverse impact upon the amenity of land in a residential zone which lies opposite or shares a common boundary with a site, having regard to |

(c) height of fences along a common boundary with land in a residential zone must be no

more than 2.1 m and must not contain

50% transparent above a height of 1.2 m;

all of the following:

- (a) the height of the fence;
- (b) the degree of transparency of the fence;
- (c) the location and extent of the fence;
- (d) the design of the fence;
- (e) the fence materials and construction;
- (f) the nature of the use;
- (g) the characteristics of the site, the streetscape and the locality, including fences;
- (h) any Desired Future Character Statements provided for the area.

20.5 Development Standards for Subdivision

20.5.1 Subdivision

barbed wire.

Objective:

To provide for lots with appropriate area, dimensions, services, roads and access to public open space to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| Acceptable Solutions | | Performance Criteria | |
|--|--|--|---|
| A1 | | P1 | |
| The size of each lot must be no less than: 300 m2. except if for public open space, a riparian reserve or utilities. | | The size of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | |
| build | design of each lot must provide a minimum ding area that is rectangular in shape and plies with all of the following; clear of the frontage, side and rear boundary setbacks; clear of easements; clear of title restrictions that would limit or restrict the development of a commercial building; has an average slope of no more than 1 in 5; is a minimum of 10 m x 15 m in size. | The design of each lot must contain a building area able to satisfy all of the following: (a) be reasonably capable of accommodating use and development consistent with Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements; (b) provides for sufficient useable area on the lot for on-site parking and maneuvering, unless adequate arrangements are made for suitable alternative solutions to future likely demand generated by the development potential of the lot; | e |
| | | (c) minimises the need for earth works, retaining walls, and cut & fill associated | |

| | with future development. | |
|---|---|--|
| A3 | P3 | |
| The frontage for each lot must be no less than: 15 m. | The frontage of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | |
| A4 | P4 | |
| No Acceptable Solution. | The arrangement of roads within a subdivision must satisfy all of the following: | |
| | (a) the subdivision will not compromise appropriate and reasonable future subdivision of the entirety of the parent lot; | |
| | (b) accords with any relevant road network plan adopted by the Planning Authority; | |
| | (c) facilitates the subdivision of neighbouring land with subdivision potential through the provision of connector roads, where appropriate, to the common boundary; | |
| | (d) provides for acceptable levels of access, safety, convenience and legibility through a consistent road function hierarchy. | |
| A5 | P5 | |
| Each lot must be connected to services adequate to support the likely future use and development of the land. | No Performance Criteria. | |
| A6 | P6 | |
| No Acceptable Solution. | Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. | |

21.0 General Business Zone

21.1 Zone Purpose

- 21.1.1 Zone Purpose Statements
- 21.1.1.1 To provide for business, community, food, professional and retail facilities serving a town or group of suburbs.
- 21.1.1.2 To ensure the major centres provide for a range of convenience and goods and services as well as some community services and facilities for the municipal area and surrounds.
- 21.1.1.2 To ensure the rural service centres provide for the daily and weekly needs of the community.
- 21.1.1.3 To provide for a mix of retail and office based employment servicing the local area

- including a supermarket and a range of specialty shops.
- 21.1.1.4 To provide a safe, comfortable and pleasant environment for workers, residents and visitors through the provision of high quality urban spaces and urban design.
- 21.1.1.5 To facilitate residential use above ground floor level.

21.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy |
|--|---|
| Huonville | |
| The role of Huonville as a Rural Services Centre for the municipal area is enhanced through a mix of retail, commercial, administrative, residential and community service use and the expansion of the activity centre for a second large supermarket. Community and health use should locate in proximity to the adjoining Community Purpose Zone. | The zoning of land identified for the expansion of the activity centre linked to the realignment of the Channel Highway and new connectivity to local roads and the Huon River. Planning provisions promote a suitable mix and scale of use, improved access and movement and high quality urban design and open space. |

21.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

| Des | ired Future Character Statements | Implementation Strategy |
|-----|--|---|
| Huo | nville | |
| Nev | development is to: | Provide appropriate development standards for |
| (a) | provide active and attractive streetscapes; | the zone and locality. |
| (b) | maintain or provide a high level of pedestrian amenity; | |
| (c) | use scale, proportion, materials, fenestration and colour to ensure building facades positively contribute to the streetscape; | |
| (d) | provide safe, efficient and convenient movement and parking for vehicles and pedestrians and incorporate a bus interchange with connected pedestrian walkways; | |
| (e) | landscape car parks to provide a visually appealing environment. | |

21.2 Use Table

| No Permit Required | |
|-------------------------|--|
| Use Class Qualification | |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. |
| Residential | Only if home-based business. |

| Utilities | Only if minor utilities. | | | |
|--|--|--|--|--|
| Permitted | | | | |
| Use Class | Qualification | | | |
| Business and professional services | | | | |
| Community meeting and entertainment | | | | |
| Educational and occasional care | Only if above ground floor level, (except for access). | | | |
| Food services | Except if a take away food premises with a drive through facility. | | | |
| General retail and hire | Except if adult sex product shop or supermarket. | | | |
| Passive recreation | | | | |
| Residential | Only if above ground floor level (except for access). | | | |
| Research and development | Only if above ground floor level (except for access). | | | |
| Discretionary | , | | | |
| Use Class | Qualification | | | |
| Bulky goods sales | | | | |
| Custodial facility | Only if a remand centre. | | | |
| Educational and occasional care | Except if Permitted. | | | |
| Emergency services | | | | |
| Food services | Except if permitted. | | | |
| General retail and hire | Except if permitted. | | | |
| Hospital services | | | | |
| Hotel industry | Except if adult entertainment venue. | | | |
| Natural and cultural values management | | | | |
| Research and development | Except if permitted. | | | |
| Residential | Except if No Permit Required or Permitted. | | | |
| Service industry | Only if an extension to an existing use. | | | |
| Sports and recreation | | | | |
| Storage | | | | |
| Tourist operation | | | | |
| Transport depot and distribution | | | | |
| Utilities | Except if No Permit Required. | | | |
| Vehicle fuel sales and service | | | | |
| Vehicle parking | | | | |
| Visitor accommodation | Except if camping and caravan park or overnight camping area. | | | |

| Prohibited | |
|----------------|---------------|
| Use Class | Qualification |
| All other uses | |

21.3 Use Standards

21.3.1 Hours of Operation

Objective:

To ensure that hours of operation do not have unreasonable impact on residential amenity on land within a residential zone.

| Acce | eptable Solutions | Performance Criteria |
|------|---|---|
| A1 | | P1 |
| | ors of operation of a use within 50 m of a dential zone must be within: | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable |
| (a) | 6.00 am to 10.00 pm Mondays to Saturdays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are |
| (b) | 7.00 am to 9.00 pm Sundays and Public Holidays. | unreasonable in their timing, duration or extent. |
| exce | ept for office and administrative tasks. | |

21.3.2 Noise

Objective:

To ensure that noise emissions do not cause environmental harm and do not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Performance Criteria |
|---|--|---|
| A1 | | P1 |
| Noise emissions measured at the boundary of a residential zone must not exceed the following: | | Noise emissions measured at the boundary of a residential zone must not cause environmental |
| (a) | 55dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; | harm within the residential zone. |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm to 7.00 am; | |
| (c) | 65dB(A) (LAmax) at any time. | |
| acco Noi by t incl | asurement of noise levels must be in ordance with the methods in the Tasmanian se Measurement Procedures Manual, issued the Director of Environmental Management, uding adjustment of noise levels for tonality impulsiveness. | |
| | se levels are to be averaged over a 15 minute e interval. | |

21.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Perf | ormance Criteria |
|-----------|---|--------------|--|
| A1 | | P1 | |
| | ernal lighting within 50 m of a residential e must comply with all of the following: be turned off between 11:00 pm and 6:00 am, except for security lighting; | zone adjo | ernal lighting within 50 m of a residential e must not adversely affect the amenity of bining residential areas, having regard to all of following: |
| (b) | security lighting must be baffled to ensure they do not cause emission of light outside | (a) | level of illumination and duration of lighting; |
| | the zone. | (b) | distance to habitable rooms in an adjacent dwellings. |

21.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | | Perf | formance Criteria |
|----------------------|--|--|--|
| A1 | | P1 | |
| load or fr | nmercial vehicle movements, (including ling and unloading and garbage removal) to rom a site within 50 m of a residential zone at the within the hours of: | Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact upon residential amenity having regard to all of the following: | |
| (a) | 6.00 am to 10.00 pm Mondays to Saturdays inclusive; | | |
| (b) | 7.00 am to 9.00 pm Sundays and public holidays. | (a) | the time and duration of commercial vehicle movements; |
| | , | (b) | the number and frequency of commercial vehicle movements; |
| | | (c) | the size of commercial vehicles involved; |
| | | (d) | the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise); |
| | | (e) | noise reducing structures between vehicle movement areas and dwellings; |
| | | (f) | the level of traffic on the road; |
| | | (g) | the potential for conflicts with other traffic. |

21.4 Development Standards for Buildings and Works

21.4.1 Building Height

Objective:

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Building height must be no more than: | Building height must satisfy all of the following: | |
| 12 m. | (a) be consistent with any Desired Future Character Statements provided for the area; | |
| | (b) be compatible with the scale of nearby buildings; | |
| | (c) not unreasonably overshadow adjacent public space; | |
| | (d) allow for a transition in height between adjoining buildings, where appropriate; | |
| A2 | P2 | |
| Building height within 10 m of a residential zone must be no more than: 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. | |

21.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| anneasonaste impact on residential amenity of land in a residential zone. | |
|---|---|
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Building setback from frontage must be parallel to the frontage and must be no more than: | Building setback from frontage must satisfy all of the following: |
| (a) 0.5m, if fronting Main Street, Huonville(b) 3m, otherwise. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the streetscape; |
| | (c) enhance the characteristics of the site, adjoining lots and the streetscape; |
| | (d) provide for small variations in building alignment only where appropriate to break up long building facades, provided that no potential concealment or entrapment |

opportunity is created;

(e) provide for large variations in building alignment only where appropriate to provide for a forecourt for space for public use, such as outdoor dining or landscaping, provided the that no potential concealment or entrapment opportunity is created and the forecourt is afforded very good passive surveillance.

A2

Building setback from a residential zone must be no less than:

- (a) 5 m;
- (b) half the height of the wall,

whichever is the greater.

P2

Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by:

- (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours;
- (b) overlooking and loss of privacy;
- (c) visual impact when viewed from adjoining lots,

taking into account aspect and slope.

21.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

Acceptable Solutions

A1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front façade no less than 40% of the surface area of the ground floor level façade;
- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is

Performance Criteria

P1

Building design must enhance the streetscape by satisfying all of the following:

- (a) provide the main access to the building in a way that addresses the street or other public space boundary;
- (b) provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces;
- treat large expanses of blank wall in the front façade and facing other public space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- (d) ensure the visual impact of mechanical

- not greater than 30% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.

- plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- (f) not provide awnings over the public footpath only if there is no benefit to the streetscape or pedestrian amenity or if not possible due to physical constraints;
- (g) only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not feasible;
- (h) be consistent with any Desired Future Character Statements provided for the area.

A2

Walls of a building facing a residential zone must be coloured using colours with a light reflectance value not greater than 40 percent.

P2

P1

No Performance Criteria.

21.4.4 Passive Surveillance

Objective:

To ensure that building design provides for the safety of the public.

Acceptable Solutions

A1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the front façade which amount to no less than 40 % of the surface area of the ground floor level facade;
- (c) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the façade of any wall which faces a public space or a car park which amount to no less than 30 % of the surface area of the ground floor level

Performance Criteria

Building design must provide for passive surveillance of public spaces by satisfying all of the following:

- (a) provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces;
- (b) locate windows to adequately overlook the street and adjoining public spaces;
- incorporate shop front windows and doors for ground floor shops and offices, so that pedestrians can see into the building and vice versa;
- (d) locate external lighting to illuminate any entrapment spaces around the building site;
- (e) provide external lighting to illuminate car parking areas and pathways;

| facade; |
|---------|
|---------|

- (d) avoid creating entrapment spaces around the building site, such as concealed alcoves near public spaces;
- (e) provide external lighting to illuminate car parking areas and pathways;
- (f) provide well-lit public access at the ground floor level from any external car park.
- (f) design and locate public access to provide high visibility for users and provide clear sight lines between the entrance and adjacent properties and public spaces;
- (g) provide for sight lines to other buildings and public spaces.

21.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | | Performance Criteria | | |
|---|--|---|--|--|
| A1 | | P1 | | |
| Landscaping along the frontage of a site is not required if all of the following apply: | | Landscaping must be provided to satisfy all of the following: | | |
| (a) | the building extends across the width of the frontage, (except for vehicular access ways); | (a) enhance the appearance of the development; | | |
| (b) | the building has a setback from the frontage of no more than 1m. | (b) | provide a range of plant height and forms to create diversity, interest and amenity; | |
| | | (c) | not create concealed entrapment spaces; | |
| | | (d) | be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | | P2 | | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than: 2 m. | | Along a boundary with a residential zone landscaping or a building design solution must be provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the adjoining residentially-zones land. | | |

21.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | Performance Criteria | | |
|---|--|--|--|
| A1 | P1 | | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | Outdoor storage areas for non-residential uses must satisfy all of the following: | | |
| (a) be located behind the building line;(b) all goods and materials stored must be | (a) be located, treated or screened to avoid unreasonable adverse impact on the visual | | |

| | | screened from public view; | | amenity of the locality; |
|---|-----|---|-----|---|
| (| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. |

21.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | | Performance Criteria | | |
|---|--|--|---|--|
| A1 | | P1 | | |
| Fencing must comply with all of the following: (a) fences, walls and gates of greater height | | Fencing must contribute positively to the streetscape and not have an unreasonable | | |
| | than 1.5 m must not be erected within 4.5 m of the frontage; | resid | dential zone which lies opposite or shares a mon boundary with a site, having regard to | |
| (b) | fences along a frontage must be at least | | all of the following: | |
| (-) | 50% transparent above a height of 1.2 m; | (a) | the height of the fence; | |
| with lar more th | height of fences along a common boundary with land in a residential zone must be no more than 2.1 m and must not contain | (b) | the degree of transparency of the fence; | |
| | | (c) | the location and extent of the fence; | |
| | barbed wire. | (d) | the design of the fence; | |
| | | (e) | the fence materials and construction; | |
| | | (f) | the nature of the use; | |
| | | (g) | the characteristics of the site, the streetscape and the locality, including fences; | |
| | | (h) | any Desired Future Character Statements provided for the area. | |

21.5 Development Standards for Subdivision

21.5.1 Subdivision

Objective:

To provide for lots with appropriate area, dimensions, services, roads and access to public open space to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| The size of each lot must be no less than: 300 m². except if for public open space, a riparian reserve or utilities. | The size of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. |

| A2 | | P2 | | | |
|--|--|---|---|--|--|
| The design of each lot must provide a minimum building area that is rectangular in shape and complies with all of the following; | | The design of each lot must contain a building area able to satisfy all of the following: (a) be reasonably capable of accommodating | | | |
| (a) | clear of the frontage, side and rear boundary setbacks; | (a) | use and development consistent with Zone Purpose, having regard to any Local Area | | |
| (b) | clear of easements; | | Objectives or Desired Future Character Statements; | | |
| (c) | clear of title restrictions that would limit or restrict the development of a commercial building; | (b) | provides for sufficient useable area on the lot for on-site parking and maneuvering, unless adequate arrangements are made | | |
| (d) (e) | has an average slope of no more than 1 in 5; is a minimum of 10 m x 15 m in size. | | for suitable alternative solutions to future likely demand generated by the development potential of the lot; | | |
| (0) | | (c) | minimises the need for earth works, retaining walls, and cut & fill associated with future development. | | |
| А3 | | Р3 | | | |
| The | The frontage for each lot must be no less than: 15 m. | | The frontage of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | | |
| A4 | | P4 | | | |
| No Acceptable Solution. | | The arrangement of roads within a subdivision must satisfy all of the following: | | | |
| | | (a) | the subdivision will not compromise appropriate and reasonable future subdivision of the entirety of the parent lot; | | |
| | | (b) accords with any relevant road network plan adopted by the Planning Authority; | | | |
| | | (c) | facilitates the subdivision of neighbouring land with subdivision potential through the provision of connector roads, where appropriate, to the common boundary; | | |
| | | (d) | provides for acceptable levels of access, safety, convenience and legibility through a consistent road function hierarchy. | | |
| A5 | | P5 | | | |
| to s | n lot must be connected to services adequate upport the likely future use and development he land. | No F | Performance Criteria. | | |
| A6 | | P6 | | | |
| No A | Acceptable Solution. | Public Open Space must be provided as land or | | | |
| | | | | | |

| cash in lieu, in accordance with the relevant |
|---|
| Council policy. |

22.0 Central Business Zone

This zone is not used in this planning scheme.

23.0 Commercial Zone

23.1 Zone Purpose

- 23.1.1 Zone Purpose Statements
- 23.1.1.1 To provide for large floor area retailing and service industries.
- 23.1.1.2 To provide for a specific mix of activities including rural and bulk retailing and food services that cannot be accommodated in other Activity Centres and does not compromise the viability of those Centres.
- 23.1.1.3 To provide for development that requires high levels of vehicle access and car parking for customers.
- 23.1.1.5 To minimise land use conflict with adjoining residential areas.
- 23.1.1.6 To ensure that general retail or business uses support the activity centre network.
- 23.1.2 Local Area Objectives

There are no local area objectives in this zone.

23.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

23.2 Use Table

| No Permit Required | | | | |
|--|--|--|--|--|
| Use Class | Qualification | | | |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. | | | |
| Natural and cultural values management | | | | |
| Utilities | Only if minor utilities | | | |
| Permitted | | | | |
| Use Class | Qualification | | | |
| Bulky goods sales | | | | |
| Food services | Only if a take away food premises or cafe. | | | |
| General retail and hire | Only if gross floor area per tenement is no less than 200 m ² . | | | |
| Passive recreation | | | | |

| Discretionary | | | | |
|--|--|--|--|--|
| Use Class | Qualification | | | |
| Business and professional services | Only if for call centre, campus-style office complex or funeral parlour. | | | |
| Community meeting and entertainment | | | | |
| Educational and occasional care | | | | |
| Emergency services | | | | |
| Equipment and machinery sales and hire | | | | |
| Food services | Except if permitted. | | | |
| General retail and hire | Except if Permitted. | | | |
| Research and development | | | | |
| Service industry | | | | |
| Sports and recreation | | | | |
| Storage | | | | |
| Tourist operation | | | | |
| Transport depot and distribution | | | | |
| Utilities | Except if No Permit Required. | | | |
| Vehicle fuel sales and service | | | | |
| Vehicle parking | | | | |
| Prohibited | | | | |
| Use Class | Qualification | | | |
| All other uses | | | | |

23.3 Use Standards

23.3.1 Hours of Operation

| - | | • |
|--------------|------|------|
| ()h | IDCT | ıva. |
| \mathbf{v} | ject | ıve. |

To ensure that hours of operation do not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | | Performance Criteria | |
|---|---|---|--|
| A1 | | P1 | |
| Hours of operation of a use within 50 m of a residential zone must be within: | | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable | |
| (a) | 6.00 am to 10.00 pm Mondays to Saturdays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are | |
| (b) | 7.00 am to 9.00 pm Sundays and Public | unreasonable in their timing, duration or extent. | |

| $H \cap$ | אוו | 21 | ıc |
|----------|-----|----|----|
| Hol | пu | a | yэ |

except for office and administrative tasks.

23.3.2 Noise

Objective:

To ensure that noise emissions do not cause environmental harm and do not have unreasonable impact on residential amenity on land within a residential zone.

Acceptable Solutions Performance Criteria Α1 **P1** Noise emissions measured at the boundary of a Noise emissions measured at the boundary of a residential zone must not exceed the following: residential zone must not cause environmental harm within the residential zone. (a) 55dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; (b) 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm to 7.00 am; (c) 65dB(A) (LAmax) at any time. Measurement of noise levels must be in accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness. Noise levels are to be averaged over a 15 minute time interval.

23.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | | Performance Criteria | |
|----------------------|--|----------------------|--|
| A1 | | P1 | |
| | ernal lighting within 50 m of a residential e must comply with all of the following: be turned off between 11:00 pm and 6:00 am, except for security lighting; | zono adjo | ernal lighting within 50 m of a residential e must not adversely affect the amenity of bining residential areas, having regard to all of following: |
| (b) | security lighting must be baffled to ensure they do not cause emission of light outside | (a) | level of illumination and duration of lighting; |
| | the zone. | (b) | distance to habitable rooms in an adjacent dwelling. |

23.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential

| amenity on land within a residential zone. | | | |
|--|--|--|--|
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must be within the hours of: | Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact | | |
| (a) 6.00 am to 10.00 pm Mondays to Saturdays inclusive; | upon residential amenity having regard to all of the following: | | |
| (b) 7.00 am to 9.00 pm Sundays and Public Holidays. | (a) the time and duration of commercial vehicle movements; | | |
| , | (b) the number and frequency of commercial vehicle movements; | | |
| | (c) the size of commercial vehicles involved; | | |
| | (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise); | | |
| | (e) noise reducing structures between vehicle movement areas and dwellings; | | |
| | (f) the level of traffic on the road; | | |
| | (g) the potential for conflicts with other traffic. | | |

23.3.5 Outdoor Work Areas

Objective:

To ensure that use of outdoor work areas does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Outdoor work areas and noise-emitting services such as air conditioning equipment, pumps and ventilations fans must not be located within 50 m of a residential zone. | Outdoor work areas and noise-emitting services such as air conditioning equipment, pumps and ventilations fans located within 50 m of a residential zone must be accompanied by effective acoustic screening in the intervening space. | |

23.3.6 Scale of use

Objective:

To ensure the scale of discretionary uses does not affect the role or purpose of the nearby Huonville Activity Centre.

| Acceptable Solutions | Performance Criteria |
|-----------------------------|--|
| A1 | P1 |
| The use is a permitted use. | Discretionary uses must comply with all of the |

| following: |
|--|
| (a) benefit from locations with high visibility to passing vehicular traffic or are otherwise setback from the street; |
| (b) are compatible with other uses within the zone; |
| (c) improve the urban design of land within the zone including attractiveness and amenity; |
| (d) must be or a nature or particular needs that benefit from siting within the zone and not within the activity centre. |

23.4 Development Standards for Buildings and Works

23.4.1 Building Height

| Objective: | | | | |
|---|--|--|--|--|
| To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone. | | | | |
| Acceptable Solutions | Performance Criteria | | | |
| A1 P1 | | | | |
| Building height must be no more than: 9 m. | Building height must satisfy all of the following: | | | |
| | (a) be consistent with any Desired Future Character Statements provided for the area; | | | |
| | (b) be compatible with the scale of nearby buildings; | | | |
| | (c) not unreasonably overshadow adjacent public space; | | | |
| | (d) allow for a transition in height between adjoining buildings, where appropriate; | | | |
| A2 | P2 | | | |
| Building height within 10 m of a residential zone must be no more than: 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. | | | |

23.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Building setback from frontage must be parallel | Building setback from frontage must satisfy all of | |

to the frontage and must be no less than: the following: 10m be consistent with any Desired Future Character Statements provided for the (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the streetscape; enhance the characteristics of the site, adjoining lots and the streetscape; provide adequate opportunity for parking. (d) **A2 P2** Building setback from the General Residential or Building setback from General Residential or Inner Residential Zone must be no less than: Inner Residential Zone must be sufficient to prevent unreasonable adverse impacts on (a) 5 m; residential amenity by: (b) half the height of the wall, whichever is the (a) overshadowing and reduction of sunlight to greater. habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; (b) overlooking and loss of privacy;

23.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

lots,

(c) visual impact when viewed from adjoining

taking into account aspect and slope.

| Acceptable Solutions | | Performance Criteria | | |
|--|--|--|--|--|
| A1 | | P1 | P1 | |
| Building design must comply with all of the following: | | Building design must enhance the streetscape by satisfying all of the following: | | |
| (a) | provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the | (a) | provide the main access to the building in a way that addresses the street or other public space boundary; | |
| (b) | site; for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front | (b) | provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces; | |
| | façade no less than 40% of the surface area of the ground floor level facade; | (c) | treat large expanses of blank wall in the front façade and facing other public space | |

- (c) for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade and facades facing other public spaces is not greater than 30% of the length of the facade;
- (d) screen mechanical plant and miscellaneous equipment such as heat pumps, air conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.

- boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space;
- ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, switchboards, hot water units or similar, is insignificant when viewed from the street;
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have insignificant visual impact;
- only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not feasible;
- (g) be consistent with any Desired FutureCharacter Statements provided for the area.

A2

Walls of a building on land adjoining a residential zone must comply with all of the following:

- (a) be coloured using colours with a light reflectance value not greater than 40 percent.;
- (b) if within 50 m of a residential zone, must not have openings in walls facing the residential zone, unless the line of sight to the building is blocked by another building.

P2

No Performance Criteria.

23.4.4 Passive Surveillance

Objective:

To ensure that building design provides for the safety of the public.

Acceptable Solutions

A1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the front façade which amount to no less than 40% of

Performance Criteria

P1

Building design must provide for passive surveillance of public spaces by satisfying all of the following:

- (a) provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces;
- (b) locate windows to adequately overlook the street and adjoining public spaces;
- (c) incorporate shop front windows and doors for ground floor shops and offices, so that

- the surface area of the ground floor level facade;
- (c) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the façade of any wall which faces a public space or a car park which amount to no less than 30% of the surface area of the ground floor level facade;
- (d) avoid creating entrapment spaces around the building site, such as concealed alcoves near public spaces;
- (e) provide external lighting to illuminate car parking areas and pathways;
- (f) provide well-lit public access at the ground floor level from any external car park.

- pedestrians can see into the building and vice versa;
- (d) locate external lighting to illuminate any entrapment spaces around the building site;
- (e) provide external lighting to illuminate car parking areas and pathways;
- (f) design and locate public access to provide high visibility for users and provide clear sight lines between the entrance and adjacent properties and public spaces;
- (g) provide for sight lines to other buildings and public spaces.

23.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Landscaping is not required along the frontage in this zone. | Landscaping must be provided to satisfy all of the following: | |
| | (a) enhance the appearance of the development; | |
| | (b) provide a range of plant height and forms to create diversity, interest and amenity; | |
| | (c) not create concealed entrapment spaces; | |
| | (d) be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | P2 | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than: 2 m. | Along a boundary with a residential zone landscaping or a building design solution must provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the site and the characteristic of the adjoining residentially-zones land. | |

23.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of

| the | the site or the locality. | | |
|---|---|---|---|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | | Outdoor storage areas for non-residential uses must satisfy all of the following: | |
| (a) | be located behind the building line; | | be located, treated or screened to avoid |
| (b) | all goods and materials stored must be screened from public view; | | unreasonable adverse impact on the visual amenity of the locality; |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | | not encroach upon car parking areas, driveways or landscaped areas. |

23.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | | Performance Criteria | |
|----------------------|---|---------------------------------------|---|
| A1 | | P1 | |
| | fences, walls and gates of greater height than 1.5 m must not be erected within 10 m of the frontage; fences along a frontage must be at least 50% transparent above a height of 1.2 m; height of fences along a common boundary with land in a residential zone must be no more than 2.1 m and must not contain barbed wire. | Fend stred adve resid com | cing must contribute positively to the etscape and not have an unreasonable erse impact upon the amenity of land in a dential zone which lies opposite or shares a mon boundary with a site, having regard to f the following: the height of the fence; the degree of transparency of the fence; the location and extent of the fence; the design of the fence; the fence materials and construction; the nature of the use; the characteristics of the site, the streetscape and the locality, including fences; any Desired Future Character Statements |
| | | (**) | provided for the area. |

23.5 Development Standards for Subdivision

23.5.1 Subdivision

Objective:

To provide for lots with appropriate area, dimensions, services, roads and access to public open space to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| Acceptable Solutions | | Performance Criteria | | | |
|--|---|---|---|--|--|
| A1 | | P1 | P1 | | |
| The size of each lot must be no less than: 1,000 m ² . except if for public open space, a riparian reserve or utilities. | | The size of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | | | |
| A2 | | P2 | | | |
| building area that is rectangular in shape and | | | design of each lot must contain a building a able to satisfy all of the following: be reasonably capable of accommodating use and development consistent with Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements; | | |
| (c) (d) (e) | clear of title restrictions that would limit or restrict the development of a commercial building; has an average slope of no more than 1 in 10; is a minimum of 15 m x 20 m in size. | (b) | provides for sufficient useable area on the lot for on-site parking and maneuvering, unless adequate arrangements are made for suitable alternative solutions to future likely demand generated by the development potential of the lot; | | |
| | | (c) | minimises the need for earth works, retaining walls, and cut & fill associated with future development. | | |
| A3 The frontage for each lot must be no less than: 25 m. | | The frontage of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | | | |
| A4 | | P4 | | | |
| No . | Acceptable Solution. | | The arrangement of roads within a subdivision must satisfy all of the following: | | |
| | | (a) | the subdivision will not compromise appropriate and reasonable future subdivision of the entirety of the parent lot; | | |
| | | (b) | accords with any relevant road network plan adopted by the Planning Authority; | | |
| | | (c) | facilitates the subdivision of neighbouring land with subdivision potential through the provision of connector roads, where appropriate, to the common boundary; | | |
| | | (d) | provides for acceptable levels of access, safety, convenience and legibility through a | | |

| | consistent road function hierarchy. |
|---|---|
| A5 | P5 |
| Each lot must be connected to services adequate to support the likely future use and development of the land. | No Performance Criteria. |
| A6 | P6 |
| No Acceptable Solution. | Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. |

24.0 Light Industrial Zone

24.1 Zone Purpose

- 24.1.1 Zone Purpose Statements
- 24.1.1.1 To provide for manufacturing, processing, repair, storage and distribution of goods and materials where off-site impacts are minimal or can be managed to minimise conflict or impact on the amenity of any other uses.
- 24.1.1.2 To promote efficient use of existing industrial land stock.
- 24.1.1.3 To minimise land use conflict in order to protect industrial viability and the safety and amenity of sensitive land uses in adjacent zones.
- 24.1.1.4 To facilitate the provision of light industrial zoned land within the municipal area to meet community and business needs for local service, transport, warehousing, rural resource related industries and other industries in the long-term.

24.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy |
|---|---|
| Huonville (Glen Road) | |
| The industrial land off Glen Road, Huonville is to provide the major site in the Huon Valley for industrial activity related to local services, rural resource, export, warehousing and transport activities. | Provide for an appropriate range of uses within the zone. |

24.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

24.2 Use Table

| No Permit Required | | |
|--|--|--|
| Use Class | Qualification | |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. | |
| Natural and cultural values management | | |

| Utilities | Only if minor utilities. | |
|--|--|--|
| Permitted | | |
| Use Class | Qualification | |
| Equipment and machinery sales and hire | Only if hire of machinery and equipment. | |
| Manufacturing and processing | | |
| Port and shipping | Except if a wharf. | |
| Service industry | | |
| Storage | | |
| Discretionary | | |
| Use Class | Qualification | |
| Bulky goods sales | | |
| Educational and occasional care | Only if employment training centre. | |
| Emergency services | | |
| Food services | Only if take away food premises or café. | |
| General retail and hire | Only if for an existing general retail and hire use. | |
| Passive recreation | | |
| Port and shipping | Only if a wharf. | |
| Recycling and waste disposal | Only if a scrap yard or waste transfer station. | |
| Research and development | | |
| Resource processing | | |
| Sports and recreation | | |
| Transport depot and distribution | | |
| Utilities | Except if No Permit Required. | |
| Vehicle fuel sales and service | | |
| Vehicle parking | | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

24.3 Use Standards

24.3.1 Hours of Operation

Objective:

To ensure that hours of operation do not have unreasonable impact on residential amenity on land within a residential zone.

| Acc | eptable Solutions | Performance Criteria |
|-----------|--|---|
| A1 | | P1 |
| | ors of operation of a use within 100 m of a dential zone must be within: | Hours of operation of a use within 100 m of a residential zone must not have an unreasonable |
| (a) | 7.00 am to 7.00 pm Mondays to Fridays inclusive; | impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are |
| (b) | 9.00 am to 5.00 pm Saturdays; | unreasonable in their timing, duration or extent. |
| (c) | nil Sundays and Public Holidays. | |
| exce | ept for office and administrative tasks. | |

24.3.2 Noise

Objective:

To ensure that noise emissions do not cause environmental harm and do not have unreasonable impact on residential amenity on land within a residential zone.

| Performance Criteria |
|---|
| P1 |
| Noise emissions measured at the boundary of a residential zone must not cause environmental |
| harm within the residential zone. |
| |
| |
| |
| |
| P2 |
| Noise emissions measured at the boundary of a residential zone must not cause environmental harm within the residential zone. |
| |

24.3.3 External Lighting

Objective:

To ensure that external lighting does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
| | |

Α1

External lighting within 50 m of a residential zone must comply with all of the following:

- (a) be turned off between 10:00 pm and 6:00 am, except for security lighting;
- (b) security lighting must be baffled to ensure they do not cause emission of light outside the zone.

P1

External lighting within 50 m of a residential zone must not adversely affect the amenity of adjoining residential areas, having regard to all of the following:

- (a) level of illumination and duration of lighting;
- (b) distance to habitable rooms in an adjacent dwelling.

24.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Commercial vehicle movements, (including oading and unloading and garbage removal) to or from a site within 50 m of a residential zone must be within the hours of: (a) 7.00 am to 7.00 pm Mondays to Saturdays | Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact upon residential amenity having regard to all of |
| inclusive; | the following: |
| (b) 9 am to 5.00 pm Sundays and Public Holidays. | (a) the time and duration of commercial vehicle movements; |
| · | (b) the number and frequency of commercial vehicle movements; |
| | (c) the size of commercial vehicles involved; |
| | (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise); |
| | (e) noise reducing structures between vehicle movement areas and dwellings; |
| | (f) the level of traffic on the road; |
| | (g) the potential for conflicts with other traffic. |

24.3.5 Outdoor Work Areas

Objective:

To ensure that use of outdoor work areas does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Outdoor work areas and noise-emitting services | Outdoor work areas and noise-emitting services |

| such as air conditioning equipment, pumps and | such as air conditioning equipment, pumps and |
|---|---|
| ventilations fans must not be located within 50 | ventilations fans located within 50 m of a |
| m of a residential zone. | residential zone must be accompanied by |
| | effective acoustic screening in the intervening |
| | space. |

24.4 Development Standards for Buildings and Works

24.4.1 Building Height

Objective:

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| A9 m. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the scale of nearby buildings; |
| | (c) not unreasonably overshadow adjacent public space; |
| | (d) allow for a transition in height between adjoining buildings, where appropriate; |
| A2 | P2 |
| Building height within 10 m of a residential zone must be no more than 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone. |

24.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Building setback from frontage must be parallel to the frontage and must be no less than: | Building setback from frontage must satisfy all of the following: |
| (a) 10m if facing a primary frontage;(b) 3m if facing a secondary frontage. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the |

streetscape; enhance the characteristics of the site, (c) adjoining lots and the streetscape; provide adequate opportunity for parking. (d) **P2 A2** Building setback from a residential zone must be Building setback from a residential zone must be no less than: sufficient to prevent unreasonable adverse impacts on residential amenity by: (a) 10 m; (a) overshadowing and reduction of sunlight to (b) half the height of the wall, whichever is the habitable rooms and private open space on greater.

3 hours;

lots,

(d)

(b) overlooking and loss of privacy;

industrial activity.

adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than

visual impact when viewed from adjoining

24.4.3 Design

Objective:

To ensure that building design contributes positively to the streetscape, the amenity and safety of the public and adjoining land in a residential zone.

| Acceptable Solutions | | Performance Criteria | |
|--|--|--|--|
| A1 | | P1 | |
| Building design must comply with all of the following: | | Building design must enhance the streetscape by satisfying all of the following: | |
| (a) | provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the | (a) | provide the main access to the building in a way that is visible from the street or other public space boundary; |
| (b) | for new building or alterations to an existing facade provide windows and door openings at ground floor level in the front | (b) | provide windows in the front façade in a way that enhances the streetscape and provides for passive surveillance of public spaces; |
| | façade no less than 40% of the surface area of the ground floor level facade; | (c) | treat very large expanses of blank wall in the front façade and facing other public |
| (c) | for new building or alterations to an existing facade ensure any single expanse of blank wall in the ground level front façade | | space boundaries with architectural detail or public art so as to contribute positively to the streetscape and public space; |
| | and facades facing other public spaces is not greater than 50% of the length of the facade; | (d) | ensure the visual impact of mechanical plant and miscellaneous equipment, such as heat pumps, air conditioning units, |
| (d) | screen mechanical plant and miscellaneous equipment such as heat pumps, air | | switchboards, hot water units or similar, is limited when viewed from the street; |

- conditioning units, switchboards, hot water units or similar from view from the street and other public spaces;
- (e) incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof;
- (f) provide awnings over the public footpath if existing on the site or on adjoining lots;
- (g) not include security shutters over windows or doors with a frontage to a street or public place.
- (e) ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have limited visual impact;
- (f) only provide shutters where essential for the security of the premises and other alternatives for ensuring security are not feasible;
- (g) be consistent with any Desired Future Character Statements provided for the area.

A2

Walls of a building on land adjoining a residential zone must comply with all of the following:

- (a) be coloured using colours with a light reflectance value not greater than 40 percent.;
- (b) if within 50 m of a residential zone, must not have openings in walls facing the residential zone, unless the line of sight to the building is blocked by another building.

P2

No Performance Criteria.

24.4.4 Passive Surveillance

Objective:

To ensure that building design provides for the safety of the public.

Acceptable Solutions

A1

Building design must comply with all of the following:

- (a) provide the main pedestrian entrance to the building so that it is clearly visible from the road or publicly accessible areas on the site;
- (b) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the front façade which amount to no less than 20 % of the surface area of the ground floor level facade;
- (c) for new buildings or alterations to an existing facade provide windows and door openings at ground floor level in the façade of any wall which faces a public space or a car park which amount to no less than 10 % of the surface area of the ground floor level

Performance Criteria

P1

Building design must provide for passive surveillance of public spaces by satisfying all of the following:

- (a) provide the main entrance or entrances to a building so that they are clearly visible from nearby buildings and public spaces;
- (b) locate windows to adequately overlook the street and adjoining public spaces;
- incorporate windows and doors for ground floor offices to look upon public access to the building;
- (d) locate external lighting to illuminate any entrapment spaces around the building site;
- design and locate public access to provide high visibility for users and provide clear sight lines between the entrance and adjacent properties and public spaces;

| | facade; | (f) | provide for sight lines to other buildings and |
|-----|--|-----|--|
| (d) | avoid creating entrapment spaces around the building site, such as concealed alcoves near public spaces; | | public spaces. |
| (e) | provide external lighting to illuminate car parking areas and pathways; | | |
| (f) | provide well-lit public access at the ground floor level from any external car park. | | |

24.4.5 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and if relevant provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Landscaping must be provided along the frontage of a site (except where access is | Landscaping must be provided to satisfy all of the following: | |
| ovided) unless the building has nil setback to ntage. | (a) enhance the appearance of the development; | |
| | (b) provide a range of plant height and forms to create diversity, interest and amenity; | |
| | (c) not create concealed entrapment spaces; | |
| | (d) be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | P2 | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than: 10 m. | Along a boundary with a residential zone landscaping or a building design solution must be provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the site and the characteristics of the adjoining residentially-zones land. | |

24.4.6 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Outdoor storage areas for non-residential uses must comply with all of the following: | Outdoor storage areas for non-residential uses must satisfy all of the following: | |
| (a) be located behind the building line;(b) all goods and materials stored must be | (a) be located, treated or screened to avoid unreasonable adverse impact on the visual | |

| | screened from public view; | | amenity of the locality; |
|-----|---|-----|---|
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. |

24.4.7 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | | Performance Criteria | | |
|--|--|--|--|--|
| A1 | | P1 | | |
| Fencing must comply with all of the following: | | | Fencing must contribute positively to the | |
| than 2.1m must not be erected within 10 m | | streetscape and not have an unreasonable adverse impact upon the amenity of land in a residential zone which lies opposite or shares a common boundary with a site, having regard to | | |
| (b) | fences along a frontage must be at least | all o | all of the following: | |
| , , | 50% transparent above a height of 1.2 m; | (a) | the height of the fence; | |
| , | with land in a residential zone must be no | (b) | the degree of transparency of the fence; | |
| | | (c) | the location and extent of the fence; | |
| | | (d) | the design of the fence; | |
| | | (e) | the fence materials and construction; | |
| | | (f) | the nature of the use; | |
| | | (g) | the characteristics of the site, the streetscape and the locality, including fences; | |
| | | (h) | any Desired Future Character Statements provided for the area. | |

24.5 Development Standards for Subdivision

24.5.1 Subdivision

Objective:

To provide for lots with appropriate area, dimensions, services, roads and access to public open space to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| The size of each lot must be no less than: 1,000 m2. except if for public open space, a riparian reserve or utilities. | The size of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. |

| A2 | | | | |
|---|--|--|--|--|
| building area that is rectangular in shape and | | The design of each lot must contain a building area able to satisfy all of the following: | | |
| (a) | clear of the frontage, side and rear boundary setbacks; | (a) be reasonably capable of accommon use and development consistent was Purpose, having regard to any Local Chiestings or Desired Future Characteristics or Desired Future Characteristics. | | |
| (b) | clear of easements; | Objectives or Desired Future Charac Statements; | | |
| (c) | clear of title restrictions that would limit or restrict the development of a commercial building; | (b) provides for sufficient useable area o lot for on-site parking and maneuveri unless adequate arrangements are m for suitable alternative solutions to fulikely demand generated by the development potential of the lot; | | |
| (d) (e) | has an average slope of no more than 1 in 10; is a minimum of 20 m x 20 m in size. | | | |
| (0) | is a minimum of 20 m x 20 m m size. | minimises the need retaining walls, and with future develop | cut & fill associated | |
| А3 | | | | |
| The frontage for each lot must be no less than: 25 m. | | The frontage of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | | |
| A4 | | + | | |
| No Acceptable Solution. | | The arrangement of roads within a subdivision must satisfy all of the following: | | |
| | | the subdivision will appropriate and re- subdivision of the e | - | |
| | | • | elevant road network e Planning Authority; | |
| | | land with subdivision provision of connection | ivision of neighbouring on potential through the ctor roads, where common boundary; | |
| | | • | able levels of access, e and legibility through a ection hierarchy. | |
| A5 | | i | | |
| to s | n lot must be connected to services adequate upport the likely future use and development ne land. | Performance Criteria | | |
| A6 | | P6 | | |
| No A | Acceptable Solution. | Public Open Space must be provided as land or | | |
| | | | | |

| cash in lieu, in accordance with the relevant |
|---|
| Council policy. |

25.0 General Industrial Zone

25.1 Zone Purpose

- 25.1.1 Zone Purpose Statements
- 25.1.1.1 To provide for manufacturing, processing, repair, storage and distribution of goods and materials where there may be impacts on neighbouring uses.
- 25.1.1.2 To provide industrial activity with good access to strategic transport networks.
- 25.1.1.3 To promote efficient use of existing industrial land stock.
- 25.1.1.4 To restrict intensification of existing non-conforming uses.
- 25.1.1.5 To provide industrial activity with good access to strategic transport networks.
- 25.1.2 Local Area Objectives

There are no local area objectives for this zone.

25.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

25.2 Use Table

| No Permit Required | | | | |
|--|--|--|--|--|
| Use Class | Qualification | | | |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. | | | |
| Natural and cultural values management | | | | |
| Utilities | Only minor utilities. | | | |
| Permitted | | | | |
| Use Class | Qualification | | | |
| Equipment and machinery sales and hire | | | | |
| Manufacturing and processing | | | | |
| Port and shipping | Except if a wharf. | | | |
| Recycling and waste disposal | | | | |
| Resource processing | | | | |
| Storage | | | | |
| Transport depot and distribution | | | | |
| Utilities | Except if No Permit Required. | | | |

| Discretionary | | | |
|--------------------------------|---|--|--|
| Use Class | Qualification | | |
| Education and occasional care | Only if employment training centre. | | |
| Emergency services | | | |
| Food services | Only if take away food premises or café. | | |
| Pleasure boat facility | | | |
| Research and development | | | |
| Port and shipping | Only if a wharf. | | |
| Resource development | Only for aquaculture or a marine farming shore facility sited on: (a) land at Whale Point Road, Port Huon contained within folio of the Register volume 142071 folios 3 and 4; and (b) land, including any accretion to the sea, adjoining the Huon River and contained in PID 5261568 and PID 5261576. | | |
| Sports and recreation | | | |
| Vehicle fuel sales and service | | | |
| Vehicle parking | | | |
| Prohibited | | | |
| Use Class | Qualification | | |
| All other uses | | | |

25.3 Use Standards

There are no use standards for this zone.

25.4 Development Standards for Buildings and Works

25.4.1 Building Height

| Objective: | | | |
|--|---|--|--|
| To ensure that building height does not result in excessive impact on the landscape. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Building height must be no more than: | Building height must satisfy all of the following: | | |
| 20 m. | (a) be consistent with any Desired Future Character Statements provided for the area;(b) be no more than 40 m. | | |

25.4.2 Setback

| 0 | Objective: |
|---|---|
| T | o ensure that building setback contributes positively to the streetscape. |

| Acceptable Solutions | Performance Criteria | | |
|--|---|--|--|
| A1 | P1 | | |
| Building setback from frontage must be no less than: | Building setback from frontage must satisfy all of the following: | | |
| 10 m. | (a) be consistent with any Desired Future Character Statements provided for the area; | | |
| | (b) be compatible with the setback of adjoining buildings; | | |
| | (c) enhance the characteristics of the site, adjoining lots and the streetscape; | | |
| | (d) provide adequate opportunity for parking. | | |

25.4.3 Design

| _ | | | | • | |
|---|---|---|----|-----|----|
| 0 | n | Ω | ct | 111 | ω. |
| v | v | c | ·ι | ıν | C. |

| To ensure that building design contributes positively to the streetscape. | | | |
|---|---|---|--|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| Building design must address the street by complying with all of the following: | | Building design must satisfying all of the following: | |
| (a) | provide the main pedestrian entrance to the building at the frontage; | (a) | provide the main access to the building in a way that is visible from the street; |
| (b) | screen mechanical plant from view from the street and other public spaces; | (b) | ensure the visual impact of mechanical plant is limited when viewed from the |
| (c) | incorporate roof-top service infrastructure, including service plants and lift structures, within the design of the roof. | (c) | street; ensure roof-top service infrastructure, including service plants and lift structures, is screened so as to have limited visual impact; |
| | | (d) | be consistent with any Desired Future Character Statements provided for the area. |

25.4.4 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Fencing must comply with all of the following: (a) fences, walls and gates of greater height than 2.4 m must not be erected within 10 m of the frontage; | Fencing must contribute positively to the streetscape and not have an unreasonable adverse impact upon the amenity of public roads and other public spaces, having regard to all of the following: | |

| (b) | fences along a frontage must be at least 50% transparent above a height of 1.2 m. | (a) | the height of the fence; |
|-----|---|--|--|
| | | (b) | the degree of transparency of the fence; |
| | | (c) | the location and extent of the fence; |
| | (d) | the design of the fence; | |
| | | (e) | the fence materials and construction; |
| | | (f) | the nature of the use; |
| | (g) | the characteristics of the site, the streetscape and the locality, including fences; | |
| | | (h) | any Desired Future Character Statements provided for the area. |

25.5 Development Standards for Subdivision

25.5.1 Subdivision

Objective:

To provide for lots with appropriate area, dimensions, services, roads and access to public open space to accommodate development consistent with the Zone Purpose and any relevant Local Area Objectives or Desired Future Character Statements.

| Objectives or Desired Future Character Statements. | | | | |
|--|---|---|--|--|
| Acceptable Solutions | | | Performance Criteria | |
| A1 | | P1 | | |
| The size of each lot must be no less than: 2,000 m². except if for public open space, a riparian reserve or utilities. | | The size of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | | |
| A2 | de de la Completa de | P2 | destruction of a solution of a solution of the solution | |
| The design of each lot must provide a minimum building area that is rectangular in shape and complies with all of the following; | | The design of each lot must contain a building area able to satisfy all of the following: (a) be reasonably capable of accommodating | | |
| (a) | clear of the frontage, side and rear boundary setbacks; | (-, | use and development consistent with Zone Purpose, having regard to any Local Area | |
| (b) | clear of easements; | Statements; (b) provides for sufficient useable lot for on-site parking and mar | Objectives or Desired Future Character Statements; | |
| (c) | clear of title restrictions that would limit or restrict the development of a commercial building; | | provides for sufficient useable area on the lot for on-site parking and maneuvering, unless adequate arrangements are made | |
| (d) | has an average slope of no more than 1 in 10; | | for suitable alternative solutions to future likely demand generated by the | |
| (e) | is a minimum of 20 m x 40 m in size. | (c) | development potential of the lot; minimises the need for earth works, retaining walls, and cut & fill associated with future development. | |

| A3 | Р3 | |
|---|---|--|
| The frontage for each lot must be no less than: 40 m. | The frontage of each lot must be sufficient to accommodate development consistent with the Zone Purpose, having regard to any Local Area Objectives or Desired Future Character Statements. | |
| A4 | P4 | |
| No Acceptable Solution. | The arrangement of roads within a subdivision must satisfy all of the following: | |
| | (a) the subdivision will not compromise appropriate and reasonable future subdivision of the entirety of the parent lot; | |
| | (b) accords with any relevant road network plan adopted by the Planning Authority; | |
| | (c) facilitates the subdivision of neighbouring land with subdivision potential through the provision of connector roads, where appropriate, to the common boundary; | |
| | (d) provides for acceptable levels of access, safety, convenience and legibility through a consistent road function hierarchy. | |
| A5 | P5 | |
| Each lot must be connected to services adequate to support the likely future use and development of the land. | No Performance Criteria. | |
| A6 | P6 | |
| No Acceptable Solution. | Public Open Space must be provided as land or cash in lieu, in accordance with the relevant Council policy. | |

26.0 Rural Resource Zone

26.1 Zone Purpose

- 26.1.1 Zone Purpose Statements
- 26.1.1.1 To provide for the sustainable use or development of resources for agriculture, aquaculture, forestry, mining and other primary industries, including opportunities for resource processing.
- 26.1.1.2 To provide for other use or development that does not constrain or conflict with resource development uses.
- 26.1.1.3 To provide for non-agricultural use or development, such as recreation, conservation, tourism and retailing, where it supports existing agriculture, aquaculture, forestry, mining and other primary industries.
- 26.1.1.4 To allow for residential and other uses not necessary to support agriculture,

aquaculture and other primary industries provided that such uses do not:

- (a) fetter existing or potential rural resource use and development on other land;
- (b) add to the need to provide services or infrastructure or to upgrade existing infrastructure;
- (c) contribute to the incremental loss of productive rural resources.
- 26.1.1.5 To provide for protection of rural land so future resource development opportunities are no lost.
- 26.1.1.6 To provide for opportunities for economic development that is compatible with agricultural and timber harvesting activities, environmental and landscape values,
- 26.1.2 Local Area Objectives

There are no local area objectives for this zone.

26.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

26.2 Use Table

| No Permit Required | | | | |
|--|---|--|--|--|
| Use Class | Qualification | | | |
| Any permitted use | Only if replacing an existing use on the site and there is no associated development requiring a permit. | | | |
| Natural and cultural values management | | | | |
| Passive recreation | | | | |
| Resource development | Only if agriculture, bee keeping, crop production, forest operations in accordance with a Forest Practices Plan, horse stud or tree farming and plantation forestry in accordance with a Forest Practices Plan. | | | |
| Utilities | Only if minor utilities. | | | |
| Permitted | | | | |
| Use Class | Qualification | | | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> . | | | |
| Residential | Only if home-based business or an extension or replacement of an existing dwelling. | | | |
| Resource development | Except where No Permit Required or Discretionary. | | | |
| Discretionary | | | | |
| Use Class | Qualification | | | |
| Bulky goods sales | Only if rural suppliers, garden and landscape suppliers or timber yard. | | | |

| Community meeting and entertainment | Only if by the Council, an agency or a community organisation. |
|---|---|
| Crematoria and cemeteries | |
| Domestic Animal breeding, boarding and training | |
| Educational and occasional care | Only if related to rural resource use. Except if Permitted. |
| Emergency services | |
| Extractive Industry | |
| Food Services | Only if: |
| | (a) for the serving of agricultural produce primarily from the region; or |
| | (b) at 859 Esperance Coast Road, Police Point (folio of the Register volume 52299 folio 1). |
| General retail and hire | Only if: |
| | (a) for the sale of agricultural produce primarily from the property; |
| | (b) for the sale or hire of rural equipment; or |
| | (c) at 859 Esperance Coast Road, Police Point (folio of the Register volume 52299 folio 1). |
| Manufacturing and processing | Only if boat building or activities based on glass, timber, minerals or textile products. |
| Motor racing facility | |
| Pleasure boat facility | |
| Research and development | |
| Residential | Only if single dwelling. |
| Resource development | Only if intensive animal husbandry. |
| Resource processing | |
| Recycling and waste disposal | |
| Service industry | Only if primarily for vehicles and machinery used for resource development uses. |
| Sports and recreation | Only if firing range, golf course or driving range; outdoor recreation facility; race course and sports ground. |
| Storage | Only if contractors yard, freezing and cool storage, liquid fuel deport, solid fuel deport or woodyard. |
| Tourist operation | |
| Transport depot and distribution | Only if for transport and distribution of rural equipment and products. |
| Visitor accommodation | Only if: |
| | (a) backpackers hostel, bed and breakfast establishment, |

| All other uses | |
|----------------|---|
| Use Class | Qualification |
| Prohibited | |
| Utilities | Except if No Permit Required. |
| | (b) at 859 Esperance Coast Road, Police Point (folio of the Register volume 52299 folio 1). |
| | camping and caravan park, holiday cabin, overnight camping area or seasonal workers accommodation; or |

26.3 Use Standards

26.3.1 Sensitive Use (including residential use)

Objective:

To ensure sensitive use does not unreasonably convert agricultural land or conflict with or fetter non- sensitive use.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| A sensitive use is for a home based business or an extension or replacement of an existing dwelling or existing ancillary dwelling, or for home-based child care in accordance with a licence under the Child Care Act 2001. | A sensitive use must not unreasonably convert agricultural land or conflict with or fetter nonsensitive use on adjoining land having regard to all of the following: |
| | (a) the characteristics of the proposed sensitive use; |
| | (b) the characteristics of the existing or likely non-sensitive use on adjoining land; |
| | (c) setback to site boundaries and separation distance between the proposed sensitive use and existing or likely non-sensitive use on adjoining land; |
| | (d) any characteristics of the site and adjoining land that would buffer the proposed sensitive use from the adverse impacts on residential amenity from existing or likely non-sensitive use. |

26.3.2 Visitor Accommodation

| Objective: | |
|------------|--|
| | |

To ensure visitor accommodation is of a scale that accords with the rural character and use of the area.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Visitor accommodation must comply with all of the following: | Visitor accommodation must satisfy all of the following: |

(a) is accommodated in existing buildings; not adversely impact residential amenity (a) and privacy of adjoining properties; (b) provides for any parking and manoeuvring spaces required pursuant to the Parking (b) provide for any parking and manoeuvring and Access Code on-site; spaces required pursuant to the Parking and Access Code on-site; (c) has a floor area of no more than 160m². (c) be of an intensity that respects the character of use of the area; (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way; (e) be located on the property's poorer quality agricultural land or within the farm homestead buildings precinct; not fetter the rural resource use of the

property or adjoining land.

26.3.3 Discretionary Use

Objective:

To ensure that discretionary non-agricultural uses do not unreasonably confine or restrain the agricultural use of agricultural land.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No acceptable solution. | A discretionary non-agricultural use must not conflict with or fetter agricultural use on the site or adjoining land having regard to all of the following: |
| | (a) the characteristics of the proposed non-agricultural use; |
| | (b) the characteristics of the existing or likely agricultural use; |
| | setback to site boundaries and separation distance between the proposed non- agricultural use and existing or likely agricultural use; |
| | (d) any characteristics of the site and adjoining land that would buffer the proposed nonagricultural use from the adverse impacts on amenity from existing or likely agricultural use. |

26.4 Development Standards for Buildings and Works

26.4.1 Building Height

| Objective: | | |
|------------|--|--|
| Objective. | | |
| , | | |
| | | |

To ensure that building height contributes positively to the rural landscape and does not result in unreasonable impact on residential amenity of land.

| Acceptable Solutions | Performance Criteria |
|---------------------------------------|--|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| 8.5 m if for a residential use. | (a) be consistent with any Desired Future |
| 10 m otherwise. | Character Statements provided for the area; |
| | (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by overlooking and loss of privacy; |
| | (c) if for a non-residential use, the height is necessary for that use. |

26.4.2 Setback

Objective:

To minimise land use conflict and fettering of use of rural land from residential use, maintain desirable characteristics of the rural landscape and protect environmental values in adjoining land zoned Environmental Management.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Building setback from frontage must be no less than: 20 m. | Building setback from frontages must maintain the desirable characteristics of the surrounding landscape and protect the amenity of adjoining lots, having regard to all of the following: |
| | (a) the topography of the site; |
| | (b) the size and shape of the site; |
| | (c) the prevailing setbacks of existing buildings on nearby lots; |
| | (d) the location of existing buildings on the site; |
| | (e) the proposed colours and external materials of the building; |
| | (f) the visual impact of the building when viewed from an adjoining road; |
| | (g) retention of vegetation. |
| A2 | P2 |
| Building setback from side and rear boundaries must be no less than: 50 m. | Building setback from side and rear boundaries must maintain the character of the surrounding rural landscape, having regard to all of the following: |
| | (a) the topography of the site; |

- (b) the size and shape of the site;
- (c) the location of existing buildings on the site;
- (d) the proposed colours and external materials of the building;
- (e) visual impact on skylines and prominent ridgelines;
- (f) impact on native vegetation.

А3

Building setback for buildings for sensitive use must comply with all of the following:

- (a) be sufficient to provide a separation distance from a plantation forest, Private Timber Reserve or State Forest of 100 m;
- (b) be sufficient to provide a separation distance from land zoned Significant Agriculture of 200 m.

Р3

Building setback for buildings for sensitive use (including residential use) must prevent conflict or fettering of primary industry uses on adjoining land, having regard to all of the following:

- (a) the topography of the site;
- (b) the prevailing setbacks of existing buildings on nearby lots;
- (c) the location of existing buildings on the site;
- (d) retention of vegetation;
- (e) the zoning of adjoining and immediately opposite land;
- (f) the existing use on adjoining and immediately opposite sites;
- (g) the nature, frequency and intensity of emissions produced by primary industry uses on adjoining and immediately opposite lots;
- (h) any proposed attenuation measures;
- (i) any buffers created by natural or other features.

Α4

Buildings and works must be setback from land zoned Environmental Management no less than: 100 m.

Р4

Buildings and works must be setback from land zoned Environmental Management to minimise unreasonable impact from development on environmental values, having regard to all of the following:

- (a) the size of the site;
- (b) the potential for the spread of weeds or soil pathogens;
- (c) the potential for contamination or sedimentation from water runoff;
- (d) any alternatives for development.

Objective:

To ensure that the location and appearance of buildings and works minimises adverse impact on the rural landscape.

Acceptable Solutions Performance Criteria Α1 The location of buildings and works must comply The location of buildings and works must satisfy with any of the following: all of the following: (a) be located within a building area, if (a) be located on a skyline or ridgeline only if: provided on the title; there are no sites clear of native (b) be an addition or alteration to an existing vegetation and clear of other building; significant site constraints such as access difficulties or excessive slope, (c) be located in and area not require the or the location is necessary for the clearing of native vegetation and not on a functional requirements of skyline or ridgeline. infrastructure; (ii) significant impacts on the rural landscape are minimised through the height of the structure, landscaping and use of colours with a light reflectance value not greater than 40 percent for all exterior building surfaces; (b) be consistent with any Desired Future Character Statements provided for the area; (c) be located in and area requiring the clearing of native vegetation only if: there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope, or the location is necessary for the functional requirements of infrastructure; (ii) the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures. **A2** Exterior building surfaces must be coloured using Buildings must have external finishes that are non-reflective and coloured to blend with the colours with a light reflectance value not greater than 40 percent. rural landscape. Р3 А3

The depth of any fill or excavation must be kept

to a minimum so that the development satisfies

The depth of any fill or excavation must be no

more than 2 m from natural ground level, except

| where required for building foundations. | all of the following: | |
|--|--|--|
| | (a) does not have significant impact on the rural landscape of the area; | |
| | (b) does not unreasonably impact upon the privacy of adjoining properties; | |
| | (c) does not affect land stability on the lot or adjoining areas. | |

26.4.4 Plantation Forestry

Objective:

To ensure that plantation forestry does not significantly impact watercourses, sensitive uses and landscape values.

| Acceptable Solutions | Performance Criteria |
|--|--------------------------|
| A1 | P1 |
| Plantation forestry, including establishment and harvesting, must comply with a certified Forest Practices Plan. | No Performance Criteria. |

26.5 Development Standards for Subdivision

26.5.1 New Lots

| Objective: | | | |
|---|---|--|--|
| To prevent further fragmentation and fettering of rural resource land. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| A lot is for public open space, a riparian or | A lot must satisfy all of the following: | | |
| littoral reserve, or a Utilities, Emergency services, or Community meeting and | (a) be no less than 40ha; | | |
| entertainment use class, by or on behalf of the | (b) have a frontage of no less than 12m; | | |
| State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority. | (c) not be an internal lot unless the site contains existing internal lots or creation of an internal lot is necessary to facilitate rural resource use; | | |
| | (d) be provided with safe vehicular access from a road; | | |
| | (e) the intended use is consistent with the Zone Purpose Statement; | | |
| | (f) if containing a dwelling, setbacks to new boundaries satisfy clause 26.4.2; | | |
| | (g) if containing a dwelling, other than the primary dwelling, the dwelling is surplus to rural resource requirements of the lot containing the primary dwelling; | | |

| (h) | if vacant, must: | |
|-----|---|--|
| | (i) | contain a building area capable of accommodating residential development satisfying clauses 26.4.2 and 26.4.3; |
| | (ii) | not result in a significant increase in demand for public infrastructure or services; |
| (i) | be consistent with any Local Area Objectives or Desired Future Character | |

Statements provided for the area.

26.5.2 Reorganisation of Boundaries

Objective:

To promote the consolidation of rural resource land and to allow for the rearrangement of existing titles, where appropriate, to provide for a better division of land.

| Acceptable Solutions | Performance Criteria | | |
|--|---|--|--|
| A1 | P1 | | |
| A lot is for public open space, a riparian or littoral reserve or utilities. | The reorganisation of boundaries must satisfy all of the following: | | |
| | (a) all existing lots are adjoining or separated only by a road; | | |
| | (b) no existing lot was formally a crown reserved road or other reserved land; | | |
| | (c) provide for the sustainable commercial operation of the land by either: | | |
| | (i) encompassing all or most of the agricultural land and key agricultural infrastructure (including the primary dwelling) in one lot, the 'primary agricultural lot', as demonstrated by a whole farm management plan, | | |
| | (ii) encompassing an existing or proposed non-agricultural rural resource use in one lot; | | |
| | (d) if a lot contains an existing dwelling, setbacks to new boundaries satisfy clause 26.4.2; | | |
| | (e) if containing a dwelling, other than the primary dwelling, the dwelling is surplus to rural resource requirements of the primary agricultural lot; | | |
| | (f) a new vacant lot must: | | |
| | (i) contain land surplus to rural resource | | |

| requirements of the primary |
|--------------------------------|
| agricultural lot; |
| contain a building area capabl |

- (ii) contain a building area capable of accommodating residential development satisfying clauses 26.4.2 and 26.4.3.
- (iii) not result in a significant increase in demand for public infrastructure or services;
- (g) all new lots must comply the following:
 - (i) be no less than 1ha in size;
 - (ii) have a frontage of no less than 6m;
 - (iii) be serviced by safe vehicular access arrangements;
- (h) be consistent with any Local Area Objectives or Desired Future Character Statements provided for the area.

26.5.3 Historic Heritage Places

| Objective: | | | |
|---|--|--|--|
| To provide for the preservation of heritage places surplus to agricultural needs of rural properties. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| No Acceptable Solution. | The subdivision of a lot for the purposes of excising a Local Heritage Place listed in the Heritage Code to this planning scheme or a place listed on the Tasmanian Heritage Register must satisfy all of the following: | | |
| | (a) the place no longer contributes to, or supports, the agricultural use and commercial operation of the property; | | |
| | (b) the subdivision will ensure that the heritage values of the place will be restored and maintained into the future through appropriate mechanisms on the title; | | |
| | (c) any urgent works on the heritage fabric of the place are undertaken within 12 months of the issue of title; | | |
| | (d) the heritage curtilage of the place is contained within the lot; | | |
| | (e) the loss of the land to the remainder of the property will not significantly reduce its agricultural use and commercial operation; | | |
| | (f) setback from a dwelling on the lot to new | | |

| boundaries satisfy clause 26.4.2; |
|--|
| (g) serviceable frontage is provided; |
| (h) safe vehicular access arrangements are provided. |

27.0 Significant Agricultural Zone

27.1 Zone Purpose

- 27.1.1 Zone Purpose Statements
- 27.1.1.1 To provide for the use or development of land for higher productivity value agriculture dependent on soil as a growth medium.
- 27.1.1.2 To protect the most productive agricultural land and ensure that non-agricultural use or development does not adversely affect the use or development of that land for agriculture.
- 27.1.1.3 To encourage use and development of land based on comprehensive and sustainable land management practices and infrastructure provision.
- 27.1.1.4 To provide for limited non-agricultural uses that support the continued use of the land for agricultural use.
- 27.1.1.5 To protect regionally significant areas of significant agricultural land identified in the Regional Land Use Strategy, including areas subject to existing or proposed irrigation schemes, from conversion to non-agricultural use.
- 27.1.1.6 To protect areas used for reuse water irrigation.
- 27.1.1.7 To ensure that new residential use is only established where necessary to facilitate the management of the land for agricultural purposes and does not fetter existing or potential agricultural use on other land.
- 27.1.2 Local Area Objectives

There are no local area objectives for this zone.

27.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

27.2 Use Table

| No Permit Required | | |
|--|--|--|
| Use Class | Qualification | |
| Natural and cultural values management | | |
| Resource development | Only if for agriculture use. Except if; controlled environment agriculture not dependent on soil as a growth medium, forest operations, intensive animal husbandry, tree farming and plantation forestry. | |
| Utilities | Only minor utilities. | |

| Permitted | | | |
|---------------------------------|--|--|--|
| Use Class | Qualification | | |
| Educational and occasional care | Only if for home-based child care in accordance with a licence under the <i>Child Care Act 2001</i> . | | |
| Residential | Only if home-based business or an extension or replacement of an existing dwelling. | | |
| Resource processing | Only if located 20 Glen Road, Huonville (CT 129264/2; 113587/3; 113587/2), 2364 Huon Highway, Huonville (CT 62067/2), 68 North Glen Road, Huonville (CT 8797/1) or 20 & 37 Rookwood Road, Ranelagh (CT 154871/1; 154871/2; 45028/1). | | |
| Discretionary | | | |
| Use Class | Qualification | | |
| Educational and occasional care | Only if related to agriculture. Except if Permitted. | | |
| Extractive industry | | | |
| Food services | Only if for the serving of agricultural produce primarily from the region. | | |
| General retail and hire | Only if for the sale of agricultural produce primarily from the property. | | |
| Manufacturing and processing | Only if located at 37 Maxfields Road, Franklin (CT131689/1; CT1313690/2; and adjoining reserved road regardless of tenure). | | |
| Research and development | Only if for agricultural research. | | |
| Resource development | Only if: | | |
| | (a) controlled environment agriculture, intensive animal husbandry or aquaculture; or | | |
| | (b) tree farming and plantation forestry in accordance with a Forest Practices Plan and not located on prime agricultural land. | | |
| Resource processing | Except if permitted or only: | | |
| | (a) for the treating, processing and packing of produce from the area; or | | |
| | (b) on land at 7 Crabtree Road, Grove (folio of the Register volume 205497 folio 1). | | |
| Residential | Only if a single dwelling necessary to support agricultural use on the property | | |
| Sports and recreation | | | |
| Tourist Operation | Only if associated with agricultural use on the property. | | |
| Visitor accommodation | Only if backpackers hostel, bed and breakfast establishment, camping and caravan park, holiday cabin, overnight camping area or seasonal workers accommodation. | | |

| Utilities Except if No Permit Required. | | |
|---|---------------|--|
| Prohibited | | |
| Use Class Qualification | | |
| Use Class | Qualification | |

27.3 Use Standards

27.3.1 Sensitive Use (including residential use)

| Objective: | | | |
|---|--|--|--|
| To ensure sensitive use does not conflict with or fetter non-sensitive use. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| A sensitive use is for a home based business or an extension or replacement of an existing dwelling or existing ancillary dwelling. | A sensitive use must not conflict with or fetter non-sensitive use on adjoining land having regard to all of the following: | | |
| | (a) the characteristics of the proposed sensitive use; | | |
| | (b) the characteristics of the existing or likely non-sensitive use in the surrounding area; | | |
| | (c) setback to site boundaries and separation distance between the proposed sensitive use and existing or likely non-sensitive use on adjoining land; | | |
| | (d) any characteristics of the site and adjoining land that would buffer the proposed sensitive use from the adverse impacts on residential amenity from existing or likely non-sensitive use. | | |

27.3.2 Visitor Accommodation

Objective:

| To ensure visitor accommodation is of a scale that accords with the rural character and | use of the |
|---|------------|
| area. | |

| Acceptable Solutions | | Performance Criteria | |
|--|---|--|--|
| A1 | | P1 | |
| Visitor accommodation must comply with all of the following: | | Visitor accommodation must satisfy all of the following: | |
| (a) (b) (c) | is accommodated in existing buildings; provides for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; has a floor area of no more than 160m ² . | (a) (b) | not adversely impact residential amenity and privacy of adjoining properties; provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; |
| (3) | | (c) | be of an intensity that respects the |

| character of use of the area; |
|--|
| (d) not adversely impacts the safety and efficiency of the local road network or disadvantage owners and users of private rights of way; |
| (e) be located on the property's poorer quality agricultural land or within the farm homestead buildings precinct; |
| (f) not fetter the rural resource use of the property or adjoining land. |

27.3.3 Discretionary Use

Objective:

To ensure that discretionary non-agricultural uses do not unreasonably confine or restrain the agricultural use of agricultural land.

| agricultural use of agricultural land. | | |
|--|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No acceptable solution. | A discretionary non-agricultural use must not conflict with or fetter agricultural use on the site or adjoining land having regard to all of the following: | |
| | (a) the characteristics of the proposed non- agricultural use; | |
| | (b) the characteristics of the existing or likely agricultural use; | |
| | (c) setback to site boundaries and separation distance between the proposed nonagricultural use and existing or likely agricultural use; | |
| | (d) any characteristics of the site and adjoining land that would buffer the proposed non- agricultural use from the adverse impacts on amenity from existing or likely agricultural use. | |
| A2 | P2 | |
| No acceptable solution. | An Extractive industry use must satisfy all of the following: | |
| | (a) be required to locate on the site for one or more of the following reasons: | |
| | (i) to access a specific naturally occurring resource on the site or on land in the vicinity of the site; | |
| | (ii) to access infrastructure only available on the site or on land in the vicinity of | |

| the site; |
|---|
| (iii) for operational efficiency; |
| (b) demonstrate a significant benefit to the region, having regard to the economic, social and environmental costs and benefits of the potential use; and |
| (c) minimise the permanent loss of land for agricultural use. |

27.4 Development Standards for Buildings and Works

27.4.1 Building Height

Objective:

To ensure that building height contributes positively to the rural landscape and does not result in unreasonable impact on residential amenity of land.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1 | P1 |
| Building height must be no more than: | Building height must satisfy all of the following: |
| 8.5 m if for a residential use.10 m otherwise. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by overlooking and loss of privacy; |
| | (c) if for a non-residential use, the height is necessary for that use. |

27.4.2 Setback

Objective:

To minimise land use conflict and fettering of use of rural land from residential use, maintain desirable characteristics of the rural landscape and protect environmental values in adjoining land zoned Environmental Management.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Building setback from frontage must be no less than: | Building setback from frontage must satisfy all of the following: |
| 20 m. | (a) be consistent with any Desired Future Character Statements provided for the area; |
| | (b) minimise adverse impact on the rural landscape as viewed from the road; |
| | (c) be no less than 10 m unless the lot size is |

| | | | less than the minimum lot size in this zone or if there is an existing building set back less than this distance, the setback must not be less than the existing building. |
|-----|---|--------------|--|
| A2 | | P2 | |
| | ding setback from side and rear boundaries at be no less than: | | ding setback from side and rear boundaries at satisfy all of the following: |
| 100 | m. | (a) | be sufficient to prevent potential for land use conflict that would fetter non-sensitive use of adjoining land; |
| | | (b) | be no less than: |
| | | an e | n, if the lot is greater than 1 ha or if there is existing building set back less than this ance, the setback must not be less than the ting building; |
| | | ther this | n, if the lot is less than or equal to 1 ha or if re is an existing building set back less than distance, the setback must not be less than existing building. |
| А3 | | Р3 | |
| | ding setback for buildings for sensitive use st comply with all of the following: | | ding setback for buildings for sensitive use at satisfy all of the following: |
| (a) | be sufficient to provide a separation distance from horticultural use or crop production on adjoining land of 200m; | (a) | be sufficient to prevent potential for land use conflict that would fetter non-sensitive use of adjoining land; |
| (b) | be sufficient to provide a separation distance from land zoned Rural Resource of | (b) | be sufficient to provide a separation distance no less than: |
| | 100 m. | | n from horticultural use or crop production adjoining land or if there is an existing ding with a separation distance less than this ance, the separation distance must not be than the existing building; |

27.4.3 Design

| 01.5 | |
|------|---------|
| ()h | DCTIVO: |
| | ective: |

To ensure that the location and appearance of buildings and works minimises adverse impact on the rural landscape.

40 m from land zoned Rural Resource or if there is an existing building with a separation distance less than this distance, the separation distance must not be less than the existing building.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1 | P1 |
| The location of buildings and works must comply | The location of buildings and works must satisfy |

with any of the following:

- (a) be located in an area not requiring the clearing of native vegetation and not on a skyline or ridgeline;
- (b) be located within a building area, if provided on the title;
- (c) be an addition or alteration to an existing building.

all of the following:

- (a) be located in and area requiring the clearing of native vegetation only if:
 - there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope, or the location is necessary for the functional requirements of infrastructure;
 - the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures;
- (b) be located on a skyline or ridgeline only if:
 - there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope, or the location is necessary for the functional requirements of infrastructure;
 - (ii) significant impact on the rural landscape is minimised through the height of the structure, landscaping and use of colours with a light reflectance value not greater than 40 percent for all exterior building surfaces;
- (c) be consistent with any Desired FutureCharacter Statements provided for the area.

A2

Buildings must have external finishes that are non-reflective and coloured to blend with the rural landscape. P2

No Performance Criteria.

A3

The depth of any fill or excavation must be no more than 2 m from natural ground level, except where required for building foundations.

Р3

The depth of any fill or excavation must be kept to a minimum so that the development satisfies all of the following:

- (a) does not have significant impact on the rural landscape of the area;
- (b) does not unreasonably impact upon the privacy of adjoining properties;
- (c) does not affect land stability on the lot or adjoining areas.

27.4.4 Plantation Forestry

Objective:

To ensure that plantation forestry does not:

- (a) displace crop production on prime agricultural land;
- (b) does not significantly impact watercourses, sensitive uses and landscape values.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Plantation forestry, including establishment and harvesting, must comply with a certified Forest Practices Plan. | No Performance Criteria. |
| A2 | P2 |
| No Acceptable Solution. | Plantation forestry must not occur on prime agricultural land. |

27.5 Development Standards for Subdivision

27.5.1 New Lots

| Objective: | | |
|--|--------------------------|--|
| To prevent fragmentation and fettering of agricultural land. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| A lot is for public open space, a riparian or littoral reserve, or a Utilities, Emergency services, or Community meeting and entertainment use class, by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority. | No Performance Criteria. | |

27.5.2 Reorganisation of Boundaries

Objective:

To promote the consolidation of rural resource land and to allow for the rearrangement of existing titles, where appropriate, to provide for a better division of land.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| A lot is for public open space, a riparian or littoral reserve or utilities. | The reorganisation of boundaries must satisfy all of the following: |
| | (a) all existing lots are adjoining or separated only by a road; |
| | (b) no existing lot was formally a crown reserved road or other reserved land; |

- (c) provide for the sustainable commercial operation of the land by either:
 - (i) encompassing all or most of the agricultural land and key agricultural infrastructure (including the primary dwelling) in one lot, the 'primary agricultural lot', as demonstrated by a whole farm management plan,
 - (ii) encompassing an existing or proposed non-agricultural rural resource use in one lot;
- (d) if a lot contains an existing dwelling, setbacks to new boundaries satisfy clause 27.4.2;
- (e) if containing a dwelling, other than the primary dwelling, the dwelling is surplus to rural resource requirements of the primary agricultural lot;
- (f) a new vacant lot must:
 - contain land surplus to rural resource requirements of the primary agricultural lot;
 - (ii) not result in increased demand for public infrastructure or services;
- (g) all new lots must comply the following:
 - (i) be no less than 1 ha in size;
 - (ii) have a frontage of no less than 25 m;
 - (iii) be serviced by safe vehicular access arrangements;
- (h) be consistent with any Local Area
 Objectives or Desired Future Character
 Statements provided for the area.

28.0 Utilities Zone

28.1 Zone Purpose

- 28.1.1 Zone Purpose Statements
- 28.1.1.1 To provide land for major utilities installations and corridors.
- 28.1.1.2 To provide for other compatible uses where they do not adversely impact on the utility.
- 28.1.2 Local Area Objectives

There are no local area objectives for this zone.

28.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

28.2 Use Table

| No Permit Required | | |
|--|---|--|
| Use Class | Qualification | |
| Utilities | Only if minor utilities. | |
| Natural and cultural values management | | |
| Permitted | | |
| Use Class | Qualification | |
| Recycling and waste disposal | Only if existing facility. | |
| Utilities | Except if No Permit Required. | |
| Discretionary | | |
| Use Class | Qualification | |
| Bulky goods sales | Only if at a refuse disposal site or waste transfer station. | |
| Emergency services | | |
| General retail and hire | Only if at Southbridge Waste Transfer Station (CT134806/1). | |
| Passive recreation | | |
| Recycling and waste disposal | Except if Permitted. | |
| Research and development | | |
| Service industry | | |
| Sports and recreation | | |
| Storage | Only if associated with a utility. | |
| Transport depot and distribution | | |
| Tourist operation | Only if visitor information or visitor centre adjacent to or on a road. | |
| Vehicle parking | | |
| Prohibited | l . | |
| Use Class | Qualification | |
| All other uses | | |

28.3 Use Standards

28.3.1 Hours of Operation

Objective:

To ensure that hours of operation do not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Hours of operation of a use within 50 m of a residential zone must be within 7.00 am to 7.00 pm, except if: (i) for office and administrative tasks; or | Hours of operation of a use within 50 m of a residential zone must not have an unreasonable impact upon the residential amenity of land in a residential zone through commercial vehicle movements, noise or other emissions that are unreasonable in their timing, duration or extent. |
| (ii) a Utilities use. | |

28.3.2 Noise

Objective:

To ensure that noise emissions do not cause environmental harm and do not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | | Performance Criteria |
|---|--|---|
| A1 | | P1 |
| Noise emissions measured at the boundary of a residential zone must not exceed the following: | | Noise emissions measured at the boundary of a residential zone must not cause environmental |
| (a) | 55 dB(A) (LAeq) between the hours of 7.00 am to 7.00 pm; | harm within the residential zone. |
| (b) | 5dB(A) above the background (LA90) level or 40dB(A) (LAeq), whichever is the lower, between the hours of 7.00 pm to 7.00 am; | |
| (c) | 65dB(A) (LAmax) at any time. | |
| Measurement of noise levels must be in accordance with the methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness. | | |
| Noise levels are to be averaged over a 15 minute time interval. | | |

28.3.3 External Lighting

Objective:

To ensure that external lighting (not including street lighting) does not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1 | P1 |
| External lighting (not including street lighting) within 50 m of a residential zone must comply with all of the following: (a) be turned off between 10:00 pm and 6:00 | External lighting within 50 m of a residential zone must not adversely affect the amenity of adjoining residential areas, having regard to all of the following: |
| | (a) level of illumination and duration of |

| | am, except for security lighting; | | lighting; |
|-----|---|-----|--|
| (b) | security lighting must be baffled to ensure they do not cause emission of light outside the zone. | (b) | distance to habitable rooms in an adjacent dwelling. |

28.3.4 Commercial Vehicle Movements

Objective:

To ensure that commercial vehicle movements not have unreasonable impact on residential amenity on land within a residential zone.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must be within the hours of: | Commercial vehicle movements, (including loading and unloading and garbage removal) to or from a site within 50 m of a residential zone must not result in unreasonable adverse impact | |
| (a) 7.00 am to 7.00 pm Mondays to Fridays inclusive; | upon residential amenity having regard to all of the following: | |
| (b) 9.00 am to 5.00 pm Saturdays; | (a) the time and duration of commercial vehicle movements; | |
| (c) Nil Sundays and Public Holidays. | (b) the number and frequency of commercial vehicle movements; | |
| | (c) the size of commercial vehicles involved; | |
| | (d) the ability of the site to accommodate commercial vehicle turning movements, including the amount of reversing (including associated warning noise); | |
| | (e) noise reducing structures between vehicle movement areas and dwellings; | |
| | (f) the level of traffic on the road; | |
| | (g) the potential for conflicts with other traffic. | |

28.3.5 Discretionary Use

| \sim | ı_ : | 1 | L: | |
|--------|------|-----|-----|----|
| () | nı | ect | ГΙΝ | ρ. |

To ensure that uses not directly associated with a utility do not compromise the use of that land for utility purposes.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No Acceptable Solution. | Discretionary use must not compromise or reduce the operational efficiency of an existing or intended utility having regard to all of the following: (a) the compatibility of the utility and the proposed use; |

| (b) the location of the proposed use in relation to the utility; |
|--|
| (c) any required buffers or setbacks; |
| (d) access requirements. |

28.4 Development Standards for Buildings and Works

28.4.1 Building Height

Objective:

To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Building height must be no more than: 10 m. | Building height must satisfy all of the following: | |
| | (a) be consistent with any Desired Future Character Statements provided for the area; | |
| | (b) be compatible with the scale of nearby buildings unless the height is necessary for the functional requirements of infrastructure; | |
| | (c) not unreasonably overshadow adjacent public space; | |
| | (d) allow for a transition in height between adjoining buildings, where appropriate. | |
| A2 | P2 | |
| Building height within 10 m of a residential zone must be no more than 8.5 m. | Building height within 10 m of a residential zone must be compatible with the building height of existing buildings on adjoining lots in the residential zone unless the height is necessary for the functional requirements of infrastructure | |

28.4.2 Setback

Objective:

To ensure that building setback contributes positively to the streetscape and does not result in unreasonable impact on residential amenity of land in a residential zone.

| Acceptable Solutions | | Performance Criteria | |
|----------------------|--|----------------------|---|
| A1 | | P1 | |
| Buil thar | ding setback from frontage must be no less n: | | ding setback from frontage must satisfy all of following: |
| (a) | 10m, if fronting the Huon Highway in all localities; | (a) | be consistent with any Desired Future Character Statements provided for the area; |

| (b) nil, in fronting any other road. | (b) be compatible with the setback of adjoining buildings, generally maintaining a continuous building line if evident in the streetscape; |
|--|--|
| | (c) enhance the characteristics of the site, adjoining lots and the streetscape. |
| A2 | P2 |
| Building setback from a residential zone must be no less than: (a) 5 m; | Building setback from a residential zone must be sufficient to prevent unreasonable adverse impacts on residential amenity by: |
| (b) half the height of the wall, whichever is the greater. | (a) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; |
| | (b) overlooking and loss of privacy; |
| | (c) visual impact when viewed from adjoining lots. |

28.4.3 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of the site and provides a visual break from land in a residential zone.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Landscaping is not required along the frontage of a site if the building has nil setback to frontage. | Landscaping must be provided to satisfy all of the following: | |
| | (a) enhance the appearance of the development; | |
| | (b) provide a range of plant height and forms to create diversity, interest and amenity; | |
| | (c) not create concealed entrapment spaces; | |
| | (d) be consistent with any Desired Future Character Statements provided for the area. | |
| A2 | P2 | |
| Along a boundary with a residential zone landscaping must be provided for a depth no less than: 10 m. | Along a boundary with a residential zone landscaping or a building design solution must be provided to avoid unreasonable adverse impact on the visual amenity of adjoining land in a residential zone, having regard to the characteristics of the site and the characteristics of the adjoining residentially-zones land. | |

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acc | eptable Solutions | Performance Criteria |
|------------|--|---|
| A1 | | P1 |
| | door storage areas for non-residential uses st comply with all of the following: | Outdoor storage areas for non-residential uses must satisfy all of the following: |
| (a) (b) | be located behind the building line; all goods and materials stored must be screened from public view; | (a) be located, treated or screened to avoid unreasonable adverse impact on the visual amenity of the locality; |
| (c) | not encroach upon car parking areas, driveways or landscaped areas. | (b) not encroach upon car parking areas, driveways or landscaped areas. |

28.4.5 Fencing

Objective:

To ensure that fencing does not detract from the appearance of the site or the locality and provides for passive surveillance.

| Acceptable Solutions | | Performance Criteria | |
|----------------------|--|---------------------------------------|---|
| A1 | | P1 | |
| · | | Fend stree adve resid com | cing must contribute positively to the etscape and not have an unreasonable erse impact upon the amenity of land in a dential zone which lies opposite or shares a mon boundary with a site, having regard to f the following: the height of the fence; the degree of transparency of the fence; the location and extent of the fence; the design of the fence; the fence materials and construction; the nature of the use; the characteristics of the site, the streetscape and the locality, including fences; any Desired Future Character Statements |
| | | (, | provided for the area. |

28.5 Development Standards for Subdivision

28.5.1 Subdivision

Objective:

To provide for lots appropriate to accommodate development consistent with the Zone Purpose

| and any relevant Local Area Objectives or Desired Future Character Statements. | | |
|--|--|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Subdivision is for the purpose of providing lots for public open space, a riparian or littoral reserve or utilities. | Subdivision is for the purpose of providing a lot for an allowable use. | |
| A2 | P2 | |
| The frontage for each lot must be no less than 15 m. | The frontage of each lot must be capable of adequately serving the intended purpose. | |
| A3 | Р3 | |
| Services capable of adequately serving the intended purpose must be connected to each lot. | Where reticulated services are unavailable but needed for the intended purpose, the lots must be capable of: | |
| | (a) being self sufficient for potable water adequate for the intended purpose; | |
| | (b) accommodating an wastewater management system adequate for the intended purpose; | |
| | (c) accommodating an on-site stormwater management system adequate for the intended purpose, | |
| | as the case may be. | |

29.0 Environmental Management Zone

29.1 Zone Purpose

- 29.1.1 Zone Purpose Statements
- 29.1.1.1 To provide for the protection, conservation and management of areas with significant ecological, scientific, cultural or aesthetic value, or with a significant likelihood of risk from a natural hazard.
- 29.1.1.2 To only allow for complementary use or development where consistent with any strategies for protection and management.
- 29.1.1.3 To facilitate passive recreational opportunities which are consistent with the protection of natural values in bushland and foreshore areas.
- 29.1.1.4 To recognise and protect highly significant natural values on private land.
- 29.1.1.5 To protect natural values in undeveloped areas of the coast.
- 29.1.2 Local Area Objectives

There are no local area objectives for this zone.

29.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

29.2 Use Table

| No Permit Required | | | | |
|-------------------------------------|---|--|--|--|
| Use Class Qualification | | | | |
| Natural and cultural values | Quantication | | | |
| management | | | | |
| Passive recreation | | | | |
| Permitted | | | | |
| Use Class | Qualification | | | |
| Community meeting and entertainment | Only if a reserve management plan applies. | | | |
| Educational and occasional care | Only if a reserve management plan applies. | | | |
| Emergency services | Only if a reserve management plan applies. | | | |
| Food services | Only if a reserve management plan applies. | | | |
| General retail and hire | Only if a reserve management plan applies. | | | |
| Pleasure boat facility | Only if a reserve management plan applies. | | | |
| Research and development | Only if a reserve management plan applies. | | | |
| Residential | Only if a reserve management plan applies. | | | |
| Sports and recreation | Only if a reserve management plan applies. | | | |
| Tourist operation | Only if a reserve management plan applies. | | | |
| Utilities | Only if a reserve management plan applies. | | | |
| Vehicle parking | Only if a reserve management plan applies. | | | |
| Visitor accommodation | Only if a reserve management plan applies. | | | |
| Discretionary | | | | |
| Use Class | Qualification | | | |
| Community meeting and entertainment | Except if permitted. | | | |
| Emergency services | Except if permitted. | | | |
| Extractive Industry | Only in Conservation Area, Regional Reserve or Public Reserve under the <i>Crown Lands Act 1976</i> . | | | |
| Pleasure boat facility | Except if permitted. | | | |
| Port and shipping | Only if existing facility. | | | |
| Research and development | Except if permitted. | | | |
| Resource development | Only if for grazing of animals on native pasture or existing non- native pasture. | | | |
| | Only if marine farming shore facility or other facility dependant on a coastal location. | | | |

| Resource processing | Only if dependant on a coastal location. | |
|-----------------------|--|--|
| Sports and recreation | Except if permitted. | |
| Tourist operation | Except if permitted. | |
| Utilities | Except if Permitted. | |
| Vehicle parking | | |
| Visitor accommodation | Except if Permitted. | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses | | |

29.3 Use Standards

29.3.1 Use Standards for Reserved Land

| Objective: | | | |
|---|--|--|--|
| To provide for use consistent with any strategies for the protection and management of reserved land. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Use is undertaken in accordance with a reserve | Use must satisfy all of the following: | | |
| management plan. | (a) be complementary to the use of the reserved land; | | |
| | (b) be consistent with any applicable objectives for management of reserved land provided by the National Parks and Reserves Management Act 2002; | | |
| | (c) not have an unreasonable impact upon the amenity of the surrounding area through commercial vehicle movements, noise, lighting or other emissions that are unreasonable in their timing, duration or extent. | | |

29.4 Development Standards for Buildings and Works

29.4.1 Building Height

| Objective: | | |
|---|--|--|
| To ensure that building height contributes positively to the landscape and does not result in unreasonable impact on residential amenity of adjoining land. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Building height comply with any of the following: | Building height must satisfy all of the following: | |

as proscribed in an applicable reserve (a) be consistent with any Desired Future management plan; Character Statements provided for the area or, if no such statements are provided, have (b) be no more than 7.5 m. regard to the landscape of the area; (b) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: overlooking and loss of privacy; (ii) visual impact when viewed from adjoining lots, due to bulk and height; be reasonably necessary due to the slope of the site or for the functional requirements

29.4.2 Setback

Objective:

To maintain desirable characteristics of the landscape, protect amenity of adjoining lots, avoid land use conflict and fettering of use on nearby rural land and protect environmental values on adjoining land zoned Environmental Living and adjoining land in the World Heritage Area.

of infrastructure.

| Acceptable Solutions | | Performance Criteria | |
|---|---|---|---|
| A1 | | P1 | |
| Building setback from frontage must comply with any of the following: | | Building setback from frontage must satisfy all of the following: | |
| (a) as proscrib manageme (b) be no less | • | (a) | be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape; |
| | | (b) | minimise adverse impact on the landscape as viewed from the road; |
| | | (c) | be consistent with the prevailing setbacks of existing buildings on nearby lots; |
| | | (d) | minimise loss of native vegetation within the front setback where such vegetation makes a significant contribution to the landscape as viewed from the road. |
| A2 | | P2 | |
| Building setback from side and rear boundaries must comply with any of the following: | | | ding setback from side and rear boundaries t satisfy all of the following: |
| (a) as proscrib manageme (b) be no less | • | (a) | be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape; |
| | | (b) | be sufficient to prevent unreasonable adverse impacts on residential amenity on |

adjoining lots by: overlooking and loss of privacy; visual impact, when viewed from adjoining lots, through building bulk and massing. **A3 P3** Buildings and works must be setback from land Buildings and works must be setback from land zoned Environmental Living no less than 30 m. zoned Environmental Living to satisfy all of the following: (a) there is no unreasonable impact from the development on the environmental values of the land zoned Environmental Living; (b) the potential for the spread of weeds or soil pathogens onto the land zoned Environmental Living is minimised; (c) there is minimal potential for contaminated or sedimented water runoff impacting the land zoned Environmental Living; (d) there are no reasonable and practical alternatives to developing close to land zoned Environmental Living; be no less than 10m or if there is an existing building setback less than this distance, the setback must not be less than the existing building. Α4 **P4** Building setback for buildings for sensitive use Building setback for buildings for sensitive use (including residential use) must comply with all (including residential use) must satisfy all of the of the following: following: (a) be sufficient to provide a separation (a) be sufficient to prevent potential for land distance from land zoned Rural Resource no use conflict that would fetter resource less than 100 m; development use of adjoining land; (b) be sufficient to provide a separation (b) be sufficient to provide a separation distance from land zoned Significant distance no less than: Agriculture no less than 200 m. 40 m from land zoned Rural Resource or if there is an existing building with a separation distance less than this distance, the separation distance must not be less than the existing building; 80 m from land zoned Significant Agriculture or if there is an existing building with a separation distance less than this distance, the separation distance must not be less than the existing building. Α5 Р5

Buildings setback from the Tasmanian Wilderness World Heritage Area must comply with any of the following:

- (a) as proscribed in an applicable reserve management plan;
- (b) be no less than 500 m.

Building setback from the Tasmanian Wilderness World Heritage Area must satisfy all of the following:

- there is no significant impact from the development on the environmental values of the land within the World Heritage Area;
- (b) the potential for the spread of weeds or soil pathogens onto the land within the World Heritage Area is minimised;
- (c) there is minimal potential for contaminated or sedimented water runoff impacting the land within the World Heritage Area;
- (d) there are no reasonable and practical alternatives to developing close to the land within the World Heritage Area.

29.4.3 Design

Objective:

To ensure that the location and appearance of buildings and works minimises adverse impact on natural values and on the landscape.

Acceptable Solutions

Α1

The location of buildings and works must comply with any of the following:

- (a) be located on a site that does not require the clearing of native vegetation and is not on a skyline or ridgeline;
- (b) be located within a building area, if provided on the title;
- (c) be an addition or alteration to an existing building;
- (d) as prescribed in an applicable reserve management plan.

Performance Criteria

P1

The location of buildings and works must satisfy all of the following:

- (a) be located in an area requiring the clearing of native vegetation only if:
 - there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope;
 - the extent of clearing is the minimum necessary to provide for buildings, associated works and associated bushfire protection measures;
 - (iii) the location of clearing has the least environmental impact;
- (b) be located on a skyline or ridgeline only if:
 - there are no sites clear of native vegetation and clear of other significant site constraints such as access difficulties or excessive slope;
 - (ii) there is no significant impact on the rural landscape;
 - (iii) building height is minimised;

| (iv) any screening vegetation is maintained. | |
|--|--|
| (c) be consistent with any Desired Future Character Statements provided for the area or, if no such statements are provided, have regard to the landscape. | |
| P2 | |
| Exterior building surfaces must avoid adverse impacts on the visual amenity of neighbouring land and detracting from the contribution the site makes to the landscape, views and vistas. | |
| Р3 | |
| Fill and excavation must satisfy all of the following: | |
| (a) there is no adverse impact on natural values; | |
| (b) does not detract from the landscape character of the area; | |
| (c) does not impact upon the privacy for adjoining properties; | |
| (d) does not affect land stability on the lot or adjoining land. | |
| | |

29.5 Development Standards for Subdivision

29.5.1 Subdivision

| Objective: | | | | |
|--|---|---|--|--|
| То є | To ensure subdivision of land is for the management of environmental values. | | | |
| Acceptable Solutions | | Performance Criteria | | |
| A1 | | P1 | | |
| Subdivision must comply with any of the following: | | Subdivision is for the purpose of providing a lot for an allowable use. | | |
| (a) | be for the purpose of providing for public open space, a reserve, or a Utilities, Emergency services, or Community meeting and entertainment use class, by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority. be for lots proscribed in an applicable reserve management plan. | | | |

30.0 Major Tourism Zone

This zone is not used in this planning scheme.

31.0 Port and Marine Zone

This zone is not used in this planning scheme.

32.0 Particular Purpose Zone 1 - Urban Growth Zone

32.1 Zone Purpose

- 32.1.1 Zone Purpose Statements
- 32.1.1.1 To identify non-urban land intended to be largely converted to urban use and development in the future.
- 32.1.1.2 To ensure that the development of the identified non-urban land does not compromise its potential for future urban use and development.

32.1.2 Local Area Objectives

| Loca | Local Area Objectives | | Implementation Strategy | |
|---|-----------------------|--|--|--|
| Cyg | net | | 1 | |
| Land is developed in response to demonstrated demand and detailed local area planning to resolve: | | | Reserving the land for future development. | |
| (a) | | ne area generally between Mary Street Thorpe Street: | | |
| | (i) | the allocation of land for residential, business and open space purposes; | | |
| | (ii) | the need for and alignment of any additional road connectivity between land on either side of Agnes Rivulet; | | |
| | (iii) | the efficient alignment of roads, ways and infrastructure; and | | |
| | (iv) | any need for specific density and urban design provisions. | | |
| (b) | in th | ne area east of the Esplanade: | | |
| | (i) | the efficient alignment of roads, ways and infrastructure; and | | |
| | (ii) | the timing, funding and nature of upgrades to the adjacent sewerage treatment plan. | | |
| Frar | nklin | | | |
| | | eveloped in response to demonstrated and detailed local area planning to | Reserving the land for future development | |

32.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

32.2 Use Table

| No Permit Required | | | | |
|--|---|--|--|--|
| Use Class | Qualification | | | |
| Natural and cultural values management | | | | |
| Permitted | | | | |
| Use Class | Qualification | | | |
| Residential | Only if a single dwelling or home-based business. | | | |
| Resource development | Only if agricultural use except for controlled environment agriculture. | | | |
| Utilities | Only if minor utilities | | | |
| Discretionary | | | | |
| Use Class | Qualification | | | |
| Passive recreation | | | | |
| Utilities | Except if permitted | | | |
| Prohibited | | | | |
| Use Class | Qualification | | | |

32.3 Use Standards

There are no use standards in this zone.

32.4 Development Standards for Buildings and Works

32.4.1 Buildings and Works

| Objective: | |
|---|--|
| To ensure that development does not prejudice the efficient future utilisation of land for urban development. | |
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Development must comply with any of the following: | Development must not preclude or hinder the effective and efficient future subdivision and |

| (a) | be for an addition to an existing dwelling, an ancillary dwelling or a home based business; | development of the land to urban densities. |
|-----|--|---|
| (b) | be for a single dwelling and is on a lot no more than 2,000 m2 in size; | |
| (c) | be of a temporary nature able to be readily removed prior to the development of the land for urban purposes. | |

32.5 Development Standards for Subdivision

32.5.1 Subdivision

Objective:

| To ensure that subdivision of land not in accordance with a Specific Area Plan does not prejudice the efficient future utilisation of land for urban development. | | |
|---|--|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No Acceptable Solution. | Subdivision of land must satisfy either of the following: | |
| | (a) be to provide for public open space, a public reserve, or a Utilities use class by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority. | |
| | (b) be for the excision of an existing dwelling provided that the lot design and layout does not preclude or hinder the effective and efficient future subdivision and development of the land to urban densities. | |

33.0 Particular Purpose Zone 2 - Future Road Corridor

33.1 Zone Purpose

- 33.1.1 Zone Purpose Statements
- 33.1.1.1 To identify land that may be required for a road corridor in the future.
- 33.1.1.2 To protect the corridor from use or development, including on adjacent land, which may affect the future safety, efficiency and amenity of the road corridor or the use or development on adjoining land.
- 33.1.1.3 To ensure that a future corridor is not compromised by use or development that prevents the road being constructed through its chosen route as a result of an increase in social or economic costs.
- 33.1.2 Local Area Objectives

There are no Local Area Objectives for this zone.

33.1.3 Desired Future Character Statements

There are no Desired Future Character Statements for this zone.

33.2 Use Table

| No Permit Required | |
|--|---|
| Use Class | Qualification |
| Natural and cultural values management | |
| Permitted | |
| Use Class | Qualification |
| Passive recreation | |
| Resource development | Only if agricultural use except for controlled environment agriculture, tree farming and plantation forestry. |
| Utilities | Only if minor utilities or road infrastructure. |
| Discretionary | |
| Use Class | Qualification |
| Resource development | Except if permitted. |
| Utilities | Except if permitted. |
| Prohibited | |
| Use Class | Qualification |

33.3 Use Standards

There are no Use Standards for this zone.

33.4 Development Standards for Buildings and Works

33.4.1 Buildings and Works

| Objective: | | |
|--|---|--|
| To ensure that buildings and works are for road infrastructure or do not prejudice the future use and development of land for road infrastructure. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Buildings or works are for the development of a road by, or under the direction of, the Road Authority. | Buildings or work must not preclude the future use and development of land for road infrastructure. | |
| A2 | P2 | |
| Buildings and other permanent improvements must comply with the consent of the Minister pursuant to S.9A(5) of the <i>Roads and Jetties Act</i> | No Performance Criteria. | |

33.5 Development Standards for Subdivision

33.5.1 Subdivision

| Objective: To ensure that the subdivision of land does not prejudice the future use of land for road infrastructure. | | |
|---|--------------------------|--|
| | | |
| A1 | P1 | |
| Subdivision is for the purposes of creating a lot for the development of a road by, or under the direction of, the Road Authority. | No Performance Criteria. | |
| A2 | P2 | |
| Subdivision must comply with the consent of the Minister pursuant to S.9A(5) of the <i>Roads and Jetties Act 1935</i> , where the land is declared to be the intended line of a state highway or subsidiary road. | No Performance Criteria. | |

34.0 Particular Purpose Zone 3 - Southwood Integrated Timber Processing Site

- 34.1 Zone Purpose
- 34.1.1 Zone Purpose Statements
- 34.1.1.1 To recognise the regional economic importance of Southwood and its strategic location for timber, mineral and rural resources.
- 34.1.1.2 To ensure the integration of infrastructure and use within the site.
- 34.1.1.3 To provide for the protection of water resources.
- 34.1.2 Local Area Objectives

There are no local area objectives for this zone.

34.1.3 Desired Future Character Statements

There are no desired future character statements for this zone.

34.2 Use Table

| No permit required | |
|--------------------|---------------|
| Use Class | Qualification |
| Permitted | |

| Use Class | Qualification | |
|--|--|--|
| Bulky goods sales | Only if timber yard. | |
| Extractive industry | | |
| Manufacturing and processing | Only if primary input is timber, mineral or agricultural resource. | |
| Natural and cultural values management | | |
| Resource processing | Only if primary input is timber, mineral or agricultural resource. | |
| Service industry | Only is primarily related to machinery or vehicles associated with timber, mineral or agricultural resource. | |
| Storage | Only if liquid fuel depot, solid fuel depot or wood yard. | |
| Utilities | | |
| Discretionary | | |
| Use Class | Qualification | |
| Emergency services | | |
| Food services | | |
| Manufacturing and processing | Except if permitted. | |
| Research and development | | |
| Recycling and waste disposal | | |
| Resource processing | Except if permitted. | |
| Transport depot and distribution | | |
| Vehicle fuel sales and services | Only if primarily related to vehicles associated with timber, mineral or agricultural resource. | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses. | | |

34.3 Use Standards

34.3.1 Discretionary Uses

| Objective: | | |
|--|--|--|
| To ensure that discretionary uses protect the operational efficiency of existing uses. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| No acceptable solution. | Discretionary uses must satisfy all of the following: | |
| | (a) not compromise the operational efficiency of any existing use in the zone through conflicts over matters including vehicular | |

| | access, amenity, operational hours, use and capacity of existing infrastructure; |
|-----|--|
| (b) | be of a scale or purpose that can complement existing uses. |

34.3.2 Location of Use

| Objective: | | |
|---|--|--|
| To ensure discretionary uses benefit from the site's strategic positioning. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| No acceptable solution. | Discretionary uses must benefit from the location of the site, existing infrastructure or forestry road network to the extent that the use cannot reasonably be located in a Light Industrial Zone or General Industrial Zone elsewhere in the municipal area. | |

34.4 Development Standards for Buildings and Works

34.4.1 Setback

| Objective: | | | |
|---|---|--|--|
| To protect the aesthetic and environmental qualities of the Huon River. | | | |
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| Buildings setback must be no less than 100m from the Huon River except for a building with a gross floor area no more than 20m ² . | Building setback must satisfy all of the following: | | |
| | (a) minimise adverse impact on the landscape as viewed from the Huon River; | | |
| | (b) maintain soil and water quality alongside of the Huon River. | | |

35.0 Particular Purpose Zone 4 - Franklin Marine and Tourism Precinct

35.1 Zone Purpose

- 35.1.1 Zone Purpose Statements
- 35.1.1.1 To provide for boat and ship building activities alongside education, recreation and tourism activities.
- 35.1.1.2 To retain and enhance access to the Huon River.
- 35.1.2 Local Area Objectives

| Local Area Objectives | Implementation Strategy |
|-----------------------------------|-------------------------|
| Franklin Evaporators (CT 45212/1) | |

| The former industrial site will become a tourism | Provide for a range of complementary uses. |
|---|--|
| drawcard providing for a range of uses that | |
| complement and benefit from proximity to | |
| established boat building facilities and the Huon | |
| River. | |
| | |

35.1.3 Desired Future Character Statements

| Desired Future Character Statements | Implementation Strategy |
|---|--|
| Applicable to entire zone | |
| Development within 15m of Main Road / Huon Highway is of a scale and design that is respectful of traditional residential form exemplified by existing buildings along Main Road / Huon Highway, Franklin that are within the Franklin Heritage Specific Area Plan. | Building height and design standards will require modest, single storey building design respectful of traditional residential form whilst providing for commercial or community use. |

35.2 Use Table

| No permit required | | |
|--|--|--|
| Use Class | Qualification | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Permitted | | |
| Use Class | Qualification | |
| Educational and occasional care | Except if a childcare care, day respite facility, kindergarten and primary school. | |
| General retail and hire | Only if related to boating or shipping. | |
| Manufacturing and processing | Only if related to boat or ship building. | |
| Service industry | Only if for the cleaning, maintenance or repair of boats or ships. | |
| Sports and recreation | Only if outdoor recreation facility. | |
| Discretionary | | |
| Use Class | Qualification | |
| Community meeting and entertainment | | |
| Food services | | |
| General retail and hire | Except for department store or supermarket. | |
| Hotel industry | Only if located on CT 45212/1. | |
| Pleasure boat facility | | |
| Port and shipping | | |
| Research and development | | |

| Resource processing | | |
|-----------------------|--------------------------------|--|
| Tourism operation | | |
| Visitor accommodation | Only if located on CT 45212/1. | |
| Prohibited | | |
| Use Class | Qualification | |
| All other uses. | | |

35.3 Use Standards

There are no use standards for this zone.

35.4 Development Standards for Buildings and Works

35.4.1 Building height

| Obj | Objective: | | | |
|-----------|---|------|---|--|
| | To ensure that building height contributes positively to the streetscape and does not result in unreasonable impact on amenity of adjoining land. | | | |
| Acc | eptable Solutions | Per | formance Criteria | |
| A1 | | P1 | | |
| Buil | ding height must be no more than: | Buil | ding height must satisfy all of the following: | |
| (a) | 5m if within 20m of the centreline of Main Road / Huon Highway; | (a) | be the minimal necessary for the purpose of the building; | |
| (b) | 9m elsewhere. | (b) | prevent visual impact when viewed from adjoining lots, due to bulk and height; | |
| | | (c) | be compatible with the scale of other buildings in the zone; | |
| | | (d) | not unreasonably overshadow adjacent public space; | |
| | | (e) | be no more than 8m if within 20m of the Centreline of Main Road / Huon Highway. | |

35.4.2 Design

| Objective: | | |
|---|---|--|
| To ensure that building design is sympathetic to typical buildings forms within the zone and within Franklin. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| Building design must address the street by complying with all of the following: | Building design must enhance the streetscape by satisfying all of the following: | |
| (a) provide the main pedestrian entrance to the building at the frontage; | (a) provide the main access to the building in a way that addresses the street or other | |
| (b) avoid large expanses of blank walls in the | public space boundary; | |

front façade and facades facing other public (b) treat large expanses of blank wall in the space boundaries; front façade and facing other public space boundaries with architectural detail or (c) screen mechanical plant and miscellaneous public art so as to contribute positively to equipment such as heat pumps, air the streetscape and public space; conditioning units, switchboards, hot water units or similar from view from the street ensure the visual impact of mechanical (c) and other public spaces; plant and miscellaneous equipment, such as heat pumps, air conditioning units, (d) incorporate roof-top service infrastructure, switchboards, hot water units or similar, is including service plants and lift structures, insignificant when viewed from the street; within the design of the roof; (d) ensure roof-top service infrastructure, (e) provide roof materials that consist of including service plants and lift structures, is painted or unpainted tin, metal, Colorbond screened so as to have insignificant visual or equivalent. impact; (e) have a roof pitch that when viewed in combination the height, scale, bulk and form of other building elements, complements typical building forms elsewhere in Franklin; provide roof materials that consist of (f) painted or unpainted tin, metal, Colorbond or equivalent; (g) be consistent with any Desired Future Character Statements provided for the area. **A2 P2** No acceptable solution. A new building must satisfy all of the following: have a height, scale, bulk and form that does not dominate other buildings in the zone; (b) if within 20m of the centreline of Main Street/ Huon Highway have a height, scale, bulk and form that provides a strongly defined street edge and is respectful of traditional building patterns elsewhere in Franklin;

35.4.3 No build areas

| Objective: | | |
|--|----------------------|--|
| To maintain important vistas of the Huon River from the Huon Highway and side roads. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |

(c) not imitate any building listed on the Tasmanian Heritage Register or in an approved heritage code register or list relating to this planning scheme.

| Buildings and works within the area marked 'No |
|--|
| Build Area' in Figure 35.1 must have a maximum |
| height above existing ground level of no more |
| than 0.25m. |

Buildings and works within the area marked 'No Build Area' in Figure 35.1 must have minimal intrusion on views of the Huon River from a public road.

35.4.1 Public access

| Objective: | | |
|--|---|--|
| To maintain public access to the Huon River. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Buildings and works must not impede public access to the Huon River. | Buildings and works must be designed or sited to maintain or enhance public access to the Huon River. | |



Figure 35.1 No build areas

35.5 Development Standards for Subdivision

There are no standards for subdivision for this zone.

35.5.1 Maximum Number of New Lots off Main Street / Huon Highway

Objective:

To preserve the heritage and character values of Franklin by limiting the number of new lots that can be created if fronting Main Road / Huon Highway.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
|----------------------|----------------------|

| A1 | P1 |
|--|--------------------------|
| For a lot with frontage to Main Road / Huon | No Performance Criteria. |
| Highway, subdivision must create no more than | |
| one new lot from a parent lot in existence as at 1 | |
| July 2012. | |

35.5.2 Subdivision

Objective:

To ensure that subdivision is sympathetic to the historic pattern of subdivision and does not create potential for future incompatible development.

| potential for future incompatible development. | | |
|--|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No acceptable solution. | Subdivision must not result in any of the following: | |
| | (a) detriment to the heritage and character values of Franklin; | |
| | (b) a pattern of subdivision unsympathetic to the heritage and character values of Franklin or the prevailing subdivision pattern; | |
| | (c) size and shape of lots unsympathetic to the heritage and character values of Franklin or the prevailing subdivision pattern; | |
| | (d) loss of curtilage to an existing building that contributes to the heritage and character values of Franklin; | |
| | (e) potential for a confused understanding of the development of Franklin; | |
| | (f) an increased likelihood of future development that is incompatible with the heritage and character values of Franklin. | |

Part E

Codes

E1.0 Bushfire-Prone Areas Code

E1.1 Purpose of the Bushfire-Prone Areas Code

E1.1.1 The purpose of this code is to ensure that use and development is appropriately designed, located, serviced, and constructed, to reduce the risk to human life and property, and the cost to the community, caused by bushfires.

E1.2 Application of this Code

- E1.2.1 This code applies to:
 - (a) subdivision of land that is located within, or partially within, a bushfire-prone area; and
 - (b) a use, on land that is located within, or partially within, a bushfire-prone area, that is a vulnerable use or hazardous use.
- E1.2.2 A permit is required for all use and development to which this code applies that is not exempt from this code under clause E1.4.

E1.3 Definition of Terms in this Code

E1.3.1 In this code, unless the contrary intention appears:

| Term | Definition | |
|------------------------------------|--|--|
| accredited person | means as defined in the Act. | |
| bushfire attack level (BAL) | means the bushfire attack level as defined in Australian Standard AS3959:2018 Construction of buildings in bushfire-prone areas. | |
| bushfire hazard management plan | means as defined in the Act. | |
| bushfire protection measures | means the measures that might be used to reduce the risk of bushfire attack and the threat to life and property in the event of bushfire. | |
| bushfire-prone area | means: | |
| | (a) land that is within the boundary of a bushfire-prone area shown on an overlay on a planning scheme map; or | |
| | (b) where there is no overlay on a planning scheme map, land that is within 100m of an area of bushfire-prone vegetation equal to or greater than 1ha. | |
| bushfire-prone vegetation | means contiguous vegetation including grasses and shrubs but not including maintained lawns, parks and gardens, nature strips, plant nurseries, golf courses, vineyards, orchards or vegetation on land that is used for horticultural purposes. | |

| carriageway | means the section of road formation which is used by traffic, and includes all the area of the traffic lane pavement together with the formed shoulders. | | |
|---------------------------|---|--|--|
| contiguous | means separated by less than 20m. | | |
| fire fighting water point | means the point where a fire appliance is able to connect to a water supply for fire fighting purposes. This includes a coupling in the case of a fire hydrant, offtake or outlet, or the minimum water level in the case of a static water body. | | |
| fire hydrant | means as defined in Australian Standard AS 2419.1-2005 Fire hydrant installations, Part 1: System design, installation and commissioning. | | |
| group home | means use of land for residential accommodation for people with disabilities. | | |
| hardstand | means as defined in Australian Standard AS 2419.1-2005 Fire hydrant installations, Part 1: System design, installation and commissioning. | | |
| hazard management area | means the area, between a habitable building or building area and bushfire- prone vegetation, which provides access to a fire front for fire fighting, which is maintained in a minimal fuel condition and in which there are no other hazards present which will significantly contribute to the spread of a bushfire. | | |
| hazardous use | E1.3 Bushfire-Prone Areas Code means a use where: | | |
| | (a) the amount of hazardous chemicals used, handled, generated or stored on a site exceeds the manifest quantity as specified in the Work Health and Safety Regulations 2012; or | | |
| | (b) explosives are stored on a site and where classified as an explosives location or large explosives location as specified in the <i>Explosives Act 2012</i> . | | |
| hose lay | means the distance between two points established by a fire hose laid out on the ground, inclusive of obstructions. | | |
| property access | means the carriageway which provides vehicular access from the carriageway of a road onto land, measured along the centre line of the carriageway, from the edge of the road carriageway to the nearest point of the building area. | | |
| respite centre | means use of land for respite care for the sick, aged or persons with disabilities. | | |
| static water supply | means water stored in a tank, swimming pool, dam, or lake, that is available for fire fighting purposes at all times. | | |
| tolerable risk | means the lowest level of likely risk from the relevant hazard: | | |
| | (a) to secure the benefits of a use or development in a relevant hazard area; and | | |
| | (b) which can be managed through: | | |
| | (i) routine regulatory measures; or | | |
| | (ii) by specific hazard management measures for the intended life of each use or development. | | |
| TFS | means Tasmania Fire Service. | | |

| vulnerable use | E1.3 Bushfire-Prone Areas Code | |
|-------------------|--|--|
| | means a use that is within one of the following Use Classes: | |
| | (a) Custodial Facility; | |
| | (b) Educational and Occasional Care; | |
| | (c) Hospital Services; | |
| | d) Residential if for respite centre, residential aged care home, retirement home, and group home. | |
| water corporation | means the corporation within the meaning of the Water and Sewerage Corporation Act 2012. | |

E1.4 Use or Development Exempt from this Code

The following use or development is exempt from this code:

- (a) any use or development that the TFS or an accredited person, having regard to the objective of all applicable standards in this code, certifies there is an insufficient increase in risk to the use or development from bushfire to warrant any specific bushfire protection measures; and
- (b) adjustment of a boundary in accordance with clause 9.3 of this planning scheme.

E1.5 Use Standards

E1.5.1 Vulnerable Uses

Objective:

Vulnerable uses can only be located on land within a bushfire-prone area where tolerable risks are achieved through mitigation measures that take into account the specific characteristics of both the vulnerable use and the bushfire hazard.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No Acceptable Solution. | A vulnerable use must only be located in a bushfire-prone area if a tolerable risk from bushfire can be achieved and maintained, having regard to: |
| | (a) the location, characteristics, nature and scale of the use; |
| | (b) whether there is an overriding benefit to the community; |
| | (c) whether there is no suitable alternative lower-risk site; |
| | (d) the emergency management strategy and bushfire hazard management plan; and |
| | (e) other advice, if any, from the TFS. |
| A2 | P2 |

An emergency management strategy, endorsed No Performance Criterion. by the TFS or accredited person, that provides for mitigation measures to achieve and maintain a level of tolerable risk that is specifically developed to address the characteristics, nature and scale of the use considering: (a) the nature of the bushfire-prone vegetation including the type, fuel load, structure and flammability; (b) the ability of occupants of the vulnerable use to: protect themselves and defend (i) property from bushfire attack; (ii) evacuate in an emergency; and (iii) understand and respond to instructions in the event of a bushfire; and (c) any bushfire protection measures available to reduce risk to emergency service personnel. **A3** Р3 A bushfire hazard management plan that No Performance Criterion. contains appropriate bushfire protection measures that is certified by the TFS or an accredited person.

E1.5.2 Hazardous Uses

Objective:

Hazardous uses can only be located on land within a bushfire-prone area where tolerable risks are achieved through mitigation measures that take into account the specific characteristics of both the hazardous use and the bushfire hazard.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No Acceptable Solution. | A hazardous use must only be located in a bushfire-prone area if a tolerable risk from bushfire can be achieved and maintained, having regard to: |
| | (a) the location, characteristics, nature and scale of the use; |
| | (b) whether there is an overriding benefit to the community; |
| | (c) whether there is no suitable alternative lower-risk site; |
| | (d) the emergency management strategy and |

| | | | bushfire hazard management plan as specified in A2 and A3 of this Standard; and |
|--|---|------|---|
| | | (e) | other advice, if any, from the TFS. |
| A2 | | P2 | |
| by the form | emergency management strategy, endorsed the TFS or accredited person, that provides mitigation measures to achieve and maintain yel of tolerable risk that is specifically eloped to address the characteristics, nature scale of the use having regard to: | No I | Performance Criterion. |
| (a) | the nature of the bushfire-prone vegetation including the type, fuel load, structure and flammability; and | | |
| (b) | available fire protection measures to: | | |
| (i) | prevent the hazardous use from contributing to the spread or intensification of bushfire; | | |
| (ii) | limit the potential for bushfire to be ignited on the site; | | |
| (iii) | prevent exposure of people and the environment to the hazardous chemicals, explosives or emissions as a consequence of bushfire; and | | |
| (iv) | reduce risk to emergency service personnel. | | |
| А3 | | Р3 | |
| A bushfire hazard management plan that contains appropriate bushfire protection measures that is certified by the TFS or an accredited person. | | No I | Performance Criterion. |

E1.6 Development Standards

E1.6.1 Subdivision: Provision of hazard management areas

Objective:

Subdivision provides for hazard management areas that:

- (a) facilitate an integrated approach between subdivision and subsequent building on a lot;
- (b) provide for sufficient separation of building areas from bushfire-prone vegetation to reduce the radiant heat levels, direct flame attack and ember attack at the building area; and
- (c) provide protection for lots at any stage of a staged subdivision.

| Acc | eptable Solutions | Performance Criteria |
|-----|---|--|
| A1 | | P1 |
| (a) | TFS or an accredited person certifies that there is an insufficient increase in risk from | A proposed plan of subdivision shows adequate hazard management areas in relation to the |

bushfire to warrant the provision of hazard management areas as part of a subdivision; or

- (b) The proposed plan of subdivision:
 - shows all lots that are within or partly within a bushfire-prone area, including those developed at each stage of a staged subdivision;
 - (ii) shows the building area for each lot;
 - (iii) shows hazard management areas between bushfire-prone vegetation and each building area that have dimensions equal to, or greater than, the separation distances required for BAL 19 in Table 2.6 of Australian Standard AS 3959:2018 Construction of buildings in bushfire-prone areas; and
 - (iv) is accompanied by a bushfire hazard management plan that addresses all the individual lots and that is certified by the TFS or accredited person, showing hazard management areas equal to, or greater than, the separation distances required for BAL 19 in Table 2.6 of Australian Standard AS 3959:2018 Construction of buildings in bushfire- prone areas; and
- (c) If hazard management areas are to be located on land external to the proposed subdivision the application is accompanied by the written consent of the owner of that land to enter into an agreement under section 71 of the Act that will be registered on the title of the neighbouring property providing for the affected land to be managed in accordance with the bushfire hazard management plan.

building areas shown on lots within a bushfireprone area, having regard to:

- (a) the dimensions of hazard management areas:
- (b) a bushfire risk assessment of each lot at any stage of staged subdivision;
- the nature of the bushfire-prone vegetation including the type, fuel load, structure and flammability;
- (d) the topography, including site slope;
- e) any other potential forms of fuel and ignition sources;
- separation distances from the bushfireprone vegetation not unreasonably restricting subsequent development;
- g) an instrument that will facilitate management of fuels located on land external to the subdivision; and
- (h) any advice from the TFS.

E1.6.2 Subdivision: Public and fire fighting access

Objective:

Access roads to, and the layout of roads, tracks and trails, in a subdivision:

- (a) allow safe access and egress for residents, firefighters and emergency service personnel;
- (b) provide access to the bushfire-prone vegetation that enables both property to be defended when under bushfire attack and for hazard management works to be undertaken;
- (c) are designed and constructed to allow for fire appliances to be manoeuvred;
- (d) provide access to water supplies for fire appliances; and

are designed to allow connectivity, and where needed, offering multiple evacuation points. **Acceptable Solutions Performance Criteria P1 A1** (a) TFS or an accredited person certifies that A proposed plan of subdivision shows access and there is an insufficient increase in risk from egress for residents, fire-fighting vehicles and bushfire to warrant specific measures for emergency service personnel to enable public access in the subdivision for the protection from bushfires, having regard to: purposes of fire fighting; or appropriate design measures, including: (b) A proposed plan of subdivision showing the (i) two way traffic; layout of roads, fire trails and the location (ii) all weather surfaces; of property access to building areas is included in a bushfire hazard management (iii) height and width of any vegetation plan that: clearances; (i) demonstrates proposed roads will (iv) load capacity; comply with Table E1, proposed (v) provision of passing bays; private accesses will comply with Table E2 and proposed fire trails will comply (vi) traffic control devices; with Table E3; and (vii) geometry, alignment and slope of (ii) is certified by the TFS or an accredited roads, tracks and trails; person. (viii) use of through roads to provide for connectivity; (ix) limits on the length of cul-de-sacs and dead-end roads; (x) provision of turning areas; (xi) provision for parking areas; (xii) perimeter access; and (xiii) fire trails; (b) the provision of access to: bushfire-prone vegetation to permit the undertaking of hazard management works; and (ii) fire fighting water supplies; and any advice from the TFS.

Table E1 Standards for roads

| Element | | Requirement | |
|---------|-------|--|--|
| A. R | Roads | Unless the development standards in the zone require a higher standard, the following apply: | |
| | | (a) two-wheel drive, all-weather construction; | |
| | | (b) load capacity of at least 20t, including for bridges and culverts; | |
| | | (c) minimum carriageway width is 7m for a through road, or 5.5m for a dead- | |

end or cul-de-sac road;

(d) minimum vertical clearance of 4m;

(e) minimum horizontal clearance of 2m from the edge of the carriageway;

(f) cross falls of less than 3 degrees (1:20 or 5%);

(g) maximum gradient of 15 degrees (1:3.5 or 28%) for sealed roads, and 10 degrees (1:5.5 or 18%) for unsealed roads;

(h) curves have a minimum inner radius of 10m;

(i) dead-end or cul-de-sac roads are not more than 200m in length unless the carriageway is 7m in width;

(j) dead-end or cul-de-sac roads have a turning circle with a minimum 12m outer radius; and

(k) carriageways less than 7m wide have 'No Parking' zones on one side, indicated by a road sign that complies with Australian Standard AS1743:2018 Road signs-Specifications.

Table E2 Standards for property access

| Element | Requirement |
|--|---|
| A. Property access length is less than 30m; or access is not required for a fire appliance to access a firefighting water point. | There are no specified design and construction requirements. |
| B. Property access length is 30m or greater; or access is required for a fire appliance to a fire fighting water point. | The following design and construction requirements apply to property access: (a) all-weather construction; (b) load capacity of at least 20t, including for bridges and culverts; (c) minimum carriageway width of 4m; (d) minimum vertical clearance of 4m; (e) minimum horizontal clearance of 0.5m from the edge of the carriageway; (f) cross falls of less than 3 degrees (1:20 or 5%); (g) dips less than 7 degrees (1:8 or 12.5%) entry and exit angle; (h) curves with a minimum inner radius of 10m; (i) maximum gradient of 15 degrees (1:3.5 or 28%) for sealed roads, and 10 degrees (1:5.5 or 18%) for unsealed roads; and (j) terminate with a turning area for fire appliances provided by one of the following: |

| | | | (i) a turning circle with a minimum outer radius of 10m; or |
|----|--------------------------|-------|---|
| | | | (ii) a property access encircling the building; or |
| | | | (iii) a hammerhead 'T' or 'Y' turning head 4m wide and 8m long. |
| C. | Property | The 1 | following design and construction requirements apply to property access: |
| | access length is 200m or | (a) | the requirements for B above; and |
| | greater. | (b) | passing bays of 2m additional carriageway width and 20m length provided every 200m. |
| D. | Property | The f | following design and construction requirements apply to property access: |
| | access length is greater | (a) | complies with requirements for B above; and |
| | than 30m, | (b) | passing bays of 2m additional carriageway width and 20m length must be |
| | | | |
| | and access is | | provided every 100m. |
| | provided to 3 | | provided every 100m. |
| | | | provided every 100m. |

Table E3 Standards for fire trails

| Ele | ment | Requirement |
|-----|-------------------|---|
| A. | All fire trails | The following design and construction requirements apply: |
| | | (a) all-weather, 4-wheel drive construction; |
| | | (b) load capacity of at least 20t, including for bridges and culverts; |
| | | (c) minimum carriageway width of 4m; |
| | | (d) minimum vertical clearance of 4m; |
| | | (e) minimum horizontal clearance of 2m from the edge of the carriageway; |
| | | (f) cross falls of less than 3 degrees (1:20 or 5%); |
| | | (g) dips less than 7 degrees (1:8 or 12.5%) entry and exit angle; |
| | | (h) curves with a minimum inner radius of 10m; |
| | | (i) maximum gradient of 15 degrees (1:3.5 or 28%) for sealed fire trails, and 10 degrees (1:5.5 or 18%) for unsealed fire trails; |
| | | (j) gates if installed at fire trail entry, have a minimum width of 3.6m, and if locked, keys are provided to TFS; and |
| | | (k) terminate with a turning area for fire appliances provided by one of the following: |
| | | (i) a turning circle with a minimum outer radius of 10m; and |
| | | (ii) a hammerhead 'T' or 'Y' turning head 4m wide and 8m long. |
| В. | Fire trail | The following design and construction requirements apply: |
| | length is 200m or | (a) the requirements for A above; and |
| | greater. | (b) passing bays of 2m additional carriageway width and 20m length provided every 200m. |

Objective:

Adequate, accessible and reliable water supply for the purposes of fire fighting can be demonstrated at the subdivision stage and allow for the protection of life and property associated with the subsequent use and development of bushfire-prone areas.

| with | with the subsequent use and development of bushfire-prone areas. | | | | | |
|---|---|---------------------------|--|--|--|--|
| Acc | eptable Solutions | Performance Criteria | | | | |
| A1 | | P1 | | | | |
| | reas serviced with reticulated water by the er corporation: | No Performance Criterion. | | | | |
| (a) | TFS or an accredited person certifies that there is an insufficient increase in risk from bushfire to warrant the provision of a water supply for fire fighting purposes; | | | | | |
| (b) | A proposed plan of subdivision showing the layout of fire hydrants, and building areas, is included in a bushfire hazard management plan approved by the TFS or accredited person as being compliant with Table E4; or | | | | | |
| (c) | A bushfire hazard management plan certified by the TFS or an accredited person demonstrates that the provision of water supply for fire fighting purposes is sufficient to manage the risks to property and lives in the event of a bushfire. | | | | | |
| A2 | | P2 | | | | |
| In areas that are not serviced by reticulated water by the water corporation: | | No Performance Criterion. | | | | |
| (a) | The TFS or an accredited person certifies that there is an insufficient increase in risk from bushfire to warrant provision of a water supply for fire fighting purposes; | | | | | |
| (b) | The TFS or an accredited person certifies that a proposed plan of subdivision demonstrates that a static water supply, dedicated to fire fighting, will be provided and located compliant with Table E5; or | | | | | |
| (c) | A bushfire hazard management plan certified by the TFS or an accredited person demonstrates that the provision of water supply for fire fighting purposes is sufficient to manage the risks to property and lives in the event of a bushfire. | | | | | |

Table E4 Reticulated water supply for fire fighting

| Ele | ment | Requirement | | |
|-----|--|---|--|--|
| A. | Distance between building area to be protected and water supply. | The following requirements apply: (a) the building area to be protected must be located within 120m of a fire hydrant; and (b) the distance must be measured as a hose lay, between the fire fighting water point and the furthest part of the building area. | | |
| В. | Design criteria for fire hydrants | The following requirements apply: (a) fire hydrant system must be designed and constructed in accordance with TasWater Supplement to Water Supply Code of Australia WSA 03 – 2011-3.1 MRWA 2nd Edition; and (b) fire hydrants are not installed in parking areas. | | |
| C. | Hardstand | A hardstand area for fire appliances must be: (a) no more than 3m from the hydrant, measured as a hose lay; (b) no closer than 6m from the building area to be protected; (c) a minimum width of 3m constructed to the same standard as the carriageway; and (d) connected to the property access by a carriageway equivalent to the standard of the property access. | | |

Table E5 Static water supply for fire fighting

| Ele | Element | | uirement |
|-----|---|------------|--|
| A. | Distance between building area to be protected and water supply. | The (a) | following requirements apply: the building area to be protected must be located within 90m of the fire fighting water point of a static water supply; and |
| | | (b) | the distance must be measured as a hose lay, between the fire fighting water point and the furthest part of the building area. |
| В. | Static Water | A st | atic water supply: |
| | Supplies | (a) | may have a remotely located offtake connected to the static water supply; |
| | | (b) | may be a supply for combined use (fire fighting and other uses) but the specified minimum quantity of fire fighting water must be available at all times; |
| | | (c) | must be a minimum of 10,000L per building area to be protected. This volume of water must not be used for any other purpose including fire fighting sprinkler or spray systems; |
| | | (d) | must be metal, concrete or lagged by non-combustible materials if above ground; and |
| | | (e) | if a tank can be located so it is shielded in all directions in compliance with section 3.5 of <i>Australian Standard AS 3959:2018 Construction of buildings in bushfire-prone areas,</i> the tank may be constructed of any material provided that the lowest 400mm of the tank exterior is protected by: |

| | | (i) metal; |
|----|--|--|
| | | (ii) non-combustible material; or |
| | | (iii) fibre-cement a minimum of 6mm thickness. |
| C. | Fittings, pipework and | Fittings and pipework associated with a fire fighting water point for a static water supply must: |
| | accessories | (a) have a minimum nominal internal diameter of 50mm; |
| | (including stands and tank supports) | (b) be fitted with a valve with a minimum nominal internal diameter of 50mm; |
| | | (c) be metal or lagged by non-combustible materials if above ground; |
| | | (d) if buried, have a minimum depth of 300mm; |
| | | (e) provide a DIN or NEN standard forged Storz 65mm coupling fitted with a suction washer for connection to fire fighting equipment; |
| | | (f) ensure the coupling is accessible and available for connection at all times; |
| | | (g) ensure the coupling is fitted with a blank cap and securing chain (minimum 220mm length); |
| | | (h) ensure underground tanks have either an opening at the top of not less than 250mm diameter or a coupling compliant with this Table; and |
| | | (i) if a remote offtake is installed, ensure the offtake is in a position that is: |
| | | (i) visible; |
| | | (ii) accessible to allow connection by fire fighting equipment; |
| | | (iii) at a working height of 450 – 600mm above ground level; and |
| | | (iv) protected from possible damage, including damage by vehicles. |
| D. | Signage for static water connections. | The fire fighting water point for a static water supply must be identified by a sign permanently fixed to the exterior of the assembly in a visible location. The sign must: |
| | | (a) comply with water tank signage requirements within Australian Standard AS 2304:2019 Water storage tanks for fire protection systems; or |
| | | (b) comply with the Tasmania Fire Service Water Supply Guideline published by the Tasmania Fire Service. |
| E. | Hardstand | A hardstand area for fire appliances must be: |
| | | (a) no more than 3m from the fire fighting water point, measured as a hose lay (including the minimum water level in dams, swimming pools and the like); |
| | | (b) no closer than 6m from the building area to be protected; |
| | | (c) a minimum width of 3m constructed to the same standard as the carriageway; and |
| | | (d) connected to the property access by a carriageway equivalent to the standard of the property access. |

E2.0 Potentially Contaminated Land Code

E2.1 Purpose of the Potentially Contaminated Land Code

- E2.1.1 The purpose of this provision is to:
 - (a) ensure that use or development of potentially contaminated land does not adversely impact on human health or the environment.

E2.2 Application of this Code

- E2.2.1 This Code applies to:
 - (a) a use, on potentially contaminated land, that is a sensitive use, or a use listed in a use class in Table E2.2.1 and is one of the uses specified as a qualification; or
 - (b) development on potentially contaminated land.

Table E2.2.1 - Use Table

| Use Class | Qualification |
|-----------------------|---|
| Passive recreation | If for public parks, gardens and playgrounds. |
| Sports and recreation | If for outdoor recreation facilities. |

E2.2.2 A permit is required for all use and development to which this Code applies that is not exempt from this Code under clause E2.4.

E2.3 Definition of Terms

| background concentration | means as defined in Part 5A of the <i>Environmental Management and Pollution Control Act 1994</i> . |
|--|---|
| contaminated | means the condition of land or water, where any chemical substance or waste has been added as a direct or indirect result of human activity at above background concentration and represents or potentially represents an adverse impact on human health or the environment. |
| environmental site assessment | means a report prepared by an suitably qualified person on the nature, extent and levels of existing contamination and the actual or potential risk to human health or the environment, on or off the site, resulting from that contamination, prepared in accordance with the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended 16 May 2013. |
| Director | means as defined in the <i>Environmental Management and Pollution Control Act 1994</i> . |
| potentially contaminating activity | means an activity listed in Table E2.2 as a potentially contaminating activity, other than an activity carried out as ancillary to a Residential use class. |
| Potentially contaminated land | means land that is, or adjoins, land that the applicant or the planning authority: (a) knows to have been used for a potentially contaminating activity by |

| | reference to:- |
|---|--|
| | (i) a notice issued in accordance with Part 5A of the <i>Environmental Management and Pollution Control Act 1994</i> ; or |
| | (ii) a previous permit ; or |
| | (b) ought reasonably to have known was used for a potentially contaminating activity. |
| site history | means the collection of information from historical sources to determine if a site is likely to have been impacted by a potentially contaminating activity. |
| suitably qualified person (contaminated land) | means a person who, in the opinion of the planning authority, meets the criteria set out in section 6 of Schedule B9 of the <i>National Environment Protection (Assessment of Site Contamination) Measure 1999</i> , as amended 16 May 2013. |

E2.4 Use or Development exempt from this Code

E2.4.1 The following use and development is exempt from this Code.

E2.4.2 Development:

- (a) to investigate potentially contaminated land; or
- (b) in accordance with a notice issued in accordance with Part 5A of the *Environmental Management and Pollution Control Act 1994*.
- E2.4.3 Any use or development where a site history prepared by an suitably qualified person has been provided to the planning authority that confirms potentially contaminating activities did not impact the site.
- E2.4.4 Development that does not involve disturbance of more than 1m² of land.
- E2.4.5 Any use or development that the Director, or a person approved by the Director for the purpose of this Code, having regard to the objective stated in all applicable standards in this Code, has issued a certificate stating that there is insufficient increase in risk from contamination to warrant any specific remediation and protection measures.

E2.5 Use Standards

| Objective: | | | |
|---|--|-------------------|--|
| To ensure that potentially contaminated land is suitable for the intended use | | | |
| Acceptable Solutions Performance Cri | | formance Criteria | |
| A1 | | P1 | |
| | The Director, or a person approved by the Director for the purpose of this Code: Land is suitable for the intended regard to: | | d is suitable for the intended use, having ard to: |
| (a) (b) | certifies that the land is suitable for the intended use; or approves a plan to manage contamination | (a) | an environmental site assessment that demonstrates there is no evidence the land is contaminated; or |
| (3) | and associated risk to human health or the environment that will ensure the land is suitable for the intended use. | (b) | an environmental site assessment that demonstrates that the level of contamination does not present a risk to human health or the environment; or |

| (c) | asso | an to manage contamination and ociated risk to human health or the ironment that includes: |
|-----|-------|---|
| | (i) | an environmental site assessment; |
| | (ii) | any specific remediation and protection measures required to be implemented before any use commences; and |
| | (iii) | a statement that the land is suitable for the intended use. |

E2.6 Development Standards

E2.6.1 Subdivision

Acceptable Solutions

Objective:

To ensure that subdivision of potentially contaminated land does not adversely impact on human health or the environment and is suitable for its intended use.

Performance Criteria

| • | | |
|---|--|--|
| A1 | P1 | |
| For subdivision of land, the Director, or a person approved by the Director for the purpose of this Code: | Subdivision does not adversely impact on health and the environment and is suitable for its intended use, having regard to: | |
| (a) certifies that the land is suitable for the intended use; or | (a) an environmental site assessment that demonstrates there is no evidence the land | |
| (b) approves a plan to manage contamination and associated risk to human health or the environment, that will ensure the subdivision does not adversely impact on health or the environment and is suitable | is contaminated; or (b) an environmental site assessment that demonstrates that the level of contamination does not present a risk to human health or the environment; or | |
| for its intended use. | (c) a plan to manage contamination and associated risk to human health and the environment that includes: | |
| | (i) an environmental site assessment; | |
| | (ii) any specific remediation and protection measures required to be implemented before any use or development commences; and | |
| F2.6.2 Executation | (iii) a statement that the land is suitable for the intended use or development. | |

E2.6.2 Excavation

Objective:

To ensure that works involving excavation of potentially contaminated land does not adversely impact on human health or the environment.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No acceptable solution. | Excavation does not adversely impact on health and the environment, having regard to: |
| | (a) an environmental site assessment that demonstrates there is no evidence the land is contaminated; or |
| | (b) a plan to manage contamination and associated risk to human health and the environment that includes: |
| | (i) an environmental site assessment; |
| | (ii) any specific remediation and protection measures required to be implemented before excavation commences; and |
| | (iii) a statement that the excavation does not adversely impact on human health or the environment. |

Table E2.2 Potentially Contaminating Activities

| Potentially Contaminating Activity | Potentially Contaminating Activity |
|--|--|
| Acid / alkali plant and formulation | Mineral processing |
| Ammunition manufacture and usage (e.g. shooting ranges) | Mine sites involving waste rock or tailings deposits |
| Asbestos production, handling or disposal | Oil or gas production or refining |
| Asphalt/bitumen manufacturing | Paint formulation and manufacture |
| Battery manufacturing or recycling | Pesticide manufacture and formulation sites |
| Boat/ship building, marinas, slip ways and associated boat yards | Petroleum product or oil storage |
| Boiler or kiln usage | Pharmaceutical manufacture and formulation |
| Chemical manufacture and formulation (e.g. fertilisers, paints, pesticides, photography, plastics, solvents) | Power stations |
| Commercial engine and machinery repair sites | Printing |
| Drum conditioning works | Radio-active material usage (e.g. hospitals) |
| Dry cleaning establishments | Railway yards |
| Electrical transformers | Scrap yards and recycling facilities |
| Ethanol production plants | Sewage treatment plants |
| Explosives industries | Sheep and cattle dips |

| Fertiliser manufacturing plants | Sites of fires involving hazardous materials, including firefighting foam use |
|---|---|
| Fill material imported onto a site from a potentially contaminated source | Sites of incidents involving release of hazardous materials |
| Foundry operations | Spray painting industries |
| Gas works | Spray storage and mixing sites (e.g. for orchards) |
| Herbicide manufacture | Tanning and associated trades |
| Industrial activities involving hazardous chemicals in significant quantities | Textile operations |
| Iron and steel works | Tyre manufacturing and retreading works |
| Landfill sites, including on-site waste disposal and refuse pits | Wood preservation and storage or cutting of treated timber |
| Metal smelting, refining or finishing | Wool scouring |
| Metal treatments (e.g. electroplating) and abrasive blasting | |

E3.0 Landslide Code

E3.1 Purpose

E3.1.1 The purpose of this provision is to ensure that use and development is appropriately designed, located, serviced, constructed or managed to reduce to within tolerable limits the risk to human life and property and the cost to the community, caused by landslides.

E3.2 Application

- E3.2.1 This Code applies to:
 - (a) Development for buildings and works or subdivision on land within a Landslide Hazard Area;
 - (b) Use of land for vulnerable use or hazardous use within a Landslide Hazard Area.

E3.3 Definition of Terms

E3.3.1 In this Code, unless the contrary intention appears:

| acceptable risk | means a risk society is prepared to accept as it is. That is; without management or treatment. | |
|---------------------|---|--|
| AGS | means the Australian Geomechanics Society. | |
| dangerous substance | means a substance that has the potential to cause harm to persons, property, or the environment, because of one or more of the following: | |
| | (a) the chemical properties of the substance; | |
| | (b) the physical properties of the substance; | |

| | (a) the biological association of the control of th | | |
|---|--|--|--|
| | (c) the biological properties of the substance. | | |
| | Without limiting this definition includes all dangerous goods, combustible liquids, hazardous substances and agvet chemicals. | | |
| group home | means use of land for residential accommodation for people with disabilities. | | |
| hazardous chemical of a manifest quantity | means a hazardous chemical, as defined in the Work Health and Safety Regulations 2012, if the amount of hazardous chemical stored exceeds the manifest quantity as specified under the Work Health and Safety Regulations 2012 [S2]. | | |
| hazardous use | E3.3 Landslide Code means a use that: | | |
| | (a) is in the use class Vehicle fuel sales and service; or | | |
| | (b) involves dangerous substances and is in one of the following use classes: | | |
| | (i) Extractive industries, if the use involves the storage of a hazardous chemical of a manifest quantity | | |
| | (ii) Hospital services | | |
| | (iii) Manufacturing and processing | | |
| | (iv) Research and development | | |
| | (v) Storage | | |
| | (vi) Transport and distribution | | |
| | (vii) Utilities | | |
| landslide risk management report | means an assessment and report by a suitably qualified person (landslip) prepared in accordance with the Australian Geomechanics Society - Practice Note Guidelines for Landslide Risk Management 2007. It includes a landslide risk assessment. | | |
| Landslide Hazard Area | means an area shown on the planning scheme maps as a landslide hazard area including: | | |
| | (a) Low Landslide Hazard Area; | | |
| | (b) Medium Landslide Hazard Area; | | |
| | (c) Medium Active Landslide Hazard Area; | | |
| | (d) High Landslide Hazard Area. | | |
| major works | means any of the following: | | |
| | (a) excavation of 100 m3 or more in cut volume; | | |
| | (b) excavation or soil disturbance of an area of 1,000 m2 or more; | | |
| | (c) clearance of vegetation involving an area of more than 1,000 m2; | | |
| | (d) water storages or swimming pools with a volume of 45,000 litres or more. | | |
| major extension | means and extension that is not a minor extension. | | |
| minor extension | means an extension of a building by no more than 40 m2 in gross floor area. | | |
| suitably qualified | means a suitably qualified person as follows: | | |

| person (landslide) | (a) for any Landslide Hazard Area, a geotechnical engineer or an engineering geologist as specified in the Director of Building Control's determination: "Certificates of Specialists or Other Persons" that can complete a landslide risk assessment; or | |
|--------------------|---|--|
| | (b) for a Low Landslide Hazard Area, a civil engineer. | |
| tolerable risk | means the residual tolerable risk after the hazard has been satisfactorily treated. | |
| | The residual tolerable risk may be assessed using either qualitative or qualitative methods in the landslide risk assessment either: | |
| | (a) if using the AGS qualitative risk assessment method apply the "As Low As Reasonably Possible (ALARP)" principle with the residual tolerable risk level no higher than a "moderate" risk level under the AGS 2007(c) risk method; or | |
| | (b) if using the AGS quantitative risk assessment method then the tolerable loss of life for the person most at risk as suggested by the AGS 2007(c) to be: | |
| | (i) if existing slope / existing development: 10-4 / annum; | |
| | (ii) if new constructed slope / new development / existing landslide: 10-5 / annum. | |
| vulnerable use | E3.3 Landslide Code means a use that: | |
| | (a) is in the Residential Use Class and is one of the following uses: | |
| | (i) respite centre; | |
| | (ii) residential aged care facility; | |
| | (iii) retirement village; | |
| | (iv) group home; or | |
| | (b) is in one of the following Use Classes: | |
| | (i) Custodial facility; | |
| | (ii) Educational and occasional care; | |
| | (iii) Hospital services; | |
| | (iv) Visitor accommodation. | |
| | I | |

E3.4 Use or Development Exempt from this Code

The following use or development is exempt from this Code:

- (a) adjustment of a boundary in accordance with clause 9.3 of this planning scheme
- (b) a subdivision creating no more than two lots within a Low Landslide Hazard Area;
- (c) buildings within a Low Landslide Hazard Area;
- (d) minor extensions within the Medium Landslide Hazard Area;
- (e) major extensions and new buildings with a gross floor area no more than

- 200 m² in the Medium Landslide Hazard Area;
- (f) minor structures or outbuildings; and
- (g) use or development of land for Extractive industry where a mining lease under the *Mineral Resources Development Act 1995* is in force, excluding a hazardous use.

E3.5 Application Requirements

- E3.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) A plan, drawn to scale, accurately showing the siting of the proposed use or development relative to landslide hazard areas;
 - (b) A landslide risk management report.
- E3.5.2 In addition to any other application requirements, the planning authority must require the applicant to provide the following information, which is considered necessary to determine compliance with Performance Criteria:
 - (a) in regard to an application for a hazardous use that is subject consideration under E3.6.1 P1 and P2 or a vulnerable use that is subject consideration under E3.6.2 P1 and P2:
 - (i) a submission demonstrating the purported overriding benefit to the community of the use, in terms of significant long term social or economic community benefits.

E3.6 Use Standards

E3.6.1 Hazardous Use

Objective:

To ensure that:

- (a) hazardous use is only located in Landslide Hazard Areas in exceptional circumstances;
- (b) if hazardous use is located in a Landslide Hazard Area, landslide hazard management measures reflect the risk arising from the landslide hazard and take into consideration the characteristics, nature and scale of the use.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| Hazardous use relates to an alteration or intensification of an approved use. | Hazardous use is of an overriding benefit to the community, in terms of significant long term social or economic community benefits. | |
| A2 | P2 | |
| No acceptable solution. | Hazardous use must satisfy all of the following: | |
| | (a) No part of the hazardous use is in a High Landslide Hazard Area; | |
| | (b) Landslide risk to people and the environment associated with the hazardous | |

| | use is either: |
|-----|--|
| | (i) acceptable risk; or |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. |
| (c) | Landslide risk to people and the environment associated with the hazardous use must take into consideration the characteristics, nature and scale of the use to: |
| | (i) prevent the exposure of people and the environment to dangerous substances as a consequence of landslide; |
| | (ii) minimise the risk to emergency personnel. |

E3.6.2 Vulnerable Use

Objective:

To ensure that:

- (a) vulnerable use, other than visitor accommodation, is only located on land in a Landslide Hazard Area in exceptional circumstances;
- (b) if a vulnerable use is located in a Landslide Hazard Area, landslide hazard management measures reflect the risk arising from the landslide hazard and the characteristics, nature and scale of the use taking into consideration the specific circumstances of users of the site.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Vulnerable use is for visitor accommodation. | Vulnerable use is of an overriding benefit to the community, in terms of significant long term social or economic community benefits. | |
| A2 | P2 | |
| No acceptable solution. | Vulnerable use must satisfy all of the following: | |
| | (a) No part of the vulnerable use is in a High Landslide Hazard Area; | |
| | (b) Landslide risk to occupants, staff, visitors and emergency personnel associated with the vulnerable use is either: | |
| | (i) acceptable risk; or | |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. | |

| (c) | Landslide risk to occupants, staff and visitors takes into consideration their specific circumstances including their ability to: |
|-----|---|
| | (i) protect themselves and defend property from landslide; |
| | (ii) evacuate in an emergency; |
| | (iii) understand and respond to instructions in the event of a landslide; |
| | whilst minimising risk to emergency personnel. |

E3.7 Development Standards for Buildings and Works

E3.7.1 Buildings and Works, other than Minor Extensions

Objective:

To ensure that landslide risk associated with buildings and works for buildings and works, other than minor extensions, in Landslide Hazard Areas, is:

- (a) acceptable risk; or
- (b) tolerable risk, having regard to the feasibility and effectiveness of measures required to manage the landslide hazard.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No acceptable solution. | Buildings and works must satisfy all of the following: |
| | (a) no part of the buildings and works is in a High Landslide Hazard Area; |
| | (b) the landslide risk associated with the buildings and works is either: |
| | (i) acceptable risk; or |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. |

E3.7.2 Minor Extensions

Objective:

To ensure that landslide risk associated with buildings and works for minor extensions in Landslide Hazard Areas is:

- (a) acceptable risk; or
- (b) tolerable risk, having regard to the feasibility and effectiveness of measures required to manage the landslide hazard.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Buildings and works for minor extensions must comply with the following: | Buildings and works for minor extensions must satisfy all of the following: |
| (a) be in a Medium Landslide Hazard Area. | (a) no part of the buildings and works is in a High Landslide Hazard Area; |
| | (b) the landslide risk associated with the buildings and works is either: |
| | (i) acceptable risk; or |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. |

E3.7.3 Major Works

Objective:

To ensure that landslide risk associated with major works in Landslide Hazard Areas, is:

- (a) acceptable risk; or
- (b) tolerable risk, having regard to the feasibility and effectiveness of any measures required to manage the landslide hazard.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No acceptable solution. | Major works must satisfy all of the following: |
| | (a) no part of the works is in a High Landslide Hazard Area; |
| | (b) the landslide risk associated with the works is either: |
| | (i) acceptable risk; or |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. |

E3.8 Development Standards for Subdivision

E3.8.1 Subdivision

Objective:


To ensure that landslide risk associated with subdivision in Landslide Hazard Areas, is:

- (a) acceptable risk; or
- (b) tolerable risk, having regard to the feasibility and effectiveness of any measures required to manage the landslide hazard.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1 | P1 |
| No acceptable solution. | Subdivision of a lot, all or part of which is within a Landslide Hazard Area must be for the purpose of one of the following: |
| | (a) separation of existing dwellings; |
| | (b) creation of a lot for the purposes of public open space, public reserve or utilities; |
| | (c) creation of a lot in which the building area, access and services are outside the High Landslide Hazard Area and the landslide risk associated with the subdivision is either: |
| | (i) acceptable risk, or |
| | (ii) capable of feasible and effective treatment through hazard management measures, so as to be tolerable risk. |
| A2 | P2 |
| Subdivision is not prohibited by the relevant zone standards. | No Performance Criteria . |

Map E3 Landslide Hazard Area (Medium) - LISTmap

Open full map extent (link to the interactive map)



Legend

Landslide Hazard Area




Note: This overlay map has been filtered to show the selected overlay feature only for the Planning

Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

Map E3 Landslide Hazard Area (Low) - LISTmap

Open full map extent (link to the interactive map)



Legend
Landslide Hazard Area

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E4.0 This code number is not used in this planning scheme

E5.0 Road and Railway Assets Code

E5.1 Purpose of the Road and Railway Assets Code

- E5.1.1 The purpose of this provision is to:
 - (a) protect the safety and efficiency of the road and railway networks; and
 - (b) reduce conflicts between sensitive uses and major roads and the rail network.

E5.2 Application of this Code

- E5.2.1 This Code applies to use or development of land:
 - (a) that will require a new vehicle crossing, junction or level crossing; or

- (b) that intensifies the use of an existing access; or
- (c) that involves a sensitive use, a building, works or subdivision within 50m metres of a Utilities zone that is part of:
 - (i) a rail network;
 - (ii) a category 1 Trunk Road or a category 2 Regional Freight Road, that is subject to a speed limit of more than 60km/h kilometres per hour.

E5.3 Definition of Terms

E5.3.1 In this Code, unless the contrary intention appears:

| average annual daily traffic (AADT) | means the total volume of vehicle traffic for a year divided by 365 days. |
|-------------------------------------|--|
| category 1 road | means a category 1 Trunk Road as defined in Tasmania State Road Hierarchy (Department of State Growth) |
| category 2 road | means a category 2 Regional Freight Road as defined in Tasmania State Road Hierarchy (Department of State Growth) |
| junction | means an intersection of two or more roads at a common level, including intersections of on and off ramps and grade-separated roads. |
| level crossing | means as defined in Section 35 of the Rail Infrastructure Act 2007. |
| limited access road | means a road proclaimed as limited access under Section 52A of the <i>Roads</i> and <i>Jetties Act 1935</i> . |
| rail network | means as defined in the Rail Infrastructure Act 2007. |

E5.4 Use or Development exempt from this Code

E5.4.1 If for a temporary access or level crossing, with the written consent of the relevant road or rail authority.

E5.5 Use Standards

Objective:

E5.5.1 Existing road accesses and junctions

| To ensure that the safety and efficiency of roads is not reduced by increased use of existing accesses and junctions. | |
|--|--|
| Acceptable Solutions Performance Criteria | |
| A1 | P1 |
| The annual average daily traffic (AADT) of vehicle movements, to and from a site, onto a category 1 or category 2 road, in an area subject to a speed limit of more than 60km/h, must not increase by more than 10% or 10 vehicle movements per day, whichever is the greater. | Any increase in vehicle traffic to a category 1 or category 2 road in an area subject to a speed limit of more than 60km/h must be safe and minimise any adverse impact on the efficiency of the road, having regard to: (a) the increase in traffic caused by the use; (b) the nature of the traffic generated by the |

use;

- (c) the nature of the road;
- (d) the speed limit and traffic flow of the road;
- (e) any alternative access to a road;
- (f) the need for the use;
- (g) any traffic impact assessment; and
- (h) any written advice received from the road authority.

A2

The annual average daily traffic (AADT) of vehicle movements, to and from a site, using an existing access or junction, in an area subject to a speed limit of more than 60km/h, must not increase by more than 10% or 10 vehicle movements per day, whichever is the greater.

P2

Any increase in vehicle traffic at an existing access or junction in an area subject to a speed limit of more than 60km/h must be safe and not unreasonably impact on the efficiency of the road, having regard to:

- (a) the increase in traffic caused by the use;
- (b) the nature of the traffic generated by the use;
- (c) the nature and efficiency of the access or the junction;
- (d) the nature and category of the road;
- (e) the speed limit and traffic flow of the road;
- (f) any alternative access to a road;
- (g) the need for the use;
- (h) any traffic impact assessment; and
- (i) any written advice received from the road authority.

A3

The annual average daily traffic (AADT) of vehicle movements, to and from a site, using an existing access or junction, in an area subject to a speed limit of 60km/h or less, must not increase by more than 20% or 40 vehicle movements per day, whichever is the greater.

Р3

Any increase in vehicle traffic at an existing access or junction in an area subject to a speed limit of 60km/h or less, must be safe and not unreasonably impact on the efficiency of the road, having regard to:

- (a) the increase in traffic caused by the use;
- (b) the nature of the traffic generated by the use:
- (c) the nature and efficiency of the access or the junction;
- (d) the nature and category of the road;
- (e) the speed limit and traffic flow of the road;
- (f) any alternative access to a road;

| (g) the need for the use; |
|--|
| (h) any traffic impact assessment; and |
| (i) any written advice received from the road authority. |

E5.5.2 Exiting level crossings

Objective:

To ensure that the safety and the efficiency of the rail network is not reduced by access across part of the rail network.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| Where use has access across part of a rail network, the annual average daily traffic (AADT) at an existing level crossing must not be increased by greater than 10% or 10 vehicle movements per day, whichever is the greater. | Any increase in vehicle traffic at an existing access across part of a rail network, must be safe and not unreasonably impact on the efficiency of the rail network, having regard to: (a) the increase in traffic caused by the use; (b) the nature of the traffic generated by the use; (c) the use and frequency of the rail network; (d) any alternative access; (e) the need for the use; (f) any traffic impact assessment; and (g) any written advice received from the rail authority. |

E5.6 Development Standards

E5.6.1 Development adjacent to roads and railways

Objective:

To ensure that development adjacent to category 1 or category 2 roads or the rail network:

- (a) ensures the safe and efficient operation of roads and the rail network;
- (b) allows for future road and rail widening, realignment and upgrading; and
- (c) is located to minimise adverse effects of noise, vibration, light and air emissions from roads and the rail network.

| Acceptable Solutions | Performance Criteria |
|---|--|
| A1.1 | P1 |
| Except as provided in A1.2, the following development must be located at least 50m from the rail network, or a category 1 road or category 2 road, in an area subject to a speed limit of more than 60km/h: | The location of development, from the rail network, or a category 1 road or category 2 road in an area subject to a speed limit of more than 60km/h, must be safe and not unreasonably impact on the efficiency of the road or amenity |

| (a) | (a) new buildings; | | of sensitive uses, having regard to: | |
|-------|--------------------|--|--------------------------------------|---|
| (b) | oth | er road or earth works; and | (a) | the proposed setback; |
| (c) | buil | ding envelopes on new lots. | (b) | the existing setback of buildings on the site; |
| A1.2 | 2 | | (c) | the frequency of use of the rail network; |
| Build | dings | , may be: | (d) | the speed limit and traffic volume of the |
| (a) | loca | ted within a row of existing buildings | | road; |
| | | setback no closer than the immediately icent building; or | (e) | any noise, vibration, light and air emissions from the rail network or road; |
| (b) | an e | extension which extends no closer than: | (f) | the nature of the road; |
| | (i) | the existing building; or | (g) | the nature of the development; |
| | (ii) | an immediately adjacent building. | (h) | the need for the development; |
| | | | (i) | any traffic impact assessment; |
| | | | (j) | any recommendations from a suitably qualified person for mitigation of noise, if for a habitable building for a sensitive use; and |
| | | | (k) | any written advice received from the rail or road authority. |

E5.6.2 Road accesses and junctions

Objective:

To ensure that the safety and efficiency of roads is not reduced by the creation of new accesses and junctions.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| No new access or junction to roads in an area subject to a speed limit of more than 60km/h. | For roads in an area subject to a speed limit of more than 60km/h, accesses and junctions must be safe and not unreasonably impact on the efficiency of the road, having regard to: | |
| | (a) the nature and frequency of the traffic generated by the use; | |
| | (b) the nature of the road; | |
| | (c) the speed limit and traffic flow of the road; | |
| | (d) any alternative access; | |
| | (e) the need for the access or junction; | |
| | (f) any traffic impact assessment; and | |
| | (g) any written advice received from the road authority. | |
| A2 | P2 | |
| No more than one access providing both entry and exit, or two accesses providing separate | For roads in an area subject to a speed limit of 60km/h or less, accesses and junctions must be | |

| entry and exit, to roads in an area subject to a speed limit of 60km/h or less. | safe and not unreasonably impact on the efficiency of the road, having regard to: | |
|---|---|--|
| | (a) the nature and frequency of the traffic generated by the use; | |
| | (b) the nature of the road; | |
| | (c) the speed limit and traffic flow of the road; | |
| | (d) any alternative access to a road; | |
| | (e) the need for the access or junction; | |
| | (f) any traffic impact assessment; and | |
| | (g) any written advice received from the road authority. | |

E5.6.3 New level crossings

Objective:

To ensure that the safety and the efficiency of the rail network is not reduced by access across part of the rail network.

| Acceptable Solutions | Performance Criteria | | |
|-------------------------|---|--|--|
| A1 | P1 | | |
| No acceptable solution. | Level crossings must be safe and not unreasonably impact on the efficiency of the rainetwork, having regard to: | | |
| | (a) the nature and frequency of the traffic generated by the use; | | |
| | (b) the frequency of use of the rail network; | | |
| | (c) the location of the level crossing; | | |
| | (d) any alternative access; | | |
| | (e) the need for the level crossing; | | |
| | (f) any traffic impact assessment; | | |
| | (g) any measures to prevent access to the rail network; and | | |
| | (h) any written advice received from the rail authority. | | |

E5.6.4 Sight distance at accesses, junctions and level crossings

Objective:

To ensure that accesses, junctions and level crossings provide sufficient sight distance between vehicles and between vehicles and trains to enable safe movement of traffic.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| Sight distances at: | The design, layout and location of an access, | |
| (a) an access or junction must comply with the | junction or rail level crossing must provide | |

- Safe Intersection Sight Distance shown in Table E5.1; and
- (b) rail level crossings must comply with AS1742.7 Manual of uniform traffic control devices - Railway crossings, Standards Association of Australia.
- adequate sight distances to ensure the safe movement of vehicles, having regard to:
- (a) the nature and frequency of the traffic generated by the use;
- (b) the frequency of use of the road or rail network;
- (c) any alternative access;
- (d) the need for the access, junction or level crossing;
- (e) any traffic impact assessment;
- (f) any measures to improve or maintain sight distance; and
- (g) any written advice received from the road or rail authority.

Table E5.1 Safe intersection sight distance


| Vehicle Speed | Safe Intersection Sight Distance in metres, for speed | | |
|---------------|---|----------------------|--|
| km/h | 60 km/h or less | Greater than 60 km/h | |
| 50 | 80 | 90 | |
| 60 | 105 | 115 | |
| 70 | 130 | 140 | |
| 80 | 165 | 175 | |
| 90 | | 210 | |
| 100 | | 250 | |
| 110 | | 290 | |

Where:

- (a) Vehicle speed is the actual or recorded speed of traffic passing along the road and is the speed at or below which 85% of passing vehicles travel.
- (b) For Safe Intersection Sight Distance:
 - (i) All sight lines (driver to object vehicle) are to be between points 1.2m above the road and access surface at the respective vehicle positions with a clearance to any sight obstruction of 0.5m to the side and below, and 2.0m above all sight lines;
 - (ii) These sight line requirements are to be maintained over the full sight triangle for vehicles at any point between positions 1, 2 and 3 in Figure E5.1 and the access junction;
 - (iii) A driver at position 1 must have sight lines to see cars at any point between the access and positions 3 and 2 in Figure E5.1;
 - (iv) A driver at any point between position 3 and the access must

- have sight lines to see a car at position 4 in Figure E5.1;
- (v) A driver at position 4 must have sight lines to see a car at any point between position 2 and the access in Figure E5.1; and
- (vi) The distance of a driver from the conflict point in Figure E5.1(X), is a minimum of. 7m for category 1 roads and category 2 roads, and 5m for all other roads.

Figure E5.1 Sight Lines for Accesses and Junctions



E6.0 Parking and Access Code

E6.1 Purpose

- E6.1.1 The purpose of this provision is to:
 - ensure safe and efficient access to the road network for all users, including drivers, passengers, pedestrians and cyclists;
 - (b) ensure enough parking is provided for a use or development to meet the reasonable requirements of users, including people with disabilities;
 - (c) ensure sufficient parking is provided on site to minimise on-street parking and maximise the efficiency of the road network;
 - ensure parking areas are designed and located in conformity with recognised standards to enable safe, easy and efficient use and contribute to the creation of vibrant and liveable places;
 - (e) ensure access and parking areas are designed and located to be safe for users by minimising the potential for conflicts involving pedestrians, cyclists and vehicles; and by reducing opportunities for crime or anti-social behaviour;
 - (f) ensure that vehicle access and parking areas do not adversely impact on amenity, site characteristics or hazards;
 - (g) recognise the complementary use and benefit of public transport and nonmotorised modes of transport such as bicycles and walking;
 - (h) provide for safe servicing of use or development by commercial vehicles.

E6.2 Application

E6.2.1 This code applies to all use and development.

E6.3 Definition of Terms

E6.3.1 In this Code, unless the contrary intention appears:

| building line | means a line coincident with the front wall of a building extending either side of the building. |
|--------------------|---|
| commercial vehicle | means a small rigid vehicle, medium rigid vehicle, heavy rigid vehicle or articulated vehicle described in section 2 "Design Vehicles" of AS2890.2 - 2002 Parking facilities Part 2: Off-street commercial vehicle facilities. |
| floor area | for the purposes of this Code, means the gross floor area, excluding the area of stairs, loading bays, access ways, or car parking areas, or any area occupied by machinery required for air conditioning, heating, power supply, or lifts. |
| material change | means an increase in vehicle use of more than 10%. |

E6.4 Use or Development Exempt from this Code

E6.4.1 No use or development is exempt from this code.

E6.5 Application Requirements

- E6.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria, as specified:
 - (a) an assessment, by a suitably qualified person, of parking demand created by a use or development and the ability for such demand to be satisfied in the vicinity of a proposed use of development, if reliant on Performance Criteria to satisfy E6.6.1, E6.6.3 or E6.6.4;
 - (b) a design of parking facilities;
 - (c) a Traffic Impact Assessment, if the increase in the number of vehicle movements per day is more than 40;

E6.6 Use Standards

E6.6.1 Number of Car Parking Spaces

The number of on-site car parking spaces must

| Obj | Objective: | | |
|--|--|-------------------------------|--|
| То е | To ensure that: | | |
| (a) | (a) there is enough car parking to meet the reasonable needs of all users of a use or development, taking into account the level of parking available on or outside of the land and the access afforded by other modes of transport. | | |
| (b) | (b) a use or development does not detract from the amenity of users or the locality by: | | the amenity of users or the locality by: |
| | (i) preventing regular parking overspill; | | |
| (ii) minimising the impact of car parking on heritage and local character. | | heritage and local character. | |
| Acc | Acceptable Solutions | | Performance Criteria |
| A1 | | | P1 |

The number of on-site car parking spaces must

be:

(a) no less than the number specified in Table E6.1, rounded up to the nearest whole number;

except if:

 the site is subject to a parking plan for the area adopted by Council, in which case parking provision (spaces or cashin-lieu) must be in accordance with that plan; be sufficient to meet the reasonable needs of users, having regard to all of the following:

- (a) car parking demand;
- (b) the availability of on-street and public car parking in the locality;
- the availability and frequency of public transport within a 400m walking distance of the site;
- (d) the availability and likely use of other modes of transport;
- the availability and suitability of alternative arrangements for car parking provision;
- (f) any reduction in car parking demand due to the sharing of car parking spaces by multiple uses, either because of variation of car parking demand over time or because of efficiencies gained from the consolidation of shared car parking spaces;
- (g) any car parking deficiency or surplus associated with the existing use of the land;
- (h) any credit which should be allowed for a car parking demand deemed to have been provided in association with a use which existed before the change of parking requirement, except in the case of substantial redevelopment of a site;
- the appropriateness of a financial contribution in lieu of parking towards the cost of parking facilities or other transport facilities, where such facilities exist or are planned in the vicinity;
- any verified prior payment of a financial contribution in lieu of parking for the land;
- (k) any relevant parking plan for the area adopted by Council;
- the impact on the historic cultural heritage significance of the site if subject to the Local Heritage Code;
- (m) the impact on the heritage and character values of Franklin if subject to the Franklin Heritage Specific Area Plan.

E6.6.2 Number of Accessible Car Parking Spaces for People with a Disability

Objective:

To ensure that a use or development provides sufficient accessible car parking for people with a

| disability. | | | |
|--|--|--------------------------|--|
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| Car parking spaces provided for people with a disability must: | | No Performance Criteria. | |
| (a) | satisfy the relevant provisions of the Building Code of Australia; | | |
| (b) | be incorporated into the overall car park design; | | |
| (c) | be located as close as practicable to the building entrance. | | |

E6.6.3 Number of Motorcycle Parking Spaces

Objective:

To ensure enough motorcycle parking is provided to meet the needs of likely users of a use or development.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| The number of on-site motorcycle parking spaces provided must be at a rate of 1 space to each 20 car parking spaces after the first 19 car parking spaces except if bulky goods sales, (rounded to the nearest whole number). Where an existing use or development is extended or intensified, the additional number of motorcycle parking spaces provided must be calculated on the amount of extension or intensification, provided the existing number of motorcycle parking spaces is not reduced. | The number of on-site motorcycle parking spaces must be sufficient to meet the needs of likely users having regard to all of the following, as appropriate: (a) motorcycle parking demand; (b) the availability of on-street and public motorcycle parking in the locality; (c) the availability and likely use of other modes of transport; (d) the availability and suitability of alternative arrangements for motorcycle parking provision. | |

E6.6.4 Number of Bicycle Parking Spaces

Objective:

To ensure enough bicycle parking is provided to meet the needs of likely users and by so doing to encourage cycling as a healthy and environmentally friendly mode of transport for commuter, shopping and recreational trips.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| The number of on-site bicycle parking spaces provided must be no less than the number specified in Table E6.2. | The number of on-site bicycle parking spaces provided must have regard to all of the following: | |
| | (a) the nature of the use and its operations; | |

| (b) | the location of the use and its accessibility by cyclists; |
|-----|---|
| (c) | the balance of the potential need of both those working on a site and clients or other visitors coming to the site. |

E6.7 Development Standards

E6.7.1 Number of Vehicular Accesses

Objective:

To ensure that:

- (a) safe and efficient access is provided to all road network users, including, but not limited to: drivers, passengers, pedestrians, and cyclists, by minimising:
 - (i) the number of vehicle access points; and
 - (ii) loss of on-street car parking spaces;
- (b) vehicle access points do not unreasonably detract from the amenity of adjoining land uses;
- (c) vehicle access points do not have a dominating impact on local streetscape and character.

| Acceptable Solutions | Perfo | orma | ince Criteria |
|--|-------|--------------|--|
| A1 | P1 | | |
| each road frontage must be no more than 1 or the existing number of vehicle access points, | road | fron | per of vehicle access points for each tage must be minimised, having regard he following: |
| | . , | mini prov | ess points must be positioned to mise the loss of on-street parking and wide, where possible, whole car parking tes between access points; |
| | | prov | ther the additional access points can be vided without compromising any of the wing: |
| | | (i) | pedestrian safety, amenity and convenience; |
| | | (ii) | traffic safety; |
| | | (iii) | residential amenity on adjoining land; |
| | | (iv) | streetscape; |
| | | (v) | cultural heritage values if the site is subject to the Local Historic Heritage Code; |
| | | (vi) | the enjoyment of any 'al fresco' dining or other outdoor activity in the vicinity. |

Objective:

To ensure safe and efficient access for all users, including drivers, passengers, pedestrians and cyclists by locating, designing and constructing vehicle access points safely relative to the road network

Acceptable Solutions Performance Criteria Α1 **P1** Design of vehicle access points must comply with Design of vehicle access points must be safe, all of the following: efficient and convenient, having regard to all of the following: (a) in the case of non-commercial vehicle access; the location, sight distance, width avoidance of conflicts between users and gradient of an access must be designed including vehicles, cyclists and pedestrians; and constructed to comply with section 3 avoidance of unreasonable interference "Access Facilities to Off-street Parking Areas with the flow of traffic on adjoining roads; and Queuing Areas" of AS/NZS 2890.1:2004 (c) suitability for the type and volume of traffic Parking Facilities Part 1: Off-street car likely to be generated by the use or parking; development; (b) in the case of commercial vehicle access; (d) ease of accessibility and recognition for the location, sight distance, geometry and users. gradient of an access must be designed and constructed to comply with all access driveway provisions in section 3 "Access Driveways and Circulation Roadways" of

Off- street commercial vehicle facilities.

E6.7.3 Vehicular Passing Areas Along an Access

AS2890.2 - 2002 Parking facilities Part 2:

Objective:

To ensure that:

- (a) the design and location of access and parking areas creates a safe environment for users by minimising the potential for conflicts involving vehicles, pedestrians and cyclists;
- (b) use or development does not adversely impact on the safety or efficiency of the road network as a result of delayed turning movements into a site.

| Acc | eptak | le Solutions | Perf | ormance Criteria |
|-----|--------|--|------|--|
| A1 | | | P1 | |
| Veh | iculaı | passing areas must: | | icular passing areas must be provided in |
| (a) | | provided if any of the following applies n access: | the | icient number, dimension and siting so that access is safe, efficient and convenient, ng regard to all of the following: |
| | (i) | it serves more than 5 car parking spaces; | (a) | avoidance of conflicts between users including vehicles, cyclists and pedestrians; |
| | (ii) | is more than 30 m long; | (b) | avoidance of unreasonable interference |
| | (iii) | it meets a road serving more than | | with the flow of traffic on adjoining roads; |
| | | 6000 vehicles per day; | (c) | suitability for the type and volume of traffic |
| (b) | be 6 | m long, 5.5 m wide, and taper to the | | likely to be generated by the use or |

| | width of the driveway; | | development; |
|-----|--|-----|--|
| (c) | have the first passing area constructed at the kerb; | (d) | ease of accessibility and recognition for users. |
| (d) | be at intervals of no more than 30 m along the access. | | |

E6.7.4 On-Site Turning

Objective:

To ensure safe, efficient and convenient access for all users, including drivers, passengers, pedestrians and cyclists, by generally requiring vehicles to enter and exit in a forward direction.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| vehicles to exit a site in a forward direction, except where the access complies with any of | On-site turning may not be required if access is safe, efficient and convenient, having regard to all of the following: |
| the following: (a) it serves no more than two dwelling units; | (a) avoidance of conflicts between users including vehicles, cyclists, dwelling occupants and pedestrians; |
| | (b) avoidance of unreasonable interference with the flow of traffic on adjoining roads; |
| | (c) suitability for the type and volume of traffic likely to be generated by the use or development; |
| | (d) ease of accessibility and recognition for users; |
| | (e) suitability of the location of the access point and the traffic volumes on the road. |

E6.7.5 Layout of Parking Areas

Objective:

To ensure that parking areas for cars (including assessable parking spaces), motorcycles and bicycles are located, designed and constructed to enable safe, easy and efficient use.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| The layout of car parking spaces, access aisles, circulation roadways and ramps must be designed and constructed to comply with section 2 "Design of Parking Modules, Circulation Roadways and Ramps" of AS/NZS 2890.1:2004 Parking Facilities Part 1: Off-street car parking and must have sufficient headroom to comply with clause 5.3 "Headroom" of the same Standard. | The layout of car parking spaces, access aisles, circulation roadways and ramps must be safe and must ensure ease of access, egress and manoeuvring on-site. |

E6.7.6 Surface Treatment of Parking Areas

Objective:

To ensure that parking spaces and vehicle circulation roadways do not detract from the amenity of users, adjoining occupiers or the environment by preventing dust, mud and sediment transport.

Acceptable Solutions Performance Criteria

Α1

Parking spaces and vehicle circulation roadways must be in accordance with all of the following;

- (a) paved or treated with a durable all-weather pavement where within 75m of a property boundary or a sealed roadway;
- (b) drained to an approved stormwater system, unless the road from which access is provided to the property is unsealed.

D1

Parking spaces and vehicle circulation roadways must not unreasonably detract from the amenity of users, adjoining occupiers or the quality of the environment through dust or mud generation or sediment transport, having regard to all of the following:

- (a) the suitability of the surface treatment;
- (b) the characteristics of the use or development;
- (c) measures to mitigate mud or dust generation or sediment transport.

E6.7.7 Lighting of Parking Areas

Objective:

To ensure parking and vehicle circulation roadways and pedestrian paths used outside daylight hours are provided with lighting to a standard which:

- (a) enables easy and efficient use;
- (b) promotes the safety of users;
- (c) minimises opportunities for crime or anti-social behaviour; and
- (d) prevents unreasonable light overspill impacts.

Acceptable Solutions Performance Criteria

Α1

Parking and vehicle circulation roadways and pedestrian paths serving 5 or more car parking spaces, used outside daylight hours, must be provided with lighting in accordance with clause 3.1 "Basis of Design" and clause 3.6 "Car Parks" in AS/NZS 1158.3.1:2005 Lighting for roads and public spaces Part 3.1: Pedestrian area (Category P) lighting.

P1

Parking and vehicle circulation roadways and pedestrian paths used outside daylight hours must be provided with lighting to a standard which satisfies all of the following:

- (a) enables easy and efficient use of the area;
- (b) minimises potential for conflicts involving pedestrians, cyclists and vehicles;
- (c) reduces opportunities for crime or antisocial behaviour by supporting passive surveillance and clear sight lines and treating the risk from concealment or entrapment points;
- (d) prevents unreasonable impact on the amenity of adjoining users through light overspill;

| (e) | is appropriate to the hours of operation of |
|-----|---|
| | the use. |

E6.7.8 Landscaping of Parking Areas

Objective:

To ensure that large parking and circulation areas are landscaped to:

- (a) relieve the visual impact on the streetscape of large expanses of hard surfaces;
- (b) screen the boundary of car parking areas to soften the amenity impact on neighbouring properties;
- (c) contribute to the creation of vibrant and liveable places;
- (d) reduce opportunities for crime or anti-social behaviour by maintaining clear sightlines.

| Acceptable Solutions | Performance Criteria | |
|---|--|--|
| A1 | P1 | |
| must be provided where more than 5 car parking | Landscaping of parking and circulation areas accommodating more than 5 cars must satisfy all of the following: | |
| no less than 5 percent of the area of the car park, except in the Central Business Zone where no landscaping is required. | (a) relieve the visual impact on the streetscape of large expanses of hard surfaces; | |
| The fathassaping is required. | (b) soften the boundary of car parking areas to reduce the amenity impact on neighbouring properties and the streetscape; | |
| | (c) reduce opportunities for crime or anti-social behaviour by maintaining passive surveillance opportunities from nearby public spaces and buildings. | |

E6.7.9 Design of Motorcycle Parking Areas

Objective:

To ensure that motorcycle parking areas are located, designed and constructed to enable safe, easy and efficient use.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| The design of motorcycle parking areas m comply with all of the following: | provide safe, obvious and easy access for |
| (a) be located, designed and constructed comply with section 2.4.7 "Provision | I tollowing. |
| Motorcycles" of AS/NZS 2890.1:2004 Parking Facilities Part 1: Off-street ca parking; | r or the public road to provide adequate passive surveillance of the parking facility |
| (b) be located within 30 m of the main entrance to the building. | and the route from the parking facility to the building; |
| J | (b) avoiding creation of concealment points to minimise the risk. |

Objective:

To encourage cycling as a healthy and environmentally friendly mode of transport for commuter, shopping and recreational trips by providing secure, accessible and convenient bicycle parking spaces.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| The design of bicycle parking facilities must comply with all the following; | The design of bicycle parking facilities must provide safe, obvious and easy access for cyclists, |
| (a) be provided in accordance with the requirements of Table E6.2;(b) be located within 30 m of the main | having regard to all of the following:(a) minimising the distance from the street to the bicycle parking area; |
| entrance to the building. | (c) providing clear sightlines from the building or the public road to provide adequate passive surveillance of the parking facility and the route from the parking facility to the building; |
| | (d) avoiding creation of concealment points to minimise the risk. |
| A2 | P2 |
| The design of bicycle parking spaces must be to the class specified in table 1.1 of AS2890.3-1993 Parking facilities Part 3: Bicycle parking facilities in compliance with section 2 "Design of Parking Facilities" and clauses 3.1 "Security" and 3.3 "Ease of Use" of the same Standard. R1 | The design of bicycle parking spaces must be sufficient to conveniently, efficiently and safely serve users without conflicting with vehicular or pedestrian movements or the safety of building occupants. |

E6.7.10.R1 Austroads – Cycling Aspects of Austroads Guides 2011 is also a useful reference for the design of bicycle storage facilities.

E6.7.11 Bicycle End of Trip Facilities

| Objective: | | |
|--|--|--|
| To ensure that cyclists are provided with adequate end of trip facilities. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| For all new buildings where the use requires the provision of more than 5 bicycle parking spaces for employees under Table E6.2, 1 shower and change room facility must be provided, plus 1 additional shower for each 10 additional employee bicycle spaces thereafter. | End of trip facilities must be provided at an adequate level to cater for the reasonable needs of employees having regard to all of the following: (a) the location of the proposed use and the distance a cyclist would need to travel to reach the site; (b) the users of the site and their likely desire | |
| | to travel by bicycle; | |

| (c) | whether there are other facilities on the site that could be used by cyclists; |
|-----|--|
| (d) | opportunity for sharing bicycle facilities by multiple users. |

E6.7.12 Siting of Car Parking

Objective:

To ensure that the streetscape, amenity and character of urban areas is not adversely affected by siting of vehicle parking and access facilities.

Acceptable Solutions Performance Criteria A1 P1

Parking spaces and vehicle turning areas, including garages or covered parking areas in the Inner Residential Zone, Urban Mixed Use Zone, Village Zone, Local Business Zone and General Business Zone must be located behind the building line of buildings located or proposed on a site except if a parking area is already provided in front of the building line of a shopping centre.

Parking spaces and vehicle turning areas, including garages or covered parking areas in the Inner Residential Zone, Urban Mixed Use Zone, Village Zone, Local Business Zone and General Business Zone may be located in front of the building line where topographical or other site constraints dictate that this is the only practical solution because of one or more of the following:

- (a) there is a lack of space behind the building line to enable compliance with A1;
- (b) it is not reasonably possible to provide vehicular access to the side or rear of the property;
- (c) the gradient between the front and the rear of existing or proposed buildings is more than 1 in 5;
- (d) the length of access or shared access required to service the car parking would constitute more than 75% of the depth of the relevant lot:
- (e) the access driveway cannot be located at least 2.5 m from a habitable room window of a building defined as a residential building in the Building Code of Australia;
- (f) the provision of the parking behind the building line would result in the loss of landscaped open space and gardens essential to the values or character of a Heritage Place or Precinct listed in the Historic Heritage Code in this planning scheme;
- g) the provision of the parking behind the building line would result in the loss of threatened vegetation.

and only if designed and located to satisfy all of the following:

(i) does not visually dominate the site;

(ii) maintains streetscape character and amenity;

(iii) does not result in a poor quality of visual or audio amenity for the occupants of immediately adjoining properties, having regard to the nature of the zone in which the site is located and its preferred uses;

(iv) allows passive surveillance of the

street.

E6.7.13 Facilities for Commercial Vehicles

Objective: To ensure that facilities for commercial vehicles are provided on site, as appropriate. **Acceptable Solutions Performance Criteria** Α1 **P1** Commercial vehicle facilities for loading, Commercial vehicle arrangements for loading, unloading or manoeuvring must be provided onunloading or manoeuvring must not compromise site in accordance with Australian Standard for the safety and convenience of vehicular traffic, Off- street Parking, Part 2 : Commercial. Vehicle cyclists, pedestrians and other road users. Facilities AS 2890.2:2002, unless: (a) the delivery of all inward bound goods is by a single person from a vehicle parked in a dedicated loading zone within 50 m of the site; (b) the use is not primarily dependent on outward delivery of goods from the site.

E6.7.14 Access to a Road

| Objective: | | |
|---|--------------------------|--|
| To ensure that access to the road network is provided appropriately. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| Access to a road must be in accordance with the requirements of the road authority. | No Performance Criteria. | |

Table E6.1 Number of Car Parking Spaces Required

| Land Use | Rate (spaces) | Car parking measure |
|--------------------------------------|---------------|--|
| Use Class: Bulky goods sales | | |
| Motor vehicle, boat or caravan sales | 1 | for each 100m2 of display, storage and |

| | | workshop floor area. |
|--|---|------------------------------|
| Retail plant nursery | 1 | for each 50m2 of floor area. |
| Bulky goods sales except as otherwise specified in this table. | 1 | for each 50m2 of floor area |

Use Class: Business and professional services

| Funeral parlour | 0.3 | for each seat or for each m2 of floor area, whichever is the greater |
|--|-----|--|
| Medical centre | 5 | for each person providing health services |
| Office | 1 | for each 30m2 of floor area |
| Veterinary centre | 3.5 | for each 100m2 floor area |
| Business and professional services, except as otherwise specified in this table. | 1 | for each 30m2 of floor area |

Use Class: Community meeting & entertainment

| Art and craft centre | 1 | for each 30m2 of floor area |
|---|---|---|
| Exhibition centre, library, museum or public art gallery | 1 | for each 20m2 of floor area |
| Cinema, church, civic centre, function centre, public hall, theatre | 1 | for each 15m2 floor area or for each 3 seats whichever is the greater |
| Community meeting & entertainment, except as otherwise specified in this table. | 1 | for each 15m2 floor area or for each 3 seats whichever is the greater |

Use Class: Custodial facility

| Custodial facility | 0.67 | for each bedroom; or 1.5 spaces for each unit with all spaces in excess of 1 to each unit to be provided as a visitor space whichever is the |
|--------------------|------|--|
| | | greater |

Use Class: Crematoria and cemeteries

| Cemetery | 30 | for each cemetery |
|-------------|----|---|
| Crematorium | 1 | for each 3 seats or 30 spaces, whichever is the |
| | | greater |

Use Class: Domestic animal breeding, boarding or training

| Domestic animal breeding, | 1 | for each 40m2 of floor area |
|---------------------------|---|-----------------------------|
| boarding or training | | |

Use Class: Educational and occasional care

| Childcare centre | 0.25 | for each child the centre is licensed to accommodate |
|------------------|------|---|
| Primary school | 0.67 | for each employee and a pick up and set down area with 1 space for each 30 students |

| | To c= | Te |
|--|------------------|---|
| Secondary school | 0.67 | for each employee and a pick up and set down area with 1 space for each 30 students and 1 |
| | | space for each 10 students aged over 17 |
| Tertiary institution | 0.5 | for each employee and 0.1 for each student |
| Educational and occasional care, | 0.5 | for each employee and 0.1 for each |
| except as otherwise specified in | | student/client. |
| this table | | |
| Use Class: Emergency services | | |
| Emergency services | 1 | for each 40m2 of floor area. |
| Use Class: Equipment and machiner | y sales and hire | 1 |
| Equipment and machinery sales and hire | 1 | for each 50m2 of floor area. |
| Use Class: Extractive industry | 1 | |
| Extractive industry | 2 | for each 3 employees |
| Use Class: Food services | 1 | |
| Restaurant | 15 | for each 100m2 of floor area or 1 space for |
| | | each 3 seats, whichever is the greater. |
| Take-away food premises | 15 | for each 100m2 of floor area or 1 space for |
| | | each 3 seats, whichever is the greater. |
| | | Drive through (if applicable): Queuing area for 5 - 12 cars. |
| Food services, except as otherwise | 15 | for each 100m2 of floor area or 1 space for |
| specified in this table | | each 3 seats, whichever is the greater. |
| Use Class: General retail and hire | | |
| Convenience store | 1 | for each 20m2 of floor area. |
| Market | 2.5 | for each stall. |
| General retail and hire, except as | 1 | for each 30m2 of floor area. |
| otherwise specified in this table. | | |
| Use Class: Hospital services | | |
| Hospital services | 1 | for each 40m2 of floor area |
| Use Class: Hotel industry | 1 | |
| Hotel industry | 1 | for each 3m2 of public bar room floor area |
| | | and 1 space for each 6m2 of beer garden area and 1 space for each 8m2 of lounge or dining |
| | | room floor area and 1 space for each 10m2 of |
| | | gaming room floor area and 1 space for each |
| | | 30m2 of bottleshop floor area and 1 space for |
| | | each 2 bedrooms and 1 space for each |
| | | accommodation unit, as applicable. |

Use Class: Manufacturing and processing

| Manufacturing and processing | 1 | for each 50m2 of floor area. |
|--|-----------------|---|
| Use Class: Motor racing facility | | |
| Motor racing facility | | Subject to traffic and parking impact assessment. |
| Use Class: Natural and cultural valu | es managemen | t |
| Natural and cultural values management | No requirement. | No requirement. |
| Use Class: Passive recreation | 1 | |
| Passive recreation | No requirement. | No requirement. |
| Use Class: Pleasure boat facility | 1 | |
| Boathouse | 0.5 | for each boathouse. |
| Marina | 0.6 | spaces for each wet berth and 0.2 spaces for each dry storage berth and 0.5 spaces to each marina employee. |
| Pleasure boat facility, except as otherwise specified in this table. | | Subject to traffic and parking impact assessment. |
| Use Class: Port and shipping | | |
| Servicing or repair of boats or marine equipment | 1 | for each 50m2 of floor area. |
| Passenger terminal | | Subject to traffic and parking impact assessment. |
| Seaward operations e.g. shipping channel or maintenance dredging | No requirement | No requirement |
| Wharf | | Subject to traffic and parking impact assessment. |
| Port and shipping, except as otherwise specified in this table. | 2 | for each 3 staff. |
| Use Class: Recycling and waste disp | osal | |
| Recycling and waste disposal | 1 | for each 100m2 or 1 space for each 1.5 employees, whichever is the greater. |
| Use Class: Research and developme | nt | 1 |
| Research and development | 1 | for each 40m2 of floor area. |
| Use Class: Residential | I | 1 |
| Boarding house or hostel or residential college | 1 | for each staff member and 1 for every 3 licensed residents. |
| Caretaker's dwelling | 1 | for each caretaker's dwelling |
| Home occupation | 1 | visitor space for each home occupation |
| Home-based business | 1 | for each non-resident employee and 1 visitor |

| | | space for each home-based business |
|---|-------------------|--|
| Multiple dwelling containing 1 | 1 | for each dwelling and: |
| bedroom or studio (including all rooms capable of being used as a bedroom) | | 1 dedicated visitor parking space per 4 dwellings (rounded up to the nearest whole number or |
| | | if on an internal lot or located at the head of a |
| | | cul-de-sac, 1 dedicated space per 3 dwellings (rounded up to the nearest whole number) |
| Multiple dwelling containing 2 or | 2 | for each dwelling and: |
| more bedrooms (including all rooms capable of being used as a bedroom) | | 1 dedicated visitor parking space per 4 dwellings (rounded up to the nearest whole number or |
| | | if on an internal lot or located at the head of a |
| | | cul-de-sac, 1 dedicated space per 3 dwellings (rounded up to the nearest whole number) |
| Residential aged care facility or respite centre | 3 | for every 10 licensed beds and 1 space for emergency services |
| Residential mobile home park | 1 | for each mobile home and 1 visitor space for every 4 mobile homes |
| Retirement village | 1 | for each dwelling and 1 visitor space for every 4 dwellings |
| Single dwelling containing 1 bedroom or studio (including all rooms capable of being used as a bedroom) | 1 | |
| Single dwelling containing 2 or more bedrooms (including all rooms capable of being used as a bedroom) | 2 | |
| Use Class: Resource development | | |
| Resource development | No requirement | No requirement |
| Use Class: Resource processing | -1 | • |
| Resource processing | 1 | For each 50m2 of floor area |
| Use Class: Service industry | | |
| Service industry | 3 | for each 100m 2 floor area, or 3 spaces for each work bay; whichever is the greater. |
| Use Class: Sports and recreation | • | |
| Bowling green | 30 | for the first green and 15 for each additional |

green.

for each 100m2 of floor area

4.5

Fitness centre

| Golf course | 4 | for each tee and 1 space for each 15m2 floor area for licensed club facilities |
|--|----------------|--|
| Swimming pool (other than in conjunction with a dwelling) | 5.6 | for each 100 m2 of site area. |
| Squash court (other than in conjunction with a dwelling) | 4 | for each court |
| Tennis court (other than in conjunction with a dwelling) | 4 | for each court |
| Sports and recreation, except as otherwise specified in this table | | Subject to traffic and parking impact assessment. |
| Use Class: Storage | | |
| Storage | 1 | for each 100m2 of floor area and 1 for each 40 m2 of ancillary office floor area. |
| Use Class: Tourist operation | | |
| Tourist operation | 1 | for each 25m2 of floor area for indoor attractions, displays, restaurants and the like; plus 1 space for each 40m 2 of outdoor area for attractions, displays and the like; plus a minimum of 1 bus parking space. |
| Use Class: Transport depot and dist | tribution | |
| Transport depot and distribution | | 3.5 spaces to each 100m2 of floor area. |
| Use Class: Utilities | | |
| Utilities | No requirement | No requirement |
| Use Class: Vehicle fuel sales and se | rvice | |
| Vehicle fuel sales and service | 6 | 6 spaces to each work bay plus 1 space to each 20 m2 floor area of convenience store |
| Use Class: Vehicle parking | | 1 |
| Vehicle parking | No requirement | No requirement |
| Use Class: Visitor accommodation | -1 | ' |
| Backpacker's hostel | 1 | for every 4 licensed beds. |
| Bed and breakfast establishment | 1 | for each bedroom |
| Camping and caravan park | 1 | for each individual camping or caravan site and 50% of the relevant requirement for ancillary use. |
| Guest house | 1 | for each bedroom |
| Holiday cabin, holiday unit | 1 | for each unit and 1 space for each manager's dwelling and 50% of the relevant requirement for any ancillary use. |

| Motel | 1 | for each unit and 1 space for each manager's dwelling and 50% of the relevant requirement for any ancillary use. |
|---|---|--|
| Overnight camping area | 1 | for each camping site and 1 space for each staff member. |
| Residential hotel | 1 | for each bedroom. |
| Serviced apartment | 1 | for each serviced apartment unit |
| Visitor accommodation, except as otherwise specified in this table. | 1 | for each unit and 1 space for each manager's dwelling and 50% of the relevant requirement for any ancillary use. |

Operation of Table E6.1

- (a) Table E6.1 sets out the number of car parking spaces required. The requirement for spaces for a use or development listed in the first column of the table is the product of the second and third columns. If the result is not a whole number, the required number of (spaces) is the nearest whole number. If the fraction is one-half, the requirement is the next whole number.
- (b) Where an existing use or development is extended or intensified, the additional number of car parking spaces provided must be calculated on the amount of extension or intensification, provided the existing number of parking spaces is not reduced.
- (c) Where there is an existing surplus of car parking spaces on the land, any additional parking required may be drawn from the surplus.

Table E6.2 Number and Class of Bicycle Parking Spaces Required

| Land Use Term | Employee/resident bicycle parking requirement | Class | Visitor/customer/student bicycle parking | Class |
|---|---|-------|---|-------|
| | | | requirement | |
| Use class: Bulky goods sales | 3 | • | | 1 |
| Bulky goods sales | 2 | 1 or | 1 for each 2000 m2 floor | 3 |
| | | 2 | area (minimum 2) | |
| Use class: Business and pro | fessional services | • | | 1 |
| Medical centre | 1 for each 8 practitioners | 1 or | 1 for each 4 practitioners | 3 |
| | | 2 | | |
| Office | 1 for each 250 m2 floor area | 1 or | 1 for each 1000 m2 of floor | 3 |
| | after the first 250 m2 floor area | 2 | area if the floor area exceeds 1000 m2 | |
| Veterinary centre | 1 for each 8 practitioners | 1 or | 1 for each 8 practitioners | 3 |
| | | 2 | | |
| Business and professional | 1 for each 250 m2 floor area | 1 or | 1 for each 1000 m2 of floor | 3 |
| services, except as otherwise specified in this | after the first 250 m2 floor area | 2 | area if the floor area exceeds 1000 m2 | |
| • | | | 1 | 1 |

| table. | | | | |
|--|---|------|---|---|
| Use class: Community mee | ting and entertainment | | | I |
| Community meeting and | 1 for each 500 m2 of floor | 1 or | 4 plus 2 for each 200 m2 | 3 |
| entertainment | area | 2 | floor area | |
| Use class: Educational and | occasional care | | | I |
| Childcare centre | 1 for each 20 employees | 1 or | 1 for each 20 children | 3 |
| | | 2 | | |
| Primary school | 1 for each 20 employees | 1 or | 1 for each 10 students | 3 |
| | | 2 | | |
| Secondary school | 1 for each 20 employees | 1 or | 1 for each 10 students | 3 |
| | | 2 | | |
| Tertiary institution (excl | 1 for each 20 employees | 1 or | 1 for each 20 full time | 3 |
| student accommodation) | | 2 | students | |
| Use class: Food services | | | | |
| Restaurant | 1 for each 100 m2 of floor | 1 or | 1 for each 200 m2 floor | 3 |
| | area available to the public | 2 | area after the first 200 m2 floor area (minimum 2) | |
| Taka away fa ad maaniga | 1 for each 100 m2 of floor | 1 or | 1 for each 50 m2 floor area | 3 |
| Take away food premises | area available to the public | | 1 for each 50 mz noor area | 3 |
| Frank and the second and the | | 2 | 4.5 | |
| Food services, except as otherwise specified in this | 1 for each 100 m2 of floor area available to the public | 1 or | 1 for each 200 m2 floor area after the first 200 m2 | 3 |
| table. | | 2 | floor area (minimum 2) | |
| Use class: General retail an | d hire | | | 1 |
| Amusement parlour | | 1 or | 2 plus 1 for each 50 m2 | 3 |
| | after the first 500 m2 floor area | 2 | floor area | |
| Shop | 1 for each 500 m2 floor area | 1 or | 1 for each 500 m2 floor | 3 |
| | after the first 500 m2 floor area | 2 | area | |
| Use class: Hospital services | | | | |
| Hospital services | 1 for each 15 patient beds | 1 or | 1 for each 30 beds | 3 |
| | | 2 | | |
| Use class: Hotel industry | | | | |
| Hotel industry | 1 for each 25 m2 bar floor | 1 or | 1 for each 25 m2 bar floor | 3 |
| | area plus 1 for each 100m2 | 2 | area plus 1 for each 100 m2 | |
| | lounge/beer garden area | | lounge, beer garden area | |
| Use class: Manufacturing a | | T. | T., | |
| Manufacturing and | 1 for each 1000 m2 of floor | 1 or | No requirement | _ |

| area | 2 | | |
|-----------------------------------|---|---|--|
| I | I | I | |
| 1 for each 7 patient beds | 1 or 2 | 1 for each 30 beds | - |
| ing | | <u> </u> | |
| 1 for each 1000 m2 of floor area | 1 or 2 | No requirement | - |
| dation | I | | l |
| 1 for each 40 accommodation rooms | 1 or 2 | 1 for each 30 accommodation rooms | 3 |
| ses | • | | • |
| No requirement | - | No requirement | - |
| | 1 for each 7 patient beds ing 1 for each 1000 m2 of floor area dation 1 for each 40 accommodation rooms | 1 for each 7 patient beds 1 or 2 ing 1 for each 1000 m2 of floor area 2 dation 1 for each 40 accommodation rooms 2 ses | 1 for each 7 patient beds 2 ing 1 for each 1000 m2 of floor area 1 for each 1000 m2 of floor area 1 for each 40 accommodation rooms 1 for each 30 accommodation rooms ses |

Classification of Bicycle Parking Facilities

| Class | Security Level | Description |
|-------|----------------|--|
| 1 | High | Fully enclosed individual lockers |
| 2 | Medium | Locked compounds with communal access using duplicate keys |
| 3 | Low | Facilities to which the bicycle frame and wheels can be locked |

Operation of Table E6.2

- (a) Table E6.2 sets out the number of bicycle parking spaces required. The requirement for spaces for a use or development listed in the first column of the table is set out in the second and forth columns of the table with the corresponding class set out in the third and fifth columns. If the result is not a whole number, the required number of (spaces) is the nearest whole number. If the fraction is one- half, the requirement is the next whole number.
- (b) Where an existing use or development is extended or intensified, the number of additional bicycle parking spaces required must be calculated on the amount of extension or intensification, provided the existing number of bicycle parking spaces is not reduced.
- (c) Where there is an existing surplus of bicycle parking spaces on the land, any additional bicycle parking required may be drawn from the surplus.
- (d) No new bicycle parking spaces are required to be provided for a change of use in an existing building where there is no increase in the floor area of the building and floor area used is less than 500m2.

E7.0 Stormwater Management Code

E7.1 Purpose

E7.1.1 The purpose of this provision is to ensure that stormwater disposal is managed in a way that furthers the objectives of the State Stormwater Strategy.

E7.2 Application

E7.2.1 This code applies to development requiring management of stormwater. This code does not apply to use.

E7.3 Definition of Terms

E7.3.1 In this code, unless the contrary intention appears;

| ARI | means the average recurrence interval, which means the average or expected value of the periods between exceedances of a given rainfall total accumulated over a given duration. |
|---|---|
| impervious surface | includes any roof or external paved or hardstand area, including for a road, driveway, a vehicle loading, parking and standing apron, cycle or pedestrian pathway, plaza, uncovered courtyard, deck or balcony or a storage and display area. |
| major stormwater drainage system | means the combination of overland flow paths (including roads and watercourses) and the underground reticulation system designed to provide safe conveyance of stormwater runoff and a specific level of flood mitigation. |
| minor stormwater drainage system | means the stormwater reticulation infrastructure designed to accommodate more frequent rainfall events (in comparison to major stormwater drainage systems) having regard to convenience, safety and cost. |
| stormwater drainage system | means a major or minor stormwater drainage system. |
| suitably qualified person (stormwater management) | means a professional engineer currently practising with relevant CPEng or NPER accreditation and an appropriate level of professional indemnity and public liability insurance. |

E7.4 Development Exempt from this Code

E7.4.1 No development is exempt from this code.

E7.5 Application Requirements

- E7.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria, as specified:
 - (a) a report from a suitably qualified person advising of the suitability of private and public stormwater systems for a proposed development or use;
 - (b) a report from a suitably qualified person on the suitability of a site for an on-site stormwater disposal system.

E7.6 Use Standards

There are no use standards in this code.

E7.7 Development Standards

E7.7.1 Stormwater Drainage and Disposal

| Obje | ective: | | | | |
|---|---|---|--|--|--|
| To ensure that stormwater quality and quantity is managed appropriately. | | | | | |
| Acceptable Solutions | | Performance Criteria | | | |
| A1 | | P1 | | | |
| Stormwater from new impervious surfaces must be disposed of by gravity to public stormwater infrastructure. | | Stormwater from new impervious surfaces must be managed by any of the following: | | | |
| | | (a) disposed of on-site with soakage devices having regard to the suitability of the site, the system design and water sensitive urban design principles; | | | |
| | | (b) collected for re-use on the site; | | | |
| | | (c) disposed of to public stormwater infrastructure via a pump system which is designed, maintained and managed to minimise the risk of failure to the satisfaction of the Council. | | | |
| A2 | | P2 | | | |
| A stormwater system for a new development must incorporate water sensitive urban design principles R1 for the treatment and disposal of stormwater if any of the following apply: | | A stormwater system for a new development must incorporate a stormwater drainage system of a size and design sufficient to achieve the stormwater quality and quantity targets in | | | |
| (a) | the size of new impervious area is more than 600 m2; | accordance with the State Stormwater Strategy 2010, as detailed in Table E7.1 unless it is not feasible to do so. | | | |
| (b) | new car parking is provided for more than 6 cars; | | | | |
| (c) | a subdivision is for more than 5 lots. | | | | |
| А3 | | P3 | | | |
| | inor stormwater drainage system must be gned to comply with all of the following: | No Performance Criteria. | | | |
| (a) | be able to accommodate a storm with an ARI of 20 years in the case of non-industrial zoned land and an ARI of 50 years in the case of industrial zoned land, when the land serviced by the system is fully developed; | | | | |
| (b) | stormwater runoff will be no greater than pre-existing runoff or any increase can be accommodated within existing or upgraded public stormwater infrastructure. | | | | |
| A4 | | P4 | | | |
| desi | ajor stormwater drainage system must be gned to accommodate a storm with an ARI of years. | No Performance Criteria. | | | |

Southern Tasmania or the Model for Urban Stormwater Improvement Conceptualisation (MUSIC), a nationally recognised stormwater modelling software package used to assess land development proposals based on local conditions including rainfall, land use and topography, is recognised as current best practice.

Table E7.1 Acceptable Stormwater Quality and Quantity Targets

80% reduction in the average annual load of total suspended solids (TSS) based on typical urban stormwater TSS concentrations.

45% reduction in the average annual load of total phosphorus (TP) based on typical urban stormwater TP concentrations.

45% reduction in the average annual load of total nitrogen (TN) based on typical urban stormwater TN concentrations.

Stormwater quantity requirements must always comply with requirements of the local authority including catchment-specific standards. All stormwater flow management estimates should be prepared according to methodologies described in Australian Rainfall and Runoff (Engineering Australia 2004) or through catchment modelling completed by a suitably qualified person.

E8.0 Electricity Transmission Infrastructure Protection Code

E8.1 Purpose

- E8.1.1 The purpose of this provision is to:
 - (a) ensure protection of use and development against hazard associated with proximity to electricity transmission infrastructure;
 - (b) ensure that use and development near existing and future electricity transmission infrastructure does not adversely affect the safe and reliable operation of that infrastructure;
 - (c) maintain future opportunities for electricity transmission infrastructure.

E8.2 Application

- E8.2.1 This code applies to:
 - (a) development (including subdivision) within:
 - (i) an electricity transmission corridor;
 - (ii) 55m of a communications station;
 - (b) use and development (including subdivision) within 65m of a substation facility.

E8.3 Definition of Terms

E8.3.1 In this code, unless the contrary intention appears;

| capable of sensitive | means use or development where: | |
|----------------------|---------------------------------|---|
| use | (a) | a permit is not required to commence or carry out a sensitive use or development; |

| | (b) a sensitive use or development must be granted a permit; or | |
|--|---|--|
| | (c) a planning authority has discretion to refuse or permit a sensitive use or development. | |
| communications station | means an antenna and any supporting tower or pole that is identified on the planning scheme maps and used for carrying communications associated with the electricity transmission entity. | |
| electricity transmission corridor (ETC) | means land that is identified on the planning scheme maps as being within the ETC overlay [R1]. | |
| electricity transmission entity | means an electricity entity as defined under the <i>Electricity Supply Industry</i> Act 1995 that is licenced to carry on operations in the electricity supply industry under that Act with respect to transmission of electricity. | |
| electricity transmission infrastructure (ETI) | means electricity infrastructure as defined by the <i>Electricity Supply Industry Act 1995</i> for or associated with the transmission of electricity. This includes but is not limited to overhead lines, underground electricity and communication cables, substations, communications station, buildings, structures and access tracks for or associated with the transmission of electricity. | |
| inner protection area (IPA) | means land that is identified on the planning scheme maps as being within the IPA overlay [R2]. | |
| registered electricity easement | means an easement or wayleave held by or benefiting an electricity entity, including: | |
| | (a) an easement registered under the Land Titles Act 1980; | |
| | (b) a registered wayleave as defined in the <i>Electricity Wayleaves and Easement Act 2000.</i> | |
| substation facility | means land that is identified on the planning scheme maps as owned, leased, licensed (or similar) by the electricity transmission entity for use as a substation or switching station. This definition does not include easements or land used solely for access to the substation facility. | |
| suitably qualified person (Electricity Transmission) | means a professional engineer currently practising with relevant CPEng or NPER accreditation and an appropriate level of professional indemnity and public liability insurance. | |
| unregistered wayleave | means a wayleave which is entered in the Roll of Unregistered Wayleaves maintained by the electricity transmission entity under the <i>Electricity Wayleaves and Easement Act 2000</i> [R3] | |

Footnotes

[R1] The ETC incorporates:

- (a) land within 60m of the centreline of an existing overhead electricity transmission line;
- (b) land within 10m of an unregistered wayleave (and including the wayleave), whether associated with an existing transmission line or not; and
- (c) land within 10m of the centreline of underground cabling used for, or associated with, electricity transmission.

[R2] The IPA incorporates:

- (a) land subject to an unregistered wayleave;
- (b) land within 25m of the centreline of an existing 110 kV overhead transmission line;
- (c) land within 30m of the centreline of an existing 220 kV overhead transmission line;
- (d) land within 6m of the centreline of underground cabling used for, or associated with, electricity transmission.

Note: Unregistered wayleaves established by the *Electricity Wayleaves and Easement Act 2000* are unregistered easement rights which can vary in width and are not shown on the title documents for land.

[R3] These easements are not referenced in Schedule 2 of a Torrens Title.

E8.4 Use and Development Exempt from this Code

The following use and development is exempt from this code:

- E8.4.1 Use and development within the electricity transmission corridor, but not within the inner protection area, when involving:
 - (a) additions or alterations to an existing building, or the construction of a nonhabitable building, provided the gross floor area is no more than 150m²;
 - (b) minor utilities or works not associated with the development of a new building.
- E8.4.2 Use or development within 65m of a substation facility but no closer than 5m if:
 - (a) not involving the storing or handling of material, which is capable of generating airborne particulate matter, outside of a fully enclosed building;
 - (b) not involving a sensitive use;
 - (c) when involving a sensitive use the new use or development does not involve a habitable building or habitable room.
- E8.4.3 Development within 55m of a communications station if:
 - (a) building height is no more than 9.5m; and
 - (b) a building is located:
 - (i) not less than 5m from any security fence associated with a communications station or the boundary of a site within which a communications station is located; or
 - (ii) not less than 20m from the communications station; whichever is the lesser (distance).
- E8.4.4 Development of Utilities within 55m of a communications station.
- E8.4.5 Use or development of electricity transmission infrastructure.

E8.5 Application Requirements

- E8.5.1 Where Performance Criteria require the planning authority to have regard to the written advice or requirements of the electricity transmission entity, the applicant must provide the written advice of the electricity transmission entity setting out the entity's views of the proposed use or development.
- In the case of development within the electricity transmission corridor, but outside the inner protection area, the applicant must demonstrate, to the satisfaction of the planning authority that, prior to submission of its application, it has notified, in writing, the electricity transmission entity of the substance and extent of its proposed use or development.
- E8.5.3 In addition to any other application requirements, the planning authority may require an assessment, by a suitably qualified person, of noise emissions, as necessary to determine compliance with any Acceptable Solutions or Performance Criteria.

E8.6 Use Standards

E8.6.1 Sensitive use within 65m of a substation facility

Objective:

To ensure that sensitive use within a habitable building or habitable rooms within a dwelling adequately responds to the potential amenity impact of substation noise.

| Acceptable Solutions | Performance Criteria |
|-------------------------|---|
| A1 | P1 |
| No Acceptable Solution. | Use must be located an appropriate distance from the substation facility having regard to the following: |
| | (a) the written advice of a suitably qualified person regarding the likelihood of a sensitive use on the lot experiencing an environmental nuisance (including any mitigation requirements to prevent an environmental nuisance) as a result of noise emissions from the substation facility; |
| | (b) the written advice from the electricity transmission entity. |

E8.6.2 Use other than sensitive use within 65m of a substation facility

Objective:

To ensure that use of land does not adversely affect the safe and reliable operation of electricity transmission infrastructure within the facility.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| A use must not result in materials stored or handled within the site becoming airborne contaminates which transmit into a substation | Use must be located an appropriate distance from the substation facility, having regard to all of the following: |
| facility. | (a) the conductivity of airborne contaminants and their potential to affect the safe, |

| | reliable and efficient operation of the substation facility; |
|-----|--|
| (b) | the requirements of the electricity transmission entity. |

E8.7 Development Standards for Buildings and Works

E8.7.1 Development within the electricity transmission corridor

Objective:

To ensure that development is located appropriate distances from electricity transmission infrastructure to:

- (a) ensure operational efficiencies, access and security of existing or future electricity transmission infrastructure;
- (b) protect against a safety hazard associated with proximity to existing or future electricity transmission infrastructure

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Development is not within: (a) an inner protection area; or (b) a registered electricity easement. | Development must be located an appropriate distance from electricity transmission infrastructure, having regard to all of the following: |
| | (a) the need to ensure operational efficiencies of electricity transmission infrastructure; |
| | (b) the provision of access and security to existing or future electricity transmission infrastructure; |
| | (c) safety hazards associated with proximity to existing or future electricity transmission infrastructure; |
| | (d) the requirements of the electricity transmission entity. |

E8.7.2 Development for sensitive uses within 65m of a substation facility

Objective:

To ensure that development is located appropriately to:

- (a) ensure that sensitive uses within habitable buildings or habitable rooms within a dwelling adequately respond to the potential amenity impact of substation noise;
- (b) ensure operational efficiencies and security of existing and future electricity transmission infrastructure.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No acceptable solution. | Development must be located an appropriate |
| | distance from the substation facility having |

| regard to the following: |
|---|
| (a) the written advice of a suitably qualified person regarding the likelihood of a sensitive use on the lot experiencing an environmental nuisance (including any mitigation requirements to prevent an environmental nuisance) as a result of noise emissions from the substation facility; |
| (b) any written advice from the electricity transmission entity. |

E8.7.3 Development for uses other than sensitive uses within 65m of a substation facility

Objective:

To ensure that development is located appropriately to protect against risk to the security, operational efficiency and access to existing and future electricity transmission infrastructure.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Development must be located no less than 5m from a substation facility. | Development must be located an appropriate distance from a substation facility, having regard to written advice from the electricity transmission entity. |

E8.7.4 Development within 55m of a communication station

Objective:

To ensure that development located close to a communication station does not adversely impact upon the security, operational efficiency and access to those facilities.

| Acceptable Solutions | | le Solutions | Performance Criteria |
|--|---------------------------|--|--|
| A1 | A1 | | P1 |
| No part of the development: | | f the development: | Development must be located an appropriate |
| (a) extends above the height of the facility's antennae/disk when measured in horizontal plane; | | nnae/disk when measured in horizontal | distance from a communication station, having regard to written advice from the electricity transmission entity. |
| (b) | (b) is located less than: | | |
| (i) 5m to any security fence associated with a communications station or the boundary of a site within which a communications station is located; or | | with a communications station or the boundary of a site within which a | |
| | (ii) | 20m to the communications station; whichever is the lesser; | |

E8.8 Development Standards for Subdivision

E8.8.1 Subdivision

| - | |
|--------------|---------|
| ()h | IDCTIVA |
| \mathbf{v} | ective: |

To provide for new lots that:

- (a) contain building areas which are suitable for further development, located to avoid hazard from electricity transmission infrastructure and enable appropriate levels of amenity;
- (b) incorporate controls and restrictions to ensure that future development does not compromise safety, security and operational efficiency of existing and future electricity transmission infrastructure.

Acceptable Solutions

A1

Subdivision of a lot, all or part of which is within the electricity transmission corridor must be for the purpose of one or more of the following:

- (a) separation of existing dwellings;
- (b) creation of a lot for public open space, road or access;
- (c) creation of a lot in which the building area is located entirely outside the inner protection area.

A2

A lot, any part of which is located within 65m of a substation facility and which is capable of sensitive use, must:

- (a) identify a building area located no less than 65m from a substation facility that can accommodate a sensitive use; or
- (b) identify a building area located no less than 5m from the substation facility that can accommodate a sensitive use and demonstrate that noise emissions experienced at the edge of the building area closest to the substation facility will not exceed:
 - (i) 55 dB(A) (LAeq) between the hours of 8.00 am to 6.00 pm;
 - (ii) 5 dB(A) above the background (LA90) level or 40 dB(A) (LAeq), whichever is the lower, between the hours of 6.00 pm to 8.00 am;
 - (iii) 65 dB(A) (LAmax) at any time.
 - a. Measurement of noise levels must be in accordance with the

Performance Criteria

P1

Subdivision of a lot, all or part of which is within the electricity transmission corridor must have regard to the following:

- (a) the need to ensure operational efficiencies of electricity transmission infrastructure;
- (b) the provision of access and security to existing or future electricity transmission infrastructure;
- safety hazards associated with proximity to existing or future electricity transmission infrastructure;
- (d) the requirements of the electricity transmission entity.

P2

A lot, any part of which is located within 65m of a substation facility, and which is intended for sensitive use, must demonstrate the provision of a building area having regard to the following:

- (a) the written advice of a suitably qualified person regarding the likelihood of a sensitive use on the lot experiencing an environmental nuisance (including any mitigation requirements to prevent an environmental nuisance) as a result of noise from a substation facility;
- (b) the written advice of the electricity transmission entity.

methods in the Tasmanian Noise Measurement Procedures Manual, issued by the Director of Environmental Management, including adjustment of noise levels for tonality and impulsiveness;

b. Noise levels are to be averaged over a 15 minute interval.

A3

A lot, any part of which is located within 55m of a communications station, must identify a building area which is no closer than:

- (a) 5m to any security fence associated with a communications station or the boundary of a site within which a communications station is located; or
- (b) 20m to the communications station; whichever is the lesser.

Р3

The design of each lot must:

- (a) ensure that the location of any building area will not compromise access, security or the operational efficiency of a communications station;
- (b) have regard to the written advice of the electricity transmission entity.

Map E8 Electricity Transmission Infrastructure Protection - LISTmap

Open full map extent (link to the interactive map)



E9.0 Attenuation Code

E9.1 Purpose

E9.1.1 The purpose of this provision is to:

- (a) minimise adverse effect on the health, safety and amenity of sensitive use from uses with potential to cause environmental harm; and
- (b) minimise likelihood for sensitive use to conflict with, interfere with or constrain uses with potential to cause environmental harm.

E9.2 Application

E9.2.1 This code applies to:

- (a) development or use that includes the activities listed in Table E9.1 and E9.2 in a zone other than the Light Industrial, General Industrial or Port and Marine Zone;
- (b) development or use for sensitive use, including subdivision intended for sensitive use;
 - (i) on land within an Attenuation Area shown on the planning scheme maps, or
 - (ii) on land within the relevant attenuation distance from an existing or approved (permit granted) activity listed in Tables E9.1 and E9.2 if no Attenuation Area is shown on the planning scheme maps and that activity is not located in the Light Industrial, General Industrial or Port and Marine Zone.

E9.3 Definition of Terms

E9.3.1 In this code, unless the contrary intention appears:

| attenuation distance | means the distance listed in Tables E9.1 and E9.2. | | |
|---|--|--|--|
| sensitive zone | means the General Residential; Inner Residential; Low Density Residential; Rural Living; Environmental Living; Urban Mixed Use; Village; Community Purpose; Recreation; Local Business; General Business; Central Business; Commercial; Environmental Management; Major Tourism zones. | | |
| site specific study | means an environmental impact assessment carried out by a suitably qualified person meeting the technical components of s.74 <i>Environmental Management and Pollution Control Act 1994.</i> | | |
| uses with potential to cause environmental harm | means all activities listed in Tables E9.1 and E9.2. | | |

E9.4 Use and Development exempt from this Code

- E9.4.1 The use or development described below is exempt from this code if any of the following apply:
 - (a) activities requiring assessment under the *Environmental Management and Pollution Control Act 1994* by the Board of the Tasmanian Environment Protection Authority;
 - (b) additions or alterations to an existing building used for sensitive use provided that the gross floor area does not increase by more than 50% or 100 m² whichever is the greater.

E9.5 Application Requirements

E9.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide a site specific study if considered necessary to determine compliance with Performance Criteria.

E9.6 Use Standards

E9.6.1 Use with Potential to Cause Environmental Harm

Objective:

To ensure that use with potential to cause environmental harm is sufficiently attenuated to ameliorate adverse effects on nearby sensitive use to an acceptable level.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Use with potential to cause environmental harm has a separation distance no less than the minimum attenuation distance listed in Tables E9.1 or E9.2. | Use with potential to cause environmental harm and which is set back less than the distance prescribed in A1 must not have an unacceptable adverse affect on existing or likely future sensitive use, having regard to all of the following: | |
| | (a) operational characteristics; | |
| | (b) scale and intensity; | |
| | (c) degree of hazard or pollution that may be emitted from the activity; | |
| | (d) hours of operation; | |
| | (e) nature of amenity impacts from likely light, noise, odour, particulate, radiation, vibration or waste emissions; | |
| | (f) existing ambient background levels of light, noise, odour, particulate, radiation, vibration or waste emissions in the locality; | |
| | (g) measures to eliminate, mitigate or manage emissions. | |

E9.7 Development Standards

E9.7.1 Development for Use with Potential to Cause Environmental Harm

| Objective: | | | |
|--|---|--|--|
| To ensure that development for use with potential to cause environmental harm is sufficiently attenuated to ameliorate adverse effects on nearby sensitive use to an acceptable level. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| Development for use with potential to cause environmental harm has a separation distance no less than the minimum attenuation distance | Development for use with potential to cause environmental harm and which is set back less than the distance prescribed in A1 must not have an unacceptable adverse affect on existing or | | |

| listed in Tables E9.1 or E9.2. | likely future sensitive use, having regard to all of the following: | |
|--------------------------------|--|--|
| | (a) operational characteristics; | |
| | (b) scale and intensity; | |
| | (c) degree of hazard or pollution that may be emitted from the activity; | |
| | (d) hours of operation; | |
| | (e) nature of amenity impacts from likely light, noise, odour, particulate, radiation, vibration or waste emissions; | |
| | existing ambient background levels of light, noise, odour, particulate, radiation, vibration or waste emissions in the locality; | |
| | (g) measures to eliminate, mitigate or manage emissions. | |

E9.7.2 Development for Sensitive Use in Proximity to Use with Potential to Cause Environmental Harm

| • | | | | • | |
|----|---|---|----|-----|----|
| 11 | n | Ω | ct | ive | ٠ |
| v | v | _ | LL | ıve | Ξ. |

To ensure that new sensitive use does not conflict with, interfere with or constrain uses with potential to cause environmental harm.

| potential to cause environmental harm. | | |
|--|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No Acceptable Solution. | Development for sensitive use, including subdivision of lots within a sensitive zone, must not result in potential to be impacted by environmental harm from use with potential to cause environmental harm, having regard to all of the following: | |
| | (a) the nature of the use with potential to cause environmental harm; including: | |
| | (i) operational characteristics; | |
| | (ii) scale and intensity; | |
| | (iii) degree of hazard or pollution that may emitted from the activity; | |
| | (b) the degree of encroachment by the sensitive use into the Attenuation Area or the attenuation distance; | |
| | (c) measures in the design, layout and construction of the development for the sensitive use to eliminate, mitigate or manage effects of emissions | |

Table E9.1 Attenuation Distances

The attenuation distances in Table E9.1 and E9.2 must be measured between the outer edge of the area used by the listed activity and the property boundary of the sensitive use or development, except for extractive industry the attenuation distance must be measured from the boundary of any applicable mining or quarry lease.

| Activity | Sub-category | Likely environmental impacts | Attenuation Distance (metres) |
|--|---|------------------------------|-------------------------------|
| Abattoirs (primary) | large animals, greater than 100 tonnes/ year production | odours, noise | 500 |
| | large animals, less than 100 tonnes/year production | | 300 |
| | small animals (e.g. poultry) | | 300 |
| Abattoirs (secondary) | rendering | odours | 1000 |
| Pre-mix bitumen plants (e.g. batching) | mobile and static | odours | 500 |
| Brickworks | n/a | dust, particulates noise | 200 |
| Composting (vegetation only) | with or without turning | odour | 500 |
| Composting (animal wastes) | incorporating human and animal wastes without turning | odour | 500 |
| Composting (animal wastes) | incorporating human and animal wastes, with turning | odour | 1000 |
| Concrete batching plants | n/a | dust, noise | 100 |
| Concrete or stone articles | not pipe extrusion | dust, noise | 100 |
| Crematoria | n/a | odours, particulates | 300 |
| Dairy Products | production of dairy products | odours | 100 |

| Disposal <u>Site</u> | all except specific categories below | odours, dust, disease, vectors, visual | 500 |
|--|---|--|------|
| | transfer station (except very large stations | odours, dust, disease, vectors, visual | 150 |
| | non-putrescible wastes | odours, noise | 50 |
| | spray irrigation of liquid wastes of animal or vegetative origin (primary treated), | odours, disease, vectors | 500 |
| | (other than sewage treatment plants) | | |
| | spray irrigation of liquid wastes of animal or vegetative origin (secondary treated), | | 200 |
| | (other than sewage treatment plants) | | |
| Feedlot and holding yard | cattle and sheep | odours | 3000 |
| Fibreglass manufacturing | n/a | odours | 200 |
| Fish Processing (primary) | fish filleting etc. | odours, noise, lights | 100 |
| Fish Processing (secondary) | fish meal production etc. | odours, noise, lights | 1000 |
| Flour Mills | n/a | particulates, noise | 300 |
| Foundry | n/a | odours, particulates, noise | 1000 |
| Late Night Music Venue | n/a | noise | 200 |
| Liquid waste treatment, other than sewage treatment plants | e.g. treatment lagoons for wash down, processing effluent etc. | odours | 200 |
| Metal Fabrication | N/A | odours, noise | 500 |


| Organic waste treatment | e.g. cattle and pig slurry | odours | 500 |
|-------------------------|--|--------------------------------|------|
| Piggery | intensive husbandry | odours | 500 |
| Poultry | intensive husbandry | odours | 500 |
| Quarry/pit etc. | no blasting, crushing or vibratory screening | noise, dust | 300 |
| | Blasting hard rock | noise, vibration, dust | 1000 |
| | Blasting other than hard rock | noise, vibration, dust | 300 |
| | Crushing or cutting | noise, dust | 750 |
| | Vibratory screening | noise, dust | 500 |
| Saleyard | stock | odours, noise | 500 |
| Sandblasting | n/a | noise, odours, particulates | 300 |
| Sawmill | including wood waste burnt in approved incinerator, wood chipper or use of internal combustion powered chainsaw. | noise, particulates | 300 |
| Smallgoods manufacture | N/A | odours | 100 |
| Storage | petroleum products and crude oil with fixed roofs | odours, noise | 300 |
| | petroleum products and crude oil with floating roofs | odours, noise | 100 |
| | wet salted or unprocessed hides | odours | 300 |
| Wood Preservation | Without wood chipper | odours, noise | 100 |
| | Wood chipper | noise | 300 |

Table E9.2 Attenuation Distances for Sewage Treatment Plants

| Type of installation | Designed Capacity Dry Weather Flow | | | |
|---|------------------------------------|---------|-------------|---------|
| KL/Day | <275 | <1,375 | < 5,500 | <13,750 |
| Person equivalent | <1,000 | <5,000 | <20,000 | <50,000 |
| | | Distanc | e in metres | |
| Aerobic pondage (septic effluent) | 100 | - | - | - |
| Mechanical/Biological treatment | 100 | 200 | 300 | 400 |
| Sludge drying beds/sludge digesters not within enclosed premises. | 150 | 250 | 300 | 400 |
| Aerobic ponds | 150 | 350 | 700 | 1000 |
| Anaerobic ponds | 400 | 550 | 700 | 850 |
| Facultative ponds | 300 | 700 | 1400 | 2200 |
| Land disposal of secondary treatment effluent (iv) | ТВА | ТВА | ТВА | ТВА |
| Spray irrigation | 200 | 200 | 200 | 200 |
| Flood irrigation | 50 | 50 | 50 | 50 |

Map E9 Attenuation Code - LISTmap

Link to interactive map



Legend Buffer Area \square

E10.0 Biodiversity Code

E10.1 Purpose

E10.1.1 The purpose of this provision is to:

- (a) minimise loss of identified threatened native vegetation communities and threatened flora species;
- (b) conserve identified threatened fauna species by minimising clearance of important habitat and managing environmental impact;
- (c) minimise loss of other biodiversity values that are recognised as locally significant by the Planning Authority;

where not otherwise regulated by the State or the Commonwealth.

E10.2 Application

E10.2.1 This code applies to development involving clearance and conversion or disturbance of native vegetation within a Biodiversity Protection Area.

E10.3 Definition of Terms

In this code, unless the contrary intention appears;

| Biodiversity | means the area to which this code applies, as shown on the planning scheme |
|-----------------|--|
| Protection Area | maps. |

| Literation with the Contract | The second secon |
|---------------------------------|--|
| biodiversity offsets | means measures that compensate for the residual adverse impacts of an action on the environment, when: |
| | (a) alternatives and options to avoid those impacts have been exhausted; |
| | (b) it is still considered desirable for other economic, social or environmental reasons for the action to proceed. |
| clearance and | means the process of removing native vegetation from an area of land and: |
| conversion | (a) leaving the area of land, on a permanent or extended basis, in a state predominantly unvegetated with native vegetation; or |
| | (b) replacing the native vegetation so removed, on a permanent or extended basis, with residential, commercial, mining, agriculture or other non- agricultural development. |
| disturbance | means the alteration of the structure and species composition of a native vegetation community through actions including cutting down, felling, thinning, logging, removing or destroying of a native vegetation community. |
| natural values determination | means an ecological assessment, generally consistent with the Guidelines for Natural Values Assessment, (DPIPWE July 2009), by a suitably qualified person (biodiversity) to identify and convey: |
| | (a) the location of priority biodiversity values affecting the site; |
| | (b) the significance of priority biodiversity values, with particular reference to Table E10.1; |
| natural values assessment | means an ecological assessment, generally consistent with the Guidelines for Natural Values Assessment, (DPIPWE July 2009), by a suitably qualified person (biodiversity) to identify and convey: |
| | (a) the location of priority biodiversity values affecting the site; |
| | (b) the significance of priority biodiversity values, with particular reference to Table E10.1; |
| | (c) any likely impact on these priority biodiversity values including existing activities on the site, nearby land uses, weeds, pests, pathogens and the degree of connectivity with other land with natural values; |
| | (d) the likely impact of the proposed development or use on these priority biodiversity values; |
| | (e) recommendations for the design and siting of the proposed development or use to avoid or minimise the identified impacts; |
| | (f) recommendations for the mitigation or management of any residual impacts. |
| priority biodiversity values | means as specified in Table E10.1. |
| special circumstances | means particular circumstances associated with the proposed use or development that justify loss of high priority biodiversity values. |
| | Special circumstances are considered to exist if one or more of the following apply: |
| | (a) the use or development will result in significant long term social or |

| | economic community benefits and there is no feasible alternative location; | |
|--|--|--|
| | (b) ongoing management cannot ensure the survival of the high priority biodiversity values on the site and there is little potential for recruitment or for long term persistence; | |
| | the extent of proposed removal of high priority biodiversity values on the site is insignificant relative to the extent of that community elsewhere in the vicinity; | |
| suitably qualified person (biodiversity) | means a person possessing the knowledge, skills and experience to provide advice on ecological issues associated with the use and development of land. The person must be cognisant of current legislation and policy and be mindful of best practice in management and mitigation of potential impacts. | |
| threatened native vegetation community | means a native vegetation community listed as a threatened vegetation community under the <i>Nature Conservation Act 2002</i> or a threatened ecological community under the <i>Environment Protection and Biodiversity Conservation Act 1999</i> . | |
| threatened species | means a fauna or flora species listed under the <i>Threatened Species</i> Protection Act 1995 or the Environment Protection and Biodiversity Conservation Act 1999. | |

E10.4 Development Exempt from this Code

E10.4.1 The following development is exempt from this code:

- (a) clearance and conversion or disturbance associated with a Level 2 Activity under the *Environmental Management and Pollution Control Act 1994*;
- (b) forest operations, including clearing for agriculture, in accordance with a certified Forest Practices Plan;
- (c) fire hazard management works in accordance with a bushfire hazard management plan endorsed by the Tasmanian Fire Service, Forestry Tasmanian or the Parks and Wildlife Service on land owned or administered by the Crown or Council;
- (d) fire hazard management works in accordance with the Fire Services Act 1979 or an abatement notice issued under the Local Government Act 1993;
- (e) fire hazard management works for an existing dwelling in accordance with a bushfire hazard management plan endorsed by an accredited person as defined under the Bushfire Prone Areas Code, wherein the extent of clearance and conversion and disturbance is the minimum necessary for adequate protection from bushfire;
- (f) the removal or destruction of declared weeds or local environmental weeds;
- (g) works considered necessary by an agency or council to remedy an unacceptable risk to public or private safety or to mitigate or prevent environmental harm;
- (h) works considered necessary by an agency or council for the protection of a water supply, watercourse, lake, wetland or tidal waters or coastal values as part of a management plan;

- (i) coastal protection works considered necessary by an agency or council that have been designed by a suitably qualified person;
- (j) works within 2 m of existing infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, pipelines and telecommunications facilities for the maintenance, repair, upgrading or replacement of such infrastructure;
- (k) works necessary to make safe power lines or for the maintenance, repair, upgrading or replacement of such infrastructure;
- (I) works for the purpose or erecting or maintaining a boundary fence:
 - (i) within 4 m of a boundary line if within the Rural Resource or Significant Agricultural Zones; or
 - (ii) within 2 m of a boundary line if in other zones;
- (m) clearance and conversion or disturbance of an area no more than 750 m2;
- (n) clearance and conversion or disturbance of previously cleared agricultural land;
- (o) clearance and conversion or disturbance requiring assessment under the Environment Protection and Biodiversity Conservation Act 1999;
- (p) clearance and conversion or disturbance requiring assessment under the Forest Practices Act 1985, the Threatened Species Protection Act 1995 and/or the Nature Conservation Act 2002.

E10.5 Application Requirements

- E10.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide a natural values determination if considered necessary to determine compliance with Acceptable Solutions.
- E10.5.2 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a natural values determination;
 - (b) a natural values assessment;
 - (c) a report detailing how impacts on priority biodiversity values will be avoided, minimised, and/or mitigated;
 - (d) a special circumstances justification report;
 - (e) a biodiversity offsets plan.

E10.6 Use Standards

There are no use standards in this code.

E10.7 Development Standards

E10.7.1 Buildings and Works

Objective:

To ensure that development for buildings and works that involves clearance and conversion or

disturbance within a Biodiversity Protection Area does not result in unnecessary or unacceptable loss of priority biodiversity values.

Acceptable Solutions

A1

Clearance and conversion or disturbance must comply with one of the following:

- (a) be within a Building Area on a plan of subdivision approved under this planning scheme;
- (b) the development is for a single dwelling on an existing lot within the Low Density Residential Zone, Rural Living Zone or Environmental Living Zone and
 - (i) the area of clearance and conversion is no more than 3,000 m2;
 - (ii) the area of disturbance is no more than 6,000 m2;
- (c) the development is other than for a single dwelling on an existing lot within the Low Density Residential Zone, Rural Living Zone or Environmental Living Zone and
 - (i) the area of clearance and conversion is no more than 1,500 m2;
 - (ii) the area of disturbance is no more than 3,000 m2.

Performance Criteria

P1

Clearance and conversion or disturbance must satisfy the following:

- (a) if low priority biodiversity values:
 - development is designed and located to minimise impacts, having regard to constraints such as topography or land hazard and the particular requirements of the development;
 - (ii) impacts resulting from bushfire hazard management measures are minimised as far as reasonably practicable through siting and fire-resistant design of habitable buildings;
- (b) if moderate priority biodiversity values:
 - development is designed and located to minimise impacts, having regard to constraints such as topography or land hazard and the particular requirements of the development;
 - (ii) impacts resulting from bushfire hazard management measures are minimised as far as reasonably practicable through siting and fire-resistant design of habitable buildings;
 - (iii) remaining moderate priority biodiversity values on the site are retained and improved through implementation of current best practice mitigation strategies and ongoing management measures designed to protect the integrity of these values;
 - (iv) residual adverse impacts on moderate priority biodiversity values not able to be avoided or satisfactorily mitigated are offset in accordance with the Guidelines for the Use of Biodiversity Offsets in the Local Planning Approval Process, Southern Tasmanian Councils Authority 2013 and any relevant Council policy.
- (c) if high priority biodiversity values:

- (i) development is designed and located to minimise impacts, having regard to constraints such as topography or land hazard and the particular requirements of the development;
- (ii) impacts resulting from bushfire hazard management measures are minimised as far as reasonably practicable through siting and fire-resistant design of habitable buildings;
- (iii) remaining high priority biodiversity values on the site are retained and improved through implementation of current best practice mitigation strategies and ongoing management measures designed to protect the integrity of these values;
- (iv) special circumstances exist;
- (v) residual adverse impacts on high priority biodiversity values not able to be avoided or satisfactorily mitigated are offset in accordance with the Guidelines for the Use of Biodiversity Offsets in the Local Planning Approval Process, Southern Tasmanian Councils Authority 2013 and any relevant Council policy.

E10.8 Subdivision Standards

E10.8.1 Subdivision

Objective:

To ensure that:

- (a) works associated with subdivision resulting in clearance and conversion or disturbance will not have an unnecessary or unacceptable impact on priority biodiversity values;
- (b) future development likely to be facilitated by subdivision is unlikely to lead to an unnecessary or unacceptable impact on priority biodiversity values.

| Acc | eptable Solutions | Performance Criteria | | |
|------|--|--|--|--|
| A1 | | P1 | | |
| a Bi | division of a lot, all or part of which is within odiversity Protection Area, must comply with | Clearance and conversion or disturbance must satisfy the following: | | |
| one | or more of the following: | (a) if low priority biodiversity values: | | |
| (a) | be for the purposes of separating existing dwellings; | (i) subdivision works are designed and located to minimise impacts, having | | |
| (b) | be for the creation of a lot for public open | regard to constraints such as | | |

- space, public reserve or utility;
- (c) no works, other than boundary fencing works, are within the Biodiversity Protection Area;
- (d) the building area, bushfire hazard management area, services and vehicular access driveway are outside the Biodiversity Protection Area.
- topography or land hazard and the particular requirements of the subdivision;
- (ii) impacts resulting from future bushfire hazard management measures are minimised as far as reasonably practicable through appropriate siting of any building area;
- (b) if moderate priority biodiversity values:
 - subdivision works are designed and located to minimise impacts, having regard to constraints such as topography or land hazard and the particular requirements of the subdivision;
 - (ii) impacts resulting from future bushfire hazard management measures are minimised as far as reasonably practicable through appropriate siting of any building area;
 - (iii) moderate priority biodiversity values outside the area impacted by subdivision works, the building area and the area likely impacted by future bushfire hazard management measures are retained and protected by appropriate mechanisms on the land title;
 - (iv) residual adverse impacts on moderate priority biodiversity values not able to be avoided or satisfactorily mitigated are offset in accordance with the Guidelines for the Use of Biodiversity Offsets in the Local Planning Approval Process, Southern Tasmanian Councils Authority 2013 and any relevant Council policy.
- (c) if high priority biodiversity values:
 - subdivision works are designed and located to minimise impacts, having regard to constraints such as topography or land hazard and the particular requirements of the subdivision;
 - (ii) impacts resulting from future bushfire hazard management measures are minimised as far as reasonably

| Subdivision is not prohibited by the relevant zone standards. | No Perfo | rmance Criteria. |
|---|----------|---|
| A2 | P2 | |
| | (v) | residual adverse impacts on high priority biodiversity values not able to be avoided or satisfactorily mitigated are offset in accordance with the Guidelines for the Use of Biodiversity Offsets in the Local Planning Approval Process, Southern Tasmanian Councils Authority 2013 and any relevant Council policy. |
| | (iv) | special circumstances exist; |
| | (iii) | high priority biodiversity values outside the area impacted by subdivision works, the building area and the area likely impacted by future bushfire hazard management measures are retained and protected by appropriate mechanisms on the land title; |
| | | practicable through appropriate siting of any building area; |


Table E10.1 Priority Biodiversity Values

| High Priority Biodiversity Values | Moderate Priority Biodiversity Values | | Low Priority Biodiversity Values |
|--|---------------------------------------|--|---|
| Nil. | On I | and within the Biodiversity Protection Area includes: | Nil. |
| | (a) | any threatened native vegetation community; | |
| | (b) | known or potential habitat for any threatened species; | |
| | (c) | all remnant vegetation; | |
| | (d) | all native vegetation within or adjacent to a watercourse or wetland; | |
| | (e) | native vegetation where there is less than 30% native vegetation in the surrounding one kilometre; | |
| | (f) | habitat for hollow dwelling species; | |
| | (g) | threatened species; | |
| | (h) | the following species; | |
| | | (i) Caladenia mentiens; | |
| | | (ii) Carex fascicularis | |

| | T | | |
|---|---------|--------------------------------|---|
| | (iii) | Centrolepis aristata | |
| | (iv) | Daviesai sejugata | |
| | (v) | Eucalyptus cordata | |
| | (vi) | Gahnia rodwayi | |
| | (vii) | Heterozostera tasmanica | |
| | (viii) | Hypoxis glabella var. glabella | |
| | (ix) | Juncus holoschoenus | |
| | (x) | Lemma disperma | |
| | (xi) | Lepidosperma globosum | |
| | (xii) | Lepidosperma laevigatum | |
| | (xiii) | Lythrum hyssopifolia | |
| | (xiv) | Muehlenbeckia gunnii | |
| | (xv) | Notodanthonia semiannularis | |
| | (xvi) | Olearia floribunda | |
| | (xvii) | Pelargonium inodorum | |
| | (xviii) | Phragmites australis | |
| | (xix) | Senecio glomeratus | |
| | (xx) | Spyridium obovatum | |
| | (xxi) | Suaeda australis | |
| | (xxii) | Thelionema umbellatum | |
| | (xxiii) | Thelymitra arenaria | |
| | (xxiv) | Todea barbara | |
| 1 | 1 | | _ |

Map E10 Biodiversity Protection Area - LISTmap

Open full map extent (link to the interactive map)



Legend

Biodiversity Protection Area

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E11.0 Waterway and Coastal Protection Code

E11.1 Purpose

- E11.1.1 The purpose of this provision is to manage vegetation and soil disturbance in the vicinity of wetlands, watercourses and the coastline in order to:
 - (a) minimise impact on water quality, natural values including native riparian vegetation, river condition and the natural ecological function of watercourses, wetlands and lakes;
 - (b) minimise impact on coastal and foreshore values, native littoral vegetation, natural coastal processes and the natural ecological function of the coast;
 - (c) protect vulnerable coastal areas to enable natural processes to continue to occur, including the landward transgression of sand dunes, wetlands, saltmarshes and other sensitive coastal habitats due to sea-level rise.
 - (d) minimise impact on water quality in potable water supply catchment areas.

E11.2 Application

- E11.2.1 This code applies to development within:
 - (a) Waterway and Coastal Protection Areas;
 - (b) Future Coastal Refugia Areas;
 - (c) Potable Water Supply Areas.

This code does not apply to use.

E11.3 Definition of Terms

E11.3.1 In this code, unless the contrary intention appears;

| buildings and works dependant on a coastal location | means buildings and works for which there is a demonstrated need to be located at a coastal location, and includes boat sales and storage, marine farming shore facilities, marine-related public open space & recreation facilities, pleasure boat facilities, roads & other utilities, wharves and food services facilities serving users of coastal areas. Dwellings are not included. | |
|---|--|--|
| coastal values | means the values of coastal areas derived from their coastal habitat and vegetation, physical elements, landscape values, recreational values and economic values and the processes and functions that underpin them. | |
| Future Coastal Refugia Area | means land within a Future Coastal Refugia Area shown on the planning scheme maps. | |
| natural streambank and streambed condition | means the natural rate of erosion or accretion of the bank and bed of a watercourse and natural hydrological processes, as determined using The Tasmanian River Condition Index (TRCI): Physical Form Field Manual and Hydrology User's Manual (NRM South 2009). | |
| | (This does not imply absolute stability as the bank and bed of all streams is subject to natural erosion over time. Thus, an unstable bank or bed is one that erodes at a faster rate than natural). | |
| natural values | means biodiversity, environmental flows, natural streambank stability and stream bed condition, riparian vegetation, littoral vegetation, water quality, wetlands, river condition and waterway and/or coastal values. | |
| natural values assessment | means an assessment by a suitably qualified person which is generally consistent with the Guidelines for Natural Values Assessment, (DPIPWE July 2009) and includes: | |
| | (a) a survey of the site for natural values; | |
| | (b) an assessment of the significance of the natural values of a site; | |
| | (c) an assessment of the likely impact of the proposed development on natural values; | |
| | (d) recommendations for the appropriate siting and design of proposed development to minimise likely impact on natural values; | |
| | (e) recommendations for how the likely impact on natural values can be avoided, minimised or mitigated; | |

| | T | |
|-----------------------------------|---|--|
| | (f) a site plan depicting the above information. | |
| Potable Water Supply Area | means land within a Potable Water Supply Area shown on the planning scheme maps. | |
| riparian vegetation | means vegetation found within or adjacent to watercourses, wetlands, lakes and recharge basins. | |
| river condition | means condition of a waterway as determined using the Tasmanian River Condition Index (TRCI) (NRM South 2009). | |
| soil and water management plan | means a specific site plan acceptable to the planning authority that details sediment and erosion control measures on building and construction sites prepared by a suitably qualified person in accordance with best practice guidelines. R1 | |
| soil disturbance | includes disturbance of the bed of a watercourse, wetland or lake. | |
| Waterway and | means land in either of the following; | |
| Coastal Protection Area | (a) within a Waterway and Coastal Protection Area shown on the planning scheme maps; | |
| | (b) within the relevant distance from a watercourse, wetland, lake or the coast shown in Table E11.1; | |
| | but does not include a piped watercourse or drainage line. | |
| | If an inconsistency in regards to width exists between Table E11.1 and the Waterway and Coastal Protection Area shown on the planning scheme maps, the distance in Table E11.1 prevails. | |
| | The categorisation of a watercourse, or a section of a watercourse, is defined by its depiction on the planning scheme maps by the Waterway and Coastal Protection Area regardless of the actual area of the catchment. | |
| waterway values | means the values of watercourses and wetlands derived from their aquatic habitat and riparian vegetation, physical elements, landscape function, recreational function and economic function. | |

E11.3.R1 Soil and Water Management for Building and Construction Sites (DPIPWE 2009?) and the Wetlands and Waterways Works Manual (DPIWE, 2003) are recognised as best practice guidelines.

E11.4 Development Exempt from this Code

- E11.4.1 The following development is exempt from this code:
 - (a) development associated with a Level 2 Activity under the *Environmental Management and Pollution Control Act 1994;*
 - (b) development that does not involve clearing of vegetation or soil disturbance;
 - (c) development involving clearing or modification of vegetation or soil disturbance:
 - (i) on pasture, cropping, vineyard or orchard land;
 - (ii) within a private garden, public garden or park, national park or State-reserved land, provided the vegetation is not protected by a permit condition, an agreement made under Part 5 of the Act or a Covenant in Gross;

- (d) forest operations, including clearing for agriculture, in accordance with a certified Forest Practices Plan;
- (e) fire hazard management works in accordance with a bushfire hazard management plan endorsed by the Tasmanian Fire Service, Forestry Tasmanian or the Parks and Wildlife Service on land owned or administered by the Crown or Council;
- (f) fire hazard management works required in accordance with the *Fire Services Act 1979* or an abatement notice issued under the *Local Government Act 1993*;
- (g) fire hazard management works for an existing dwelling in accordance with a bushfire hazard management plan endorsed by an accredited person as defined under the Bushfire Prone Areas Code, wherein the extent of clearing and soil disturbance is the minimum necessary for adequate protection from bushfire;
- (h) the removal or destruction of declared weeds or local environmental weeds;
- (i) works considered necessary by an agency or council to remedy an unacceptable risk to public or private safety or to mitigate or prevent environmental harm;
- (j) works considered necessary by an agency or council for the protection of a water supply, watercourse, lake, wetland or tidal waters or coastal values as part of a management plan;
- (k) coastal protection works considered necessary by an agency or council that have been designed by a suitably qualified person;
- (I) works within 2 m of existing infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, pipelines and telecommunications facilities for the maintenance, repair, upgrading or replacement of such infrastructure;
- (m) works necessary to make safe power lines or for the maintenance, repair, upgrading or replacement of such infrastructure;
- (n) works for the purpose or erecting or maintaining a boundary fence;
 - (i) within 4 m of a boundary line if within the Rural Resource or Significant Agricultural Zones; or
 - (ii) within 2 m of a boundary line if in other zones;
- E11.4. The laying or installation in the Rural Resource Zone or the Significant Agricultural Zone of irrigation pipes that are directly associated with and a subservient part of an agricultural use.

(o)

E11.5 Application Requirements

- E11.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a natural values assessment;

- (b) a soil and water management plan;
- (c) a coastal processes assessment;
- (d) a site survey from a qualified land surveyor identifying the location of a Waterways and Coastal Protection Area, a Future Coastal Refugia Area or a Potable Water Supply Area, if uncertainty exists as to the relative location of the development site.

E11.6 Use Standards

There are no use standards in this code.

E11.7 Development Standards

E11.7.1 Buildings and Works

Objective:

To ensure that buildings and works in proximity to a waterway, the coast, identified climate change refugia and potable water supply areas will not have an unnecessary or unacceptable impact on natural values.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Building and works within a Waterway and Coastal Protection Area must be within a building area on a plan of subdivision approved | Building and works within a Waterway and Coastal Protection Area must satisfy all of the following: | |
| under this planning scheme. | (a) avoid or mitigate impact on natural values; | |
| | (b) mitigate and manage adverse erosion, sedimentation and runoff impacts on natural values; | |
| | (c) avoid or mitigate impacts on riparian or littoral vegetation; | |
| | (d) maintain natural streambank and streambed condition, (where it exists); | |
| | (e) maintain in-stream natural habitat, such as fallen logs, bank overhangs, rocks and trailing vegetation; | |
| | (f) avoid significantly impeding natural flow and drainage; | |
| | (g) maintain fish passage (where applicable); | |
| | (h) avoid landfilling of wetlands; | |
| | (i) works are undertaken generally in accordance with 'Wetlands and Waterways Works Manual' (DPIWE, 2003) and "Tasmanian Coastal Works Manual" (DPIPWE, Page and Thorp, 2010), and the unnecessary use of machinery within watercourses or wetlands is avoided. | |

A2 Building and works within a Future Coastal Refugia Area must be within a building area on a plan of subdivision approved under this planning scheme.

P2

Building and works within a Future Coastal Refugia Area must satisfy all of the following:

- (a) allow for the landward colonisation of wetlands and other coastal habitats from adjacent areas;
- (b) not be landfill;
- avoid creation of barriers or drainage networks that would prevent future tidal inundation;
- (d) ensure coastal processes of deposition or erosion can continue to occur;
- (e) avoid or mitigate impact on natural values;
- (f) avoid or mitigate impact on littoral vegetation;
- (g) works are undertaken generally in accordance with 'Wetlands and Waterways Works Manual' (DPIWE, 2003) and "Tasmanian Coastal Works Manual" (DPIPWE, Page and Thorp, 2010).

А3

Buildings and works within a Potable Water Supply Area must be within a building area on a plan of subdivision approved under this planning scheme.

Р3

Buildings and works within a Potable Water Supply Area must satisfy all of the following:

- (a) ensure no detriment to potable water supplies;
- (b) be in accordance with the requirements of the water and sewer authority.

Α4

Development must involve no new stormwater point discharge into a watercourse, wetland or lake.

P4

Development involving a new stormwater point discharge into a watercourse, wetland or lake must satisfy all of the following:

- (a) risk of erosion and sedimentation is minimised;
- (b) any impacts on natural values likely to arise from erosion, sedimentation and runoff are mitigated and managed;
- (c) potential for significant adverse impact on natural values is avoided.

E11.7.2 Buildings and Works Dependent on a Coastal Location

Objective:

To ensure that buildings and works dependent on a coastal location are appropriately provided for, whilst minimising impact on natural values, acknowledging the economic, social, cultural and

| recreational benefits that arise from such develop | | | |
|--|--|--|--|
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| An extension to an existing boat ramp, car park, jetty, marina, marine farming shore facility or | Buildings and works must satisfy all of the following: | | |
| slipway must be no more than 20% of the size of the facility existing at the effective date. | (a) need for a coastal location is demonstrated; | | |
| | (b) new facilities are grouped with existing facilities, where reasonably practical; | | |
| | (c) native vegetation is retained, replaced or re- established so that overall impact on native vegetation is negligible; | | |
| | (d) building design responds to the particular size, shape, contours or slope of the land and minimises the extent of cut and fill; | | |
| | (e) impacts to coastal processes, including sand movement and wave action, are minimised and any potential impacts are mitigated so that there are no significant long-term impacts; | | |
| | (f) waste, including waste from cleaning and repairs of vessels and other maritime equipment and facilities, is managed in accordance with current best practice so that significant impact on natural values is avoided. | | |
| A2 | P2 | | |
| No Acceptable Solution for dredging and reclamation. | Dredging or reclamation must satisfy all of the following: | | |
| | (a) be necessary to establish a new or expanded use or development or continue an existing use or development; | | |
| | (b) impacts on coastal processes that may lead to increased risk of inundation, including sand movement and wave action, are minimised and potential impacts are mitigated so that there are no significant long-term impacts; | | |
| A3 | Р3 | | |
| No Acceptable Solution for coastal protection works initiated by the private sector. | Coastal protection works initiated by the private sector must satisfy all of the following: | | |
| | (a) be designed by a suitably qualified person; | | |
| | (b) minimise adverse impact on coastal processes that may lead to increased risk of inundation, including wave action and | | |

| behaviour, sediment dynamics, current and tidal flows in the area. |
|--|
|--|

E11.8 Subdivision Standards

E11.8.1 Subdivision

Objective:

To ensure that:

- (a) works associated with subdivision in proximity to a waterway, the coast, identified climate change refugia and potable water supply areas will not have an unnecessary or unacceptable impact on natural values;
- (b) future development likely to be facilitated by subdivision is unlikely to lead to an unnecessary or unacceptable impact on natural values.

| Acceptable Solutions | | Performance Criteria | |
|--|--|---|---|
| A1 | | P1 | |
| Subdivision of a lot, all or part of which is within a Waterway and Coastal Protection Area, Future Coastal Refugia Area or Potable Water Supply Area must comply with one or more of the following: | | Subdivision of a lot, all or part of which is within a Waterway and Coastal Protection Area, Future Coastal Refugia Area or Potable Water Supply Area, must satisfy all of the following: | |
| (a) (b) | be for the purpose of separation of existing dwellings; be for the creation of a lot for public open | (a) (b) | minimise impact on natural values; provide for any building area and any associated bushfire hazard management area to be either: |
| (c) | space, public reserve or utility; no works, other than boundary fencing works, are within a Waterway and Coastal Protection Area, Future Coastal Refugia Area or Potable Water Supply Area; | (i) (ii) | outside the Waterway and Coastal Protection Area, Future Coastal Refugia Area or Potable Water Supply Area; or able to accommodate development capable of satisfying this code. |
| (d) | the building area, bushfire hazard management area, services and vehicular access driveway are outside the Waterway and Coastal Protection Area, Future Coastal Refugia Area or Potable Water Supply Area. | (c) | if within a Potable Water Supply Area, be in accordance with the requirements of the water and sewer authority. |
| A2 | | P2 | |
| Subdivision is not prohibited by the relevant zone standards. | | No I | Performance Criteria. |

Table E11.1 Spatial Extent of Waterway and Coastal Protection Areas

Spatial Extent of Waterway and Coastal Protection Areas

| Watercourse, Wetland, other Waterbody or the Coast | |
|--|-----|
| Class 1: | 40m |
| Watercourses named on the 1:100,000 topographical series maps, lakes, artificial water | |


| storages (other than farm dams), and the high water mark of tidal waters. | |
|--|------|
| Class 2: | 30m |
| Watercourses from the point where their catchment exceeds 100 ha. | |
| Class 3: | 20m |
| Watercourses carrying running water for most of the year between the points where their catchment is from 50 ha to 100 ha. | |
| Class 4: | 10m |
| All other watercourses carrying water for part or all of the year for most years. | |
| Ramsar Wetlands: | 100m |
| Wetlands listed under the Convention on Wetlands of International Importance, (the Ramsar Convention). | |
| Other Wetlands: | 50m |
| Wetlands not listed under the Ramsar Convention. | |

Operation of Table E11.1: Spatially defining 'width':

- (a) Width is measured from the top of bank or high water mark of tidal waters, watercourses or freshwater lakes.
- (b) In the case of watercourses, the Protection Area also includes the waterway itself, being between the top of the banks on either side.

Map E11.1 Waterway and Coastal Protection Areas - LISTmap

Open full map extent (link to the interactive map)



Legend

Waterway and Coastal Protection Areas

Note: This overlay map has been filtered to show only the selected overlay feature for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E12.0 This code number is not used in this planning scheme

E13.0 Historic Heritage Code

E13.1 Purpose

E13.1.1 To recognise and protect the historic cultural heritage significance of places, precincts, landscapes and areas of archaeological potential by regulating development that may impact on their values, features and characteristics.

E13.2 Application

- E13.2.1 This code applies to development involving land defined in this code as any of the following:
 - (a) a Heritage Place;
 - (b) a Heritage Precinct;
 - (c) a Cultural Landscape Precinct;
 - (d) a Place of Archaeological Potential.

- E13.2.2 This code does not apply to use, unless a Heritage Place is listed because its use or history of use is a key criterion in its listing.
- E13.2.3 This code does not apply to signs.

E13.3 Definition of Terms

E13.3.1 In this code, unless the contrary intention appears:

| archaeological evidence | means low level remains of former structures and surfaces, construction debris, demolition debris, fabric, fittings and finishes, modified landforms, burials, subsurface features and deposits, artefacts, discarded waste and/or by-products, residues, pollen. | |
|-------------------------------------|--|--|
| archaeological impact assessment | means a report prepared by a suitably qualified person that includes a design review and describes the impact of proposed works upon archaeological sensitivity (as defined in a statement of archaeological potential). | |
| archaeological method statement | means a report prepared by a suitably qualified person that includes the following where relevant to the matter under consideration: | |
| | (a) strategies to identify, protect and/or mitigate impacts to known and/or potential archaeological values (typically as described in a Statement of Archaeological Potential); | |
| | (b) collections management specifications including proposed storage and curatorial arrangements; | |
| | (c) identification of measures aimed at achieving a public benefit; | |
| | (d) details of methods and procedures to be followed in implementing and achieving (a), (b) and (c) above; | |
| | (e) expertise to be employed in achieving (d) above; | |
| | (f) reporting standards including format/s and content, instructions for dissemination and archiving protocols. | |
| conservation | means all the processes of looking after a place so as to retain its historic cultural heritage significance | |
| conservation plan | means a plan prepared by a suitably qualified person in accordance with The Conservation Plan: A Guide to the Preparation of Conservation Plans for Places of European Cultural Significance (Kerr J, National Trust of Australia, NSW, 1982). | |
| cultural landscape precinct | means an area shown on the planning scheme maps as a cultural landscape precinct and described in Table E13.3 as having particular historic cultural heritage significance because of the collective heritage value of individual elements and features, both natural and constructed, as a group for their landscape value. | |
| heritage impact statement | means a report from a suitably qualified person setting out the effect of the proposed development on the historic cultural heritage significance of the place. | |
| heritage precinct | means an area shown on the planning scheme maps as a heritage precinct and described in Table E13.2 as having particular historic cultural heritage significance because of the collective heritage value of individual places as a | |

| | group for their streetscape or townscape values. | |
|---|--|--|
| historic cultural heritage significance | means as defined in the <i>Historic Cultural Heritage Act 1995</i> . For precincts, historic cultural heritage significance is informed by the statements of historic cultural heritage significance in Tables E13.3 and E13.4. | |
| heritage place | means a place listed and described in Table E13.1. | |
| place | means a place listed and described in Table E13.1 that is a site, area, landscape, building or other work, group of buildings or other works, with any associated views, spaces, and surroundings such as historic plantings or landscaping features, or evidence of past land use. | |
| place of archaeological potential | means a place described in Table E13.4 as having the potential to contain archaeological remains that provide information about the past. | |
| restoration | means returning the existing fabric of a place to a known earlier state by removing accretions or by reassembling existing components without the introduction of new material. | |
| reconstruction | means returning a place to a known earlier state and is distinguished from restoration by the introduction of new material into the fabric. | |
| statement of archaeological | means a report prepared by a suitably qualified person that includes all of the following: | |
| potential | (a) a written and illustrated site history; | |
| | (b) overlay plans depicting the main historical phases of site development and land use on a modern base layer; | |
| | (c) a disturbance history. | |
| | (d) a written statement of archaeological significance and potential accompanied by an archaeological sensitivity overlay plan depicting the likely surviving extent of important archaeological evidence (taking into consideration key significant phases of site development and land use, and the impacts of disturbance). | |
| statement of compliance | means a report from a suitably qualified person setting out their assessment of the proposed development's compliance with this Code. | |
| statement of significance | means a report from a suitably qualified person setting out the historic cultural heritage significance of the place. | |
| suitably qualified person (historic heritage) | means a person who in respect to the type of work to be undertaken can adequately demonstrate relevant academic qualifications and experience in the cultural heritage. | |

E13.4 Development Exempt from this Code

E13.4.1 The following development is exempt from this code:

Development within the specific extent of a heritage place

- (a) the demolition or removal of internal building or works not involving:
 - (i) the removal of heritage fabric such as skirting boards, fire mantles or ceiling roses; or

- (ii) alterations to the original plan form of a building;
- (b) maintenance and minor repair of buildings, including repainting, recladding, re-roofing and re- stumping where like-for-like materials and external colours are used;
- (c) temporary structural stabilisation works as certified by a structural engineer;
- (d) permanent stabilisation works considered by a suitably qualified person to meet the Purpose and Objectives of this Code;
- (e) building works, alterations, and modifications required for compliance with fire regulations under the Building Code of Australia not visible externally upon completion from a street, park, reserve or other public space bounded by the property;

Development within a heritage precinct, cultural landscape precinct, heritage place or place of archaeological potential

- (f) works incidental to the maintenance of a garden or grounds, excepting where the garden or grounds are specifically part of the General Description column in Table E13.1;
- (g) if they are at least 1m from any boundary, minor attachments to the side or rear of a building that are incidental to any use or development such as heat pumps, rain water tanks with a capacity of less than 45 kilolitres and on a stand no higher than 1.2m, hot water cylinders and air-conditioners;
- (h) a maximum of 1 mast for telecommunications and a single flagpole provided each is not more than 6m in height and is not attached to any building within a heritage place listed in Table E13.1;
- (i) the construction or demolition of:
 - (i) side and rear boundary fences:
 - a. not adjoining a road or public reserve; and
 - b. not more than a total height of 2.1m above natural ground level;

except where they are within the garden or grounds that are specifically part of the General Description column in Table E13.1;

- (ii) fencing of agricultural land or for protection of wetlands and watercourses;
- (iii) temporary fencing associated with occasional sporting, social and cultural events, construction works and for public safety;
- except where they are within the garden or grounds that are specifically part of the General Description column in Table E13.1 the construction or demolition of;
 - (i) retaining walls, set back more than 1.5m from a boundary, and which retain a difference in ground level of less than 1m;
- (k) the planting, clearing or modification of vegetation for any of the following purposes, except where the vegetation is specifically part of the General Description column in Table E13.1:

- (i) the landscaping and the management of vegetation:
 - a. on pasture or cropping land, other than for plantation forestry on prime agricultural land; or
 - within a garden, national park, public park or state-reserved land, provided the vegetation is not protected by permit condition, an agreement made under Part 5 of the Act, covenant or other legislation;
- (ii) clearance or conversion of a vegetation community in accordance with a forest practices plan certified under the *Forest Practices Act 1985*;
- (iii) fire hazard management in accordance with a bushfire hazard management plan approved as part of subdivision or development;
- (iv) fire hazard reduction required in accordance with the *Fire*Service Act 1979 or an abatement notice issued under the

 Local Government Act 1993;
- (v) fire hazard management in accordance with a bushfire hazard management plan endorsed by the Tasmanian Fire Service, Forestry Tasmania or the Parks and Wildlife Service;
- (vi) to provide clearance of up to 1m for the maintenance, repair and protection of lawfully constructed buildings or infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, power lines, pipelines and telecommunications facilities;
- (vii) for soil conservation or rehabilitation works including 'Landcare' activities and the like and, provided that ground cover is maintained and erosion is managed, the removal or destruction of weeds declared under the *Weed Management Act 1999*;
- (viii) the implementation of a vegetation management agreement or a natural resource, catchment, coastal, reserve or property management plan provided the agreement or plan has been endorsed or approved by the relevant agency;
- (ix) safety reasons where the work is required for the removal of dead wood, or treatment of disease, or required to remove an unacceptable risk to public or private safety, or where the vegetation is causing or threatening to cause damage to a substantial structure or building;
- (x) within 1m of a title boundary for the purpose of erecting an approved boundary fence or for maintaining an existing boundary fence;

Development within a heritage precinct, cultural landscape precinct or heritage place (but not on a place of archaeological potential)

(I) minor upgrades by or on behalf of the State government, a Council, or a statutory authority or a corporation all the shares of which are held by or

on behalf of the State or by a statutory authority, of infrastructure such as roads, rail lines, footpaths, cycle paths, drains, sewers, power lines and pipelines including:

- minor widening or narrowing of existing carriageways; or making, placing or upgrading kerbs, gutters, footpaths, roadsides, traffic control devices; and
- (ii) markings, street lighting and landscaping, except where any of those elements are specifically part of the General Description column in Table E13.1;
- (m) minor infrastructure within a road reservation, park, playground or outdoor recreation facility such as, playground equipment, seating and shelters, public art, telephone booths, post boxes, bike racks, fire hydrants, drinking fountains, rubbish bins, traffic control devices and markings, and the like incidental to the function of that road reservation, park, playground or outdoor recreational facility;
- (n) construction, placement or demolition of minor outbuildings or structures if:
 - (i) no new outbuilding is closer to a street frontage than the main building;
 - the gross floor area of each outbuilding or structure does not exceed 9m2 and a combined total area of such buildings or structures does not exceed 20m2;
 - (iii) no side is longer than 3m;
 - (iv) no part of the outbuilding or structure is higher than 2.4m above natural ground level;
 - (v) the maximum change of level as a result of cut or fill is 0.5m; and
 - (vi) no part of the outbuilding encroaches on any service easement or is within 1m of any underground service;
- construction, placement or demolition of an unroofed deck not attached to or abutting a building, that has a floor level less than 1m above natural ground level and is at least 1m from any boundary;
- (p) except where they are within the garden or grounds that are specifically part of the General Description column in Table E13.1, the laying or installation in the Rural Resource Zone or the Significant Agricultural Zone, of irrigation pipes, that are directly associated with, and a subservient part of, an agricultural use, provided no pipes are located within a wetland;

Development within a heritage precinct or cultural landscape precinct (but not on a heritage place or a place of archaeological potential)

(q) Development within a road, park or other public space that is not visible from a road, park or other public space bounding the site;

Development within a heritage precinct, a cultural landscape precinct or a place of archaeological potential (but not on a heritage place)

(r) one satellite dish no more than 2m in diameter;

- (s) solar collector panels and photovoltaic cells on a roof;
- (t) boundary fences adjoining a road or public reserve, and not more than a total height of 1.2m above natural ground level;
- (u) the construction of buildings or works, other than a dwelling, in the Rural Resource Zone or the Significant Agricultural Zone, that are directly associated with, and a subservient part of, an agricultural use if:
 - (i) individual buildings do not exceed 100m2 in gross floor area;
 - (ii) the setback from all property boundaries is not less than 30m;
 - (iii) no part of the building or works are located within 30m of a wetland or watercourse;
 - (iv) no part of the building or works encroach within any service easement or within 1m of any underground service; and
 - (v) the building or works are not located on prime agricultural land;

General

- (v) the demolition or removal of a building or works stated in the 'particular exclusions from listing' column in the Tables to this code;
- (w) any type of development stated in the 'particular exempt development' column in the Table to this code;
- (x) the provision, maintenance or repair by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority, of the following utilities and infrastructure:
 - (i) electricity, gas, sewerage, storm water and water reticulation to individual streets, lots or buildings;
 - (ii) traffic control devices and markings, fire hydrants and the like on public land;
- (y) maintenance and repair by or on behalf of the State Government, a Council, a statutory authority, or a corporation all the shares of which are held by or on behalf of the State or by a statutory authority, of infrastructure such as roads, rail lines, footpaths, cycle paths, drains, sewers, power lines and pipelines, where like for like materials and finishes are used for reinstatement are used;

Development involving the excavation of land in a place of archaeological potential

- (z) development involving the disturbance of ground in a Place of Archaeological Potential if, either:
 - the development area where ground disturbance is proposed has been assessed under a previous development application and the archaeological potential was realised when that permitted was acted upon or the site was found not to be of archaeological sensitivity; or
 - (ii) an archaeological impact assessment is provided by a suitably qualified person demonstrating that the nature of the development will not result in disturbance of ground

considered to be of archaeological sensitivity;

(aa) excavation for the purposes of maintenance or replacement of electricity, gas, sewerage, stormwater or water reticulation infrastructure within a Place of Archaeological Potential, provided all such activities will be confined to within existing service trenches, pits or wells that have been previously excavated.

E13.5 Application Requirements

- E13.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a conservation plan;
 - (b) photographs, drawings or photomontages necessary to demonstrate the impact of the proposed development on the heritage values of the place;
 - (c) a statement of significance;
 - (d) a heritage impact statement;
 - (e) a statement of compliance;
 - (f) a statement of archaeological potential;
 - (g) an archaeological impact assessment;
 - (h) an archaeological method statement;
 - (i) a report outlining environmental, social, economic or safety reasons claimed to be of greater value to the community than the historic cultural heritage values of a place proposed to be demolished or partly demolished, and demonstrating that there is no prudent and feasible alternative;
 - (j) for an application for subdivision, plans showing:
 - (i) the location of existing buildings; and
 - (ii) building envelopes on the relevant lots, including the balance lot.

Demolition must not result in the loss of

E13.6 Use Standards

E13.6.1 There are no use standards in this code.

E13.7 Development Standards for Heritage Places

E13.7.1 Demolition

No acceptable solution

| Objective: | |
|---|----------------------|
| To ensure that demolition in whole or part of a heritage place does not result in the loss of historic cultural heritage values unless there are exceptional circumstances. | |
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |

| significant fabric, form, items, outbuildings or landscape elements that contribute to the historic cultural heritage significance of the place unless all of the following are satisfied; | |
|--|---|
| (a) | there are, environmental, social, economic or safety reasons of greater value to the community than the historic cultural heritage values of the place; |
| (b) | there are no prudent and feasible alternatives; |
| (c) | important structural or façade elements that can feasibly be retained and reused in a new structure, are to be retained; |
| (d) | significant fabric is documented before |

demolition.

E13.7.2 Buildings and Works other than Demolition

Objective:

To ensure that development at a heritage place is:

- (a) undertaken in a sympathetic manner which does not cause loss of historic cultural heritage significance; and
- (b) designed to be subservient to the historic cultural heritage values of the place and responsive to its dominant characteristics.

| Acceptable Solutions | Performance Criteria | | |
|-------------------------|---|--|--|
| A1 | P1 | | |
| No Acceptable Solution. | Development must not result in any of the following: | | |
| | (a) loss of historic cultural heritage significance to the place through incompatible design, including in height, scale, bulk, form, fenestration, siting, materials, colours and finishes; | | |
| | (b) substantial diminution of the historic cultural heritage significance of the place through loss of significant streetscape elements including plants, trees, fences, walls, paths, outbuildings and other items that contribute to the significance of the place. | | |
| A2 | P2 | | |
| No Acceptable Solution. | Development must be designed to be subservient and complementary to the place through characteristics including: | | |
| | (a) scale and bulk, materials, built form and | | |

| | fenestration; |
|--|---|
| | (b) setback from frontage; |
| | (c) siting with respect to buildings, structures and listed elements; |
| | (d) using less dominant materials and colours. |
| A3 | Р3 |
| No Acceptable Solution. | Materials, built form and fenestration must respond to the dominant heritage characteristics of the place, but any new fabric should be readily identifiable as such. |
| A4 | P4 |
| No Acceptable Solution. | Extensions to existing buildings must not detract from the historic cultural heritage significance of the place. |
| A5 | P5 |
| New front fences and gates must accord with original design, based on photographic, archaeological or other historical evidence. | New front fences and gates must be sympathetic in design, (including height, form, scale and materials), to the style, period and characteristics of the building to which they belong. |

E13.7.3 Subdivision

Objective:

To ensure that subdivision of part of a heritage place maintains cohesion between the elements that collectively contribute to an understanding of historic cultural heritage values, and protects those elements from future incompatible development.

| Acceptable Solutions | Performance Criteria | |
|-------------------------|--|--|
| A1 | P1 | |
| No Acceptable Solution. | A proposed plan of subdivision must show the historic cultural heritage significance is adequately protected by complying with all of the following: | |
| | (a) ensuring that sufficient curtilage and contributory heritage items (such as outbuildings or significant plantings) are retained as part of any title containing heritage values; | |
| | (b) ensuring a sympathetic pattern of subdivision; | |
| | (c) providing a lot size, pattern and configuration with building areas or other development controls that will prevent unsympathetic development on lots adjoining any titles containing heritage | |

| values, if required. |
|----------------------|
| 1 |

E13.8 Development Standards for Heritage Precincts

E13.8.1 Demolition

Objective:

To ensure that demolition in whole or in part of buildings or works within a heritage precinct does not result in the loss of historic cultural heritage values unless there are exceptional circumstances.

| Acceptable Solutions | Performance Criteria | |
|-------------------------|---|--|
| A1 | P1 | |
| No Acceptable Solution. | Demolition must not result in the loss of any of the following: | |
| | (a) buildings or works that contribute to the historic cultural heritage significance of the precinct; | |
| | (b) fabric or landscape elements, including plants, trees, fences, paths, outbuildings and other items, that contribute to the historic cultural heritage significance of the precinct; | |
| | unless all of the following apply; | |
| | (i) there are, environmental, social, economic or safety reasons of greater value to the community than the historic cultural heritage values of the place; | |
| | (ii) there are no prudent or feasible alternatives; | |
| | (iii) opportunity is created for a replacement building that will be more complementary to the heritage values of the precinct. | |

E13.8.2 Buildings and Works other than Demolition

Objective:

To ensure that development undertaken within a heritage precinct is sympathetic to the character of the precinct.

| Acceptable Solutions | Performance Criteria |
|------------------------|---|
| A1 | P1 |
| No Acceptable Solution | Design and siting of buildings and works must not result in detriment to the historic cultural heritage significance of the precinct, as listed in Table E13.2. |
| A2 | P2 |

| No Acceptable Solution | Design and siting of buildings and works must comply with any relevant design criteria / conservation policy listed in Table E13.2, except if a heritage place of an architectural style different from that characterising the precinct. |
|--|---|
| А3 | P3 |
| No Acceptable Solution | Extensions to existing buildings must not detract from the historic cultural heritage significance of the precinct. |
| A4 | P4 |
| New front fences and gates must accord with original design, based on photographic, archaeological or other historical evidence. | New front fences and gates must be sympathetic in design, (including height, form, scale and materials), and setback to the style, period and characteristics of the precinct. |

E13.8.3 Subdivision

Objective:

To ensure that subdivision within a Heritage Precinct is consistent with historic patterns of development and does not create potential for future incompatible development.

| Acceptable Solutions | Performance Criteria |
|------------------------|--|
| A1 | P1 |
| No Acceptable Solution | Subdivision must not result in any of the following: |
| | (a) detriment to the historic cultural heritage significance of the precinct, as listed in Table E13.2; |
| | (b) a pattern of subdivision unsympathetic to the historic cultural heritage significance of the precinct; |
| | (c) potential for a confused understanding of the development of the precinct; |
| | (d) an increased likelihood of future development that is incompatible with the historic cultural heritage significance of the precinct. |
| A2 | P2 |
| No Acceptable Solution | Subdivision must comply with any relevant design criteria / conservation policy listed in Table E13.2. |

E13.9 Development Standards for Cultural Landscape Precincts

E13.9.1 Demolition

| Objective: | |
|------------|--|

To ensure that demolition in whole or in part of buildings or works within a Cultural Landscape Precinct does not result in the loss of historic cultural heritage values unless there are exceptional circumstances.

| Acceptable Solutions | Performance Criteria | |
|-------------------------|--|--|
| A1 | P1 | |
| No Acceptable Solution. | Demolition must not result in the loss of any of the following: | |
| | (a) buildings or works that contribute to the historic cultural heritage significance of the precinct; | |
| | (b) fabric or landscape elements, including plants, trees, fences, walls, paths, outbuildings and other items, that contribute to the historic cultural heritage significance of the precinct; | |
| | unless both of the following apply; | |
| | (i) there are environmental, social, economic or safety reasons of greater value to the community than the historic cultural heritage values of the place; | |
| | (ii) there are no prudent and feasible alternatives. | |

E13.9.2 Buildings and Works other than Demolition

Objective:

To ensure that development undertaken within a Cultural Landscape Precinct is sympathetic to the character of the precinct.

| Acceptable Solutions | Performance Criteria |
|------------------------|--|
| A1 | P1 |
| No Acceptable Solution | Design and siting of buildings and works must not result in detriment to the historic cultural heritage significance of the precinct, as listed in Table E13.3. |
| A2 | P2 |
| No Acceptable Solution | Design and siting of buildings and works must comply with any relevant design criteria / conservation policy listed in Table E13.3. |

E13.9.3 Subdivision

Objective:

To ensure that subdivision within a Cultural Landscape Precinct retains the character of the precinct and does not increase the likelihood of incompatible development.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|

| A1 | P1 | |
|------------------------|---|--|
| No Acceptable Solution | Subdivision must not result in any of the following: | |
| | (a) detriment to the historic cultural heritage significance of the precinct, as set out in Table E13.3; | |
| | (b) a pattern of subdivision unsympathetic to the historic cultural heritage significance of the precinct; | |
| | (c) potential for a confused understanding of the development of the precinct; | |
| | (d) an increased likelihood of future development that is incompatible with the historic cultural heritage significance of the precinct | |
| A2 | P2 | |
| No Acceptable Solution | Subdivision must comply with any relevant design criteria / conservation policy listed in Table E13.3. | |

E13.10 Development Standards for Places of Archaeological Potential

E13.10.1 Building, Works and Demolition

Objective:

To ensure that building, works and demolition at a place of archaeological potential is planned and implemented in a manner that seeks to understand, retain, protect, preserve and otherwise appropriately manage significant archaeological evidence.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Building and works do not involve excavation or ground disturbance. | Buildings, works and demolition must not unnecessarily impact on archaeological resources at places of archaeological potential, having regard to: |
| | (a) the nature of the archaeological evidence, either known or predicted; |
| | (b) measures proposed to investigate the archaeological evidence to confirm predictive statements of potential; |
| | (c) strategies to avoid, minimise and/or control impacts arising from building, works and demolition; |
| | (d) where it is demonstrated there is no prudent and feasible alternative to impacts arising from building, works and demolition, measures proposed to realise both the |

| | research potential in the archaeological evidence and a meaningful public benefit from any archaeological investigation; |
|-----|--|
| (e) | measures proposed to preserve significant archaeological evidence 'in situ'. |

E13.10.2 Subdivision

Objective:

To ensure that subdivision does not increase the likelihood of adverse impact on a place of archaeological potential.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Subdivision provides for building restriction envelopes on titles over land defined as the Place of Archaeological Potential in Table E13.4. | Subdivision must not impact on archaeological resources at Places of Archaeological Potential through demonstrating either of the following: |
| | (a) that no archaeological evidence exists on the land; |
| | (b) that there is no significant impact upon archaeological potential. |

Table E13.1 Heritage Places

| Ref No. | Name, Location and/or Address | C.T. | General Description | Specific Extent | Particular Exclusions from Listing | Particular Exempt Development |
|------------|--|---|---|---|--|-------------------------------------|
| 1 | Glen Road, Huonville | 138685/1 | House and Oast House | | | |
| 2 | 12 Jacksons Road, Franklin | 251619/1 | Cemetery | | | |
| 3 | 'Valleyfield House' 672 Glen Huon Road, Glen Huon | 141089/1 | Federation (c1910) weatherboard house & c1870 barn | Within 100m of the house and of the barn | | |
| 4 | 'The Settlement' 352,354,364,368 & 376 Esperance Coast Road, Brooks Bay and adjoining Crown land | 52146/6, 52146/7, 52146/8, 157639/2, 141531/1, 38182/1 | Isolated hamlet of house, outbuildings and storage sheds | | | |
| 5 | 6557 Huon Highway, Dover | 26/9948 | c1890 weatherboard house | | | |
| 6 | Hope Island, Dover | | Hope Island Ruins | | | |
| 7 | 6963 Huon Highway, Dover | 7691/2 | (former) St Paul's Church, 1876 weatherboard Victorian Carpenter Gothic style church | | | |
| 8 | 5093 Huon Highway, Geeveston | 139166/1 | c1890 weatherboard house | | | |
| 9 | 68 O'Halloran's Road, Geeveston | 134064/2 | c1850 weatherboard house | Within 100m of the house | | |
| 10 | 13 Church Street, Geeveston | 34294/1 | 1954 brick commercial building | | | |

| | Land between 101 & 107 Fourfoot Road, Geeveston | 114235/1 | c1880 weatherboard house and c1860 weatherboard cottage | | |
|----|--|----------|---|-------------------------|--|
| 12 | Land adjacent to 5528 Huon Highway, Waterloo | 115970/1 | | Within 50m of the apple | |
| | mg.may, wateries | | | shed | |

- (a) Not all fields are mandatory. Mandatory fields are: Ref. No., Address and General Description. 'Specific Extent' is mandatory only if the place does not have C.T. boundaries refer below.
- (b) **Ref. No**. = reference number. If a map overlay exists: the same number is referenced on the map overlay. If a plan exists: the same number is referenced on the plan. This number should also be referenced in any database of background information the Council holds.
- (c) Address = standard address: street or Rural Address number, street or road name, town, suburb or locality. Some listings may not have a standard address, in which case an alternative location description is required.
- (d) **Name** = property or place name. Many listings will not have a name.
- (e) **C.T.** = Certificate of Title (otherwise known as "Folio of the Register"). Some listings will not have a C.T. Some listings may cover more than one C.T. The C.T. at the time of listing is the default definition of the extent of the listing. C.T.s may alter over time, however the C.T. at the time of listing does not change and constitutes an enduring and unchangeable legal record.
- (f) **General Description** = A brief description of the kind of place.
 - (i) Not an exhaustive list or complete catalogue of all that is 'listed' or of heritage value.
 - (ii) Is a mandatory field.
 - (iii) Unless specified in 'Specific Extent' column, the listing refers to the whole of the title. Where a title does not exist, the Specific Extent column must be filled in.
- (g) **Specific Extent** = The ability to specify something less or more than the whole title or titles as the extent of the listing. It also provides for the case where there are no C.T. boundaries.
 - (i) May be a plan of the subject site that is included in the Code, after the table, (utilising same Reference Number). Any such plans follow this table.
 - (ii) May verbally describe the extent, where this can be done clearly and unambiguously. For example: "Within 200 m of homestead"
 - (iii) May specify that adjacent land is included in the listing, where it is considered that development on adjacent land might significantly impact on the historic cultural heritage significance of the place. Options include specifying that the whole of neighbouring titles are affected, or a certain

- distance into neighbouring titles is affected, or by reference to the plan mentioned above which may show that more than the subject title is included.
- (iv) Where this column is not filled in, the extent of the listing is taken to be all the land within the boundaries of the C.T. listed in the 4th column.
- (h) **Particular Exclusions from Listing** = The ability to specify buildings/structures/trees at the place which are not included in the listing. This is most likely to be used for intrusive structures that detract from the heritage values of a place and for which their removal is desirable. However there will be other legitimate reasons for listing a structure or item as not included. Use of this column is optional. The default is that all items are included.

Table E13.2 Heritage Precincts

| of | Statement of Historic Cultural Heritage Significance | Design Criteria / Conservation Policy | Particular Exclusions from Listing | Particular Exempt Developmen t |
|----|--|--|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

- (a) It is mandatory for these Statements of Historic Cultural Heritage Significance to be provided for heritage precincts.
- (b) It is not mandatory for design criteria to be provide, but highly desirable in order to provide a greater level of direction and certainty within the scheme.

Table E13.3 Cultural Landscape Precincts

| • | of | Policy | Exclusions | Particular Exempt Developmen t |
|---|----|--------|------------|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

- (a) It is mandatory for Statements of Historic Cultural Heritage Significance to be provided for heritage precincts.
- (b) It is not mandatory for design criteria / conservation policy to be provide, but highly desirable in order to provide a greater level of direction and certainty within the scheme.

Table E13.4 Places of Archaeological Potential

| Ref | Address | Name | C.T. | Specific | General | Likely | Particular |
|-----|---------|------|------|----------|-----------------|--------------------------|------------|
| | | | | Extent | Description | Archaeological Potential | Exempt |
| No. | | | | | (site features) | | Developmen |
| | | | | | | | t |

Map E13 Historic Heritage - LISTmap

Open full map extent (link to the interactive map)



Legend

Historic Heritage Areas

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E14.0 Scenic Landscapes Code

E14.1 Purpose

E14.1.1 The purpose of this provision is to recognise and protect landscapes that are important for their scenic values.

E14.2 Application

E14.2.1 This code applies to development on land defined within this Code as either of the following:

- (a) a Scenic Landscape Area;
- (b) a Scenic Landscape Corridor.

This code does not apply to use.

E14.3 Definition of Terms

E14.3.1 In this code, unless the contrary intention appears:

| bushland | means land which is dominated by native vegetation. |
|-------------------------------------|--|
| disturbance | means the alteration of the appearance of bushland through actions including cutting down, felling, thinning, logging, removing, destroying, poisoning, ringbarking, uprooting, slashing or burning. |
| scenic landscape value | means the specific characteristics or features of a landscape that collectively contribute to its value. Scenic landscape value for specific scenic landscape areas or scenic landscape corridors may be provided in Table E14.1 to this code. |
| landscape impact statement | means a report from a suitably qualified person that considers the impact of proposed development on the scenic landscape value of a Scenic Landscape Area or Scenic Landscape Corridor, and may include measures to avoid, mitigate or minimise impacts. |
| Scenic Landscape Area | means an area of scenic value retaining a predominantly natural appearance, including prominent skylines and hill faces that contribute to the background of important vistas, as recognised and shown on the planning scheme maps as a Scenic Landscape Area. |
| Scenic Landscape Corridor | means an area of scenic value on either side of a major road, retaining a traditional rural character composed of agricultural land, bushland, mature exotic trees and/or hedgerows, as recognised and shown on the planning scheme maps as a Scenic Landscape Corridor. |
| statement of landscape significance | means a report from a suitably qualified person setting out the scenic landscape value of a Scenic Landscape Area or Scenic Landscape Corridor. |

E14.4 Development Exempt from this Code

- E14.4.1 The following development is exempt from this code:
 - (a) if in a Scenic Landscape Area:
 - (i) planting, clearing or modification of vegetation on pasture, cropping, vineyard or orchard land;
 - (ii) planting, clearing or modification of vegetation within a private garden, public garden or park, national park or Statereserved land,

provided the vegetation is not protected by a permit condition, an agreement made under Part 5 of the Act or a covenant in gross;

- (b) if in a Scenic Landscape Corridor:
 - (i) planting, clearing or modification of vegetation on pasture, cropping, vineyard or orchard land, with the exception of

- exotic trees more than 10 m in height and hedgerows;
- (ii) planting, clearing or modification of vegetation within a private garden, public garden or park, national park or Statereserved land,
- provided the vegetation is not protected by a permit condition, an agreement made under Part 5 of the Act or a covenant in gross;
- (c) fire hazard management works required in accordance with the *Fire Services Act 1979* or an abatement notice issued under the *Local Government Act 1993*;
- (d) fire hazard management works on land owned or administered by the Crown or Council;
- (e) fire hazard management works for an existing dwelling in accordance with a bushfire hazard management plan endorsed by an accredited person as defined under the Bushfire Prone Areas Code, wherein the extent of vegetation cleared is the minimum necessary;
- (f) the removal or destruction of declared weeds or local environmental weeds;
- (g) works considered necessary by an authority to remedy an unacceptable risk to public or private safety;
- (h) works within 2m of lawfully constructed buildings or infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, power lines, pipelines and telecommunications facilities;
- (i) works within 2m of existing infrastructure including roads, tracks, footpaths, cycle paths, drains, sewers, power lines, pipelines and telecommunications facilities for the maintenance, repair, upgrading or replacement of such infrastructure;
- (j) works within 2m of a title boundary for the purpose or erecting or maintaining a boundary fence;

E14.5 Application Requirements

- E14.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a statement of landscape significance;
 - (b) photographs, drawings or photomontages necessary to demonstrate the impact of the proposed development on the landscape value of the area;
 - (c) a landscape impact statement.

E14.6 Use Standards

There are no use standards in this code.

E14.7 Development Standards

E14.7.1 Removal of Bushland within Scenic Landscape Areas

Objective:

To ensure that removal or disturbance of bushland does not cause an unreasonable change to, or have an unreasonable adverse impact on, the scenic landscape value of Scenic Landscape Areas.

| Acceptable Solutions | Performance Criteria | | | |
|--|---|--|--|--|
| A1 | P1 | | | |
| Removal or disturbance of bushland must comply with both of the following: | Removal or disturbance of bushland must be minimised and must satisfy both of the | | | |
| (a) be on land no less than 50 m (in elevation) from a skyline; | following: (a) result in only negligible change to the | | | |
| (b) be no more than 500 m ² in extent. | silhouette of skylines; (b) maintain scenic landscape value. | | | |

E14.7.2 Appearance of Buildings and Works within Scenic Landscape Areas

Objective:

To ensure that buildings and works do not cause an unreasonable change to, or have an unreasonable adverse impact on, the scenic landscape value of Scenic Landscape Areas.

| | | Table daverse impact on, the sec | | | | · | | |
|---|----------------------|--|-------|--|---|---|--|--|
| Acc | eptal | ole Solutions | F | Performance Criteria | | | | |
| A1 | | | | P1 | | | | |
| Buil (a) | Ū | s must comply with one of the fo be visible from public spaces; | r | Buildings visible from public spaces must maintain scenic landscape value by satisfyir or more of the following, as necessary: | | enic landscape value by satisfying one | | |
| (b) | buil | an addition or alteration to an exding that; | | ٠, | | kternal finishes that are non- ve and coloured to blend with the | | |
| | (i) | increases the gross floor area by | oy no | | landsca | ape; | | |
| | more than 25%; | | | (b) | be desi | gned to: | | |
| | (ii) (iii) | | | | • • | corporate low roof lines that follow e natural form of the land; | | |
| | similar to existing. | | | | | inimise visual impact in height and ulk; | | |
| | | | | | inimise cut and fill; | | | |
| | | | (| (c) | be loca | ted below skylines; | | |
| | | | | | native | ted to take advantage of any existing vegetation or exotic vegetation for creening purposes. | | |
| A2 | | | P | P2 | | | | |
| Works must not be visible from public spaces. | | s | sceni | c lands | e from public spaces must maintain cape value by satisfying one or more ving, as necessary; | | | |
| | | | (| . , | practic | ays and access tracks are as close as all to running parallel with contours e surfaced with dark materials; | | |

| (b) | cut and fill is minimised; |
|-----|---|
| (c) | surfaces of retaining walls and batters are finished with a natural appearance; |
| (d) | fences are post & wire or other designed of a similarly transparent appearance. |

E14.7.3 Removal of Bushland and Exotic Vegetation within Scenic Landscape Corridors

Objective:

To ensure that removal or disturbance of bushland and exotic vegetation does not cause an unreasonable change to, or have an unreasonable adverse effect on, the scenic landscape value of Scenic Landscape Corridors.

| Acceptable Solutions | Performance Criteria | | |
|---|--|--|--|
| A1 | P1 | | |
| Removal or disturbance of bushland, exotic trees with a height more than 10 m or hedgerows must not be visible from the pertinent road. | Removal or disturbance of bushland, exotic trees with a height more than 10 m or hedgerows must be minimised and must result in only minor change to scenic landscape value. | | |

E14.7.4 Appearance of Buildings and Works within Scenic Landscape Corridors

Objective:

To ensure that buildings and works do not cause an unreasonable change to, or have an

| | unreasonable adverse effect on, the scenic landscape value of Scenic Landscape Corridors. | | | | | |
|--|---|--|--|---|--|--|
| Acc | Acceptable Solutions | | Performance Criteria | | | |
| A1 | | | P1 | | | |
| | dings owing | and works must comply with one of the :: | road | Buildings and works visible from the pertinent road must maintain scenic landscape value through satisfying one or more of the following, as necessary; | | |
| (a) | | be visible from the pertinent road; | | | | |
| (b) be an addition or alteration to an existing building that; | | (a) | (a) be set back from the pertinent road a as reasonably practical; | | | |
| | (i) increases the gross floor area by no more than 25%;(ii) does not increase the building height; | | (b) | be externally coloured using colours commonly applied to buildings within the | | |
| | | | | local rural landscape; | | |
| | (iii) provides external finishes the same or | | (c) | be d | esigned to: | |
| similar to existing. | | | (i) | minimise visual impact due to height and bulk; | | |
| | | | | (ii) | minimise cut and fill; | |
| | | | (d) | corri | ocated to maintain significant view dors from the pertinent major road to ninent natural features; | |
| | | | (e) | | ocated to take advantage of any existing ve or exotic vegetation, or new | |

vegetation, for visual screening purposes;

| (f) | fences are post & wire or other design of a |
|-----|---|
| | similarly transparent appearance. |

Table 14.1 Specific Scenic Landscape Value

| Scenic Landscape Area | Scenic Landscape Value |
|---------------------------|------------------------|
| or | |
| Scenic Landscape Corridor | |
| | |

E15.0 Inundation Prone Areas Code

E15.1 Purpose

- E15.1.1 The purpose of this provision is to:
 - (a) identify areas which are at risk of periodic or permanent inundation from one or more of the following:
 - (i) riverine, watercourse and inland flooding, (where spatial information exists),
 - (ii) storm tide,
 - (iii) sea level rise;
 - (b) manage development in areas at risk from periodic or permanent inundation so that:
 - (i) people, property and infrastructure are not exposed to an unacceptable level of risk,
 - (ii) future costs associated with options for adaptation, protection, retreat or abandonment of property and infrastructure are minimised,
 - (iii) marine-infrastructure on coastal landforms is undertaken in a way that protects coastal features, processes and ecological systems from adverse impacts;
 - (c) facilitate sustainable development of the coast in response to the impacts of climate change;
 - (d) manage development on the coast so that:
 - (i) people, property and infrastructure are not exposed to an unacceptable level of risk,
 - (ii) adverse effects on the stability and functioning of the coastal environment are minimised,
 - (iii) future options for adaptation, protection, retreat or abandonment of property and infrastructure are maintained and associated future costs are minimised,
 - (iv) marine-infrastructure on coastal landforms is undertaken in a way that protects coastal features, processes and ecological

systems from adverse impacts;

- (e) preclude development that will affect flood flow or be affected by flood water, or change coastal dynamics in a way detrimental to development sites or other property;
- (f) provide for appropriate development dependent on a coastal location.

E15.2 Application

E15.2.1 This code applies to:

- (a) development on land in the Coastal Inundation High, Medium and Low Hazard Areas:
 - (i) where shown on the planning scheme maps as separate Coastal Inundation High, Medium and Low Hazard Area overlays,
 - (ii) where shown on the planning scheme maps as a combined Inundation Hazard Investigation Area overlay and as particularly defined and separated by reference to AHD values in Table E15.2;
- (b) change of use from a non-habitable building to a habitable building or to a new use with a habitable room on land that is in the Coastal Inundation High, Medium and Low Hazard Areas or the Riverine Inundation Hazard Area;
- (c) development on land subject to risk of riverine flooding of 1% AEP or more, including:
 - (i) land within the Riverine Inundation Hazard Area,
 - (ii) land not within the Riverine Inundation Hazard Area but nevertheless subject to risk of flooding of 1% AEP or more;
- (d) development of buildings and works dependent on a coastal location, (including the subdivision of land for such buildings and works).

E15.3 Definition of Terms

E15.3.1 In this code, unless the contrary intention appears:

| AEP | means annual exceedance probability. |
|---|--|
| buildings and works dependent on a coastal location | means buildings and works for which there is a demonstrated need to be located at a coastal location, including boat sales and storage, marine farming shore facilities, marine-related public open space & recreation facilities, pleasure boat facilities, roads & other utilities and wharves. Dwellings, except for a caretakers dwelling associated with any of the above, are |
| | not included. |
| Coastal Inundation Hazard Investigation Area | means an area for which risk from inundation from storm tide and permanent inundation from sea level rise has been identified but where the high, medium and low hazard areas have not been spatially quantified due to limitations of available data. |

| Coastal Inundation High Hazard Area | means an area forecast to be subject to 0.2 m sea level rise from the Mean High Tide by 2050 and a rounding up to the nearest highest 0.1 m. | | | | |
|--|---|--|--|--|--|
| Coastal Inundation Low Hazard Area | means an area forecast to be subject to inundation from a 1% AEP storm tide event in 2100, the 0.3 m free board, and a rounding up to the nearest highest | | | | |
| | 0.1 r | n. | | | |
| Coastal Inundation Medium Hazard Area | Mea and | ins ar | ea forecast to be sub | ject to a 1% AEP storm tide event in 2050 | |
| | 0.3 r | n fre | oard, and a rounding | up to the nearest highest 0.1 m. | |
| coastal protection works | engi who | means a hard structure (such as a sea wall, groyne or breakwater) or soft engineering technique (such as beach nourishment), placed partially or wholly along the land-water interface to protect the land from the sea or to stop erosion of the shoreline. | | | |
| coastal works management plan | vege and | means a specific site plan acceptable to the planning authority that details vegetation management measures and erosion control measures on building and construction sites on coastal landforms prepared by a suitably qualified person in accordance with best practice guidelines. [R1] | | | |
| existing floor area | mea | ns th | oss floor area as at t | he effective date. | |
| flood hazard report | mea inclu | | ort prepared by a sui | tably qualified person for a site, that must | |
| | (a) | deta repo | of, and be signed by, | the person who prepared or verified the | |
| | (b) | conf expe | | n has the appropriate qualifications and | |
| | (c) | | • | t has been prepared in accordance with any relevant agency; and | |
| | (d) conclusions based on consideration of the proposed use or development: | | | | |
| | | (i) | | or development is likely to cause or rence of flood on the site or on adjacent | |
| | | (ii) | | or development can achieve and maintain a tended life of the use or development, | |
| | | | the nature, intens | ity and duration of the use; | |
| | | | the type, form and | d duration of any development; | |
| | | | the likely change i the use or develo | n the level of risk across the intended life of pment; | |
| | | | the ability to adap | ot to a change in the level of risk; | |
| | | | the ability to mair | ntain access to utilities and services; | |
| | | | the need for flood the boundary of t | I reduction or protection measures beyond he site; | |

| g. any inundation risk management plan in place for the site and/or adjacent land; and h. any advice relating to the ongoing management of the use or development; and (iii) any matter specifically required by Performance Criteria in this code. Inundation means permanent, periodic or anticipated flooding of land whether by sea or rainfall and includes inundation by high tide. Inundation risk means a specific site plan acceptable to the planning authority that details: (a) the risk of inundation of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
|---|-----------------|---|--|--|--|
| development; and (iii) any matter specifically required by Performance Criteria in this code. Inundation means permanent, periodic or anticipated flooding of land whether by sea or rainfall and includes inundation by high tide. Inundation risk management plan means a specific site plan acceptable to the planning authority that details: (a) the risk of inundation of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (iii) by specific hazard management measures for the intended life of | | | | | |
| inundation means permanent, periodic or anticipated flooding of land whether by sea or rainfall and includes inundation by high tide. inundation risk management plan means a specific site plan acceptable to the planning authority that details: (a) the risk of inundation of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | , | | | |
| rainfall and includes inundation by high tide. inundation risk management plan (a) the risk of inundation of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area Riverine Inundation Hazard Area on the planning scheme maps; (b) Iand within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
| management plan (a) the risk of inundation of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | inundation | | | | |
| (a) Indents of individuous of the site, with respect to the proposed location and floor levels of buildings, within applicable timeframes (current, year 2050 and/or year 2100), (b) any inundation control measures or design features proposed to be employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | means a specific site plan acceptable to the planning authority that details: | | | |
| employed to reduce risk to an acceptable level, prepared by a suitably qualified person in accordance with best practice guidelines. Iandfill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | management plan | and floor levels of buildings, within applicable timeframes (current, year | | | |
| guidelines. Indifill means fill or manipulation of the natural ground level that is greater than 0.5 m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
| m in height and 10 m2 in area but does not include fill within 3 m of the footings or foundations of a building. Riverine Inundation Hazard Area means land determined to be at risk from riverine, watercourse or inland flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
| Hazard Area flooding that has a 1% AEP or more. This includes: (a) land within the Riverine Inundation Hazard Area on the planning scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | landfill | m in height and 10 m2 in area but does not include fill within 3 m of the | | | |
| scheme maps; (b) land not within the Riverine Inundation Hazard Area on the planning scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
| scheme maps but nevertheless subject to risk of flooding of 1% AEP or more; relevant agency means as defined in the former provisions of the Act. [R2] tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | | | | |
| tolerable risk means the lowest level of likely risk from the relevant hazard: (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | scheme maps but nevertheless subject to risk of flooding of 1% AEP or | | | |
| (a) to secure the benefits of a use or development in a relevant hazard area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | relevant agency | means as defined in the former provisions of the Act. [R2] | | | |
| area; and (b) which can be managed through: (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | tolerable risk | means the lowest level of likely risk from the relevant hazard: | | | |
| (i) routine regulatory measures; or (ii) by specific hazard management measures for the intended life of | | , | | | |
| (ii) by specific hazard management measures for the intended life of | | (b) which can be managed through: | | | |
| | | (i) routine regulatory measures; or | | | |
| each use of development. | | (ii) by specific hazard management measures for the intended life of each use or development. | | | |

Footnotes

[R1] The *Tasmanian Coastal Works Manual* by The Coastal and Marine Branch, EPA Division, Department of Primary Industries, Parks, Water and Environment is considered best practice guideline.

[R2] The former provisions of the Act as defined in Schedule 6 – Savings and transitional provisions of the Land Use Planning and Approvals Amendment (Tasmanian Planning Scheme) Act 2015.

E15.4 Development Exempt from this Code

- E15.4.1 The following development is exempt from this code [R1]:
 - (a) coastal protection works undertaken by, or on behalf of, an agency or council that have been designed by a suitably qualified person;

Footnotes

[R1] Emergency works are not regulated by planning schemes pursuant to S.40 of the Emergency Management Act 2006.

E15.5 Application Requirements

- E15.5.1 In addition to any other application requirements, the planning authority must require the applicant for a development involving landfill to provide an assessment by a suitably qualified person, accompanied by any necessary engineering detail, outlining the following:
 - (a) existing overland flow paths associated with rainfall events and coastal processes affecting the subject land,
 - (b) how existing flow paths enter onto the subject land from adjoining land and how the flow paths exit onto adjoining land,
 - (c) how any modifications to flow paths proposed on the land impact on the flow paths relied on by nearby and adjoining land,
 - (d) how any proposed infrastructure and techniques will ensure the net discharge of stormwater does not exceed pre-development levels and water quality characteristics of receiving waters are maintained or improved;
 - (e) a site survey from a qualified land surveyor identifying the location of the Coastal Inundation High, Medium and Low Hazard Areas pursuant to the AHD levels provided in Table E15.1, if the proposed development site is within the Coastal Inundation Hazard Investigation Area overlay shown on the planning scheme maps.
- E15.5.2 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with **Performance Criteria**:
 - (a) an inundation risk management plan,
 - (b) a site analysis plan identifying any natural or constructed features that influence overland flow paths prior to and after inundation events,
 - (c) a coastal works management plan,
 - (d) evidence that proposed building or works will be designed and constructed to resist hydrostatic and hydrodynamic forces as a result of inundation by riverine, watercourse or inland flooding, or a storm surge event,
 - (e) a site survey from a qualified land surveyor identifying the location of the Coastal Inundation High, Medium or Low Hazard Area, as relevant, pursuant to the AHD levels provided in Table E15.1, if uncertainty exists as to the relative location of the development site,
 - (f) any of the information listed in E15.5.1, above.

Regional Explanatory Note

The Inundation Hazard Investigation Area has not yet been mapped.

It will cover stretches of the coast not covered by the mapped Coastal Inundation High, Medium and Low Hazard Areas.

This mapping will be completed prior to this planning scheme coming into effect and an overlay will be included in the final maps accordingly.

An approximate guide as to where the Coastal Inundation Hazard Investigation Area will occur is: any land on or near the coast below the AHD levels provided in Table E15.1.

E15.6 Use Standards

Objective: To ensure that change of use involving habitable buildings and/or habitable rooms appropriately responds to inundation risk. **Acceptable Solutions Performance Criteria A1 P1** Change of use of a non-habitable building to a Change of use of a non-habitable building to a habitable building or a use involving habitable habitable building or a use involving habitable rooms must comply with all of the following: rooms must satisfy all of the following: (a) floor level of habitable rooms is no less than any increased reliance on public the AHD level for the Coastal Inundation infrastructure must not result in a Low Hazard Area in Table E15.1; unacceptable level of risk; (b) floor level of habitable rooms is no less than (b) need for future remediation works is the AHD level for the 1% AEP plus 300mm if minimised; in an area subject to riverine flooding. (c) access to the site must not be lost or substantially compromised by expected future sea level rise either on or off-site; (d) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works.

E15.7 Development Standards for Buildings and Works

E15.7.1 Coastal Inundation High Hazard Areas

| Objective: | | | | |
|--|----|--|--|--|
| To ensure that high risk from coastal inundation is appropriately managed and takes into account the use of buildings. | | | | |
| Acceptable Solutions Performance Criteria | | | | |
| A1 | P1 | | | |
| For a habitable building, including extensions to existing habitable buildings, there is no Acceptable Solution. For a habitable building, including extensions to existing habitable buildings, there are no Performance Criteria except if it is developmen dependent on a coastal location. R1 | | | | |
| A2 | P2 | | | |

For a non-habitable building, an outbuilding or a A non-habitable building, an outbuilding or a Class 10b building under the Building Code of Class 10b building under the Building Code of Australia, there is no Acceptable Solution. Australia must satisfy all of the following: if an outbuilding, be a component of an existing dwelling; (b) risk to users of the site, adjoining or nearby land is acceptable; risk to adjoining or nearby property or public infrastructure is acceptable; (d) risk to buildings and other works arising from wave run-up is adequately mitigated through siting, structural or design methods; (e) need for future remediation works is minimised; provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works. except if it is development dependent on a coastal location R1.

E15.7.1.R1 Refer E15.7.6

Objective:

E15.7.2 Coastal Inundation Medium Hazard Areas

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| For a new habitable building there is no Acceptable Solution. | A new habitable building must satisfy all of the following: |
| | (a) floor level of habitable rooms, and rooms associated with habitable buildings (other than a dwelling) that are either publically accessible, used frequently or used for extended periods, must be no lower than the Minimum Level for the Coastal Inundation Low Hazard Area in Table E15.1; |
| | (b) risk to users of the site, adjoining or nearby land is acceptable; |
| | (c) risk to adjoining or nearby property or public infrastructure is acceptable; |

(d) risk to buildings and other works arising

through siting, structural or design

from wave run-up is adequately mitigated

To ensure that medium risk from coastal inundation is appropriately managed and takes into

methods;

- (e) need for future remediation works is minimised;
- access to the site will not be lost or substantially compromised by expected future sea level rise either on or off-site;
- (g) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works;

except if it is development dependent on a coastal locationR1.

A2

Except for new rooms associated with habitable buildings other than dwellings, for which there is no acceptable solution, an extension to an existing habitable building must comply with one of the following:

- (a) new habitable rooms must comply with both of the following:
 - (i) floor level no lower than the Minimum Level for the Coastal Inundation Low Hazard Area in Table E15.1,
 - (ii) floor area of the extension no more than 40 m2 from the date of commencement of this planning scheme;
- (b) new habitable rooms must be above ground floor.

P2

An extension to an existing habitable building must satisfy all of the following:

- new habitable rooms, and rooms associated with habitable buildings (other than a dwelling) that are either publically accessible, used frequently or used for extended periods, must satisfy one of the following:
 - (i) floor level no lower than the Minimum Level for the Coastal Inundation Low Hazard Area in Table E15.1;
 - (ii) floor level no lower than the existing floor level and a floor area of the extension no more than 40 m² as at the date of commencement of this planning scheme;
- (b) risk to users of the site, adjoining or nearby land is not increased;
- risk to adjoining or nearby property or public infrastructure is not increased;
- (d) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works.

except if it is development dependent on a coastal locationR1.

А3

A non-habitable building, an outbuilding or a Class 10b building under the Building Code of Australia, must have a floor area no more than 40 m2.

Р3

A non-habitable building, an outbuilding or a Class 10b building under the Building Code of Australia, must satisfy all of the following:

- (a) risk to users of the site, adjoining or nearby land is acceptable;
- (b) risk to adjoining or nearby property or

| public infrastructure is acceptable; |
|--|
| (c) risk to buildings and other works arising from wave run-up is adequately mitigated through siting, structural or design methods; |
| (d) need for future remediation works is minimised; |
| (e) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works, |
| except if it is development dependent on a coastal locationR1. |

E15.7.2.R1 Refer E15.7.6

E15.7.3 Coastal Inundation Low Hazard Areas

| O | | | | |
|---|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |

To ensure that low risk from coastal inundation is appropriately managed and takes into account the use of the buildings.

| Acceptable Solutions | | Performance Criteria | | | |
|--|---|--|--|--|--|
| A1 | | P1 | | | |
| A new habitable building must comply with the following: | | A new habitable building must satisfy all of the following: | | | |
| (a) floor level no lower than the the Minimum Level for the Coastal Inundation Low Hazard | | (a) risk to users of the site, adjoining or nearby land is acceptable; | | | |
| Area in Table E15.1; | (| (b) risk to adjoining or nearby property or public infrastructure is acceptable; | | | |
| | | (c) risk to buildings and other works arising from wave run-up is adequately mitigated through siting, structural or design methods; | | | |
| | | (d) need for future remediation works is minimised; | | | |
| | | (e) access to the site will not be lost or substantially compromised by expected future sea level rise either on or off-site; | | | |
| | (| (f) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works. | | | |
| A2 | F | P2 | | | |
| An extension to a habitable building must comply with either of the following: | | An extension to a habitable building must satisfy all of the following: | | | |
| (a) floor level of habitable rooms is no lower than the Minimum Level for the Coastal | | (a) floor level is no lower than existing floor level; | | | |

| Inundation Low Hazard Area in Table E15.1; (b) floor area is no more than 60 m2. | (b) risk to users of the site, adjoining or nearby land is not increased; |
|---|--|
| | (c) risk to adjoining or nearby property or public infrastructure is not increased. |
| A3 | Р3 |
| A non-habitable building, an outbuilding or a Class 10b building under the Building Code of | A non-habitable building must satisfy all of the following: |
| Australia, must have a floor area no more than 60 m2. | (a) risk to users of the site, adjoining or nearby land is acceptable; |
| | (b) risk to adjoining or nearby property or public infrastructure is acceptable; |
| | (c) need for future remediation works is minimised; |
| | (d) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works; |
| | except if it is a building dependent on a coastal locationR1. |

E15.7.3.R1 Refer E15.7.6

E15.7.4 Riverine Inundation Hazard Areas

| OI | hi | 0 | -+ | i۱ | ο. | |
|----|----|---|----|----|----|--|
| U | νJ | C | | ıv | e. | |

To ensure that risk from riverine, watercourse or inland flooding is appropriately managed and takes into account the use of the buildings.

| Acceptable Solutions | Performance Criteria | | |
|---|--|--|--|
| A1 | P1 | | |
| A new habitable building must have a floor level no lower than the 1% AEP (100 yr ARI) storm event plus 300 mm. | A new habitable building must have a floor level that satisfies all of the following: | | |
| | (a) risk to users of the site, adjoining or nearby land is acceptable; | | |
| | (b) risk to adjoining or nearby property or public infrastructure is acceptable; | | |
| | (c) risk to buildings and other works arising from riverine flooding is adequately mitigated through siting, structural or design methods; | | |
| | (d) need for future remediation works is minimised; | | |
| | (e) provision of any developer contribution required pursuant to policy adopted by Council for riverine flooding protection works. | | |

A2

An extension to an existing habitable building must comply with one of the following:

- (a) floor level of habitable rooms is no lower than the 1% AEP (100 yr ARI) storm event plus 300 mm;
- (b) floor area of the extension no more than 60 m2 as at the date of commencement of this planning scheme.

P2

An extension to an existing habitable building must satisfy all of the following:

- (a) floor level to be no lower than existing floor level;
- (b) risk to users of the site, adjoining or nearby land is not increased;
- risk to adjoining or nearby property or public infrastructure is not increased.

A3

The total floor area of all non-habitable buildings, outbuildings and Class 10b buildings under the Building Code of Australia, on a site must be no more than 60 m2.

Р3

A non-habitable building, an outbuilding or a Class 10b building under the Building Code of Australia, must satisfy all of the following:

- (a) risk to users of the site, adjoining or nearby land is acceptable;
- (b) risk to adjoining or nearby property or public infrastructure is acceptable;
- (c) need for future remediation works is minimised;
- (d) provision of any developer contribution required pursuant to policy adopted by Council for riverine flooding protection works;

E15.7.5 Riverine, Coastal Investigation Area, Low, Medium, High Inundation Hazard Areas

Objective:

- (a) To ensure that landfill and mitigation works do no unreasonably increase the risk from riverine, watercourse and inland flooding, and risk from coastal inundation.
- (b) To ensure that the risk to waste water management from riverine, watercourse and inland flooding, and risk from coastal inundation is appropriately managed.

| Acceptable Solutions | Performance Criteria | | |
|---|--|--|--|
| A1 | P1 | | |
| For landfill, or solid walls greater than 5 m in length and 0.5 m in height, there is no acceptable solution. | Landfill, or solid walls greater than 5 m in lengt and 0.5 m in height, must satisfy all of the following: | | |
| | (a) no adverse affect on flood flow over other property through displacement of overland flows; | | |
| | (b) the rate of stormwater discharge from the property must not increase; | | |
| | (c) stormwater quality must not be reduced from pre-development levels. | | |

A2 P2 No acceptable solution. Mitigation measures, if required, must satisfy all of the following: be sufficient to ensure habitable rooms will be protected from flooding and will be able to adapt as sea levels rise; not have a significant effect on flood flow. (b) Р3 **A3** A land application area for onsite wastewater A land application area for onsite wastewater management must comply with all of the management must satisfy all of the following: following: (a) horizontal separation distance from high (a) horizontal separation distance from high water mark or from the top of bank of a water mark or from the top of bank of a watercourse or lake must satisfy all of the watercourse or lake must be no less than following: 100 m; be no less than 15 m, (i) (b) vertical separation distance from the water effluent must be no less than table must be no less than 1.5 m. secondary treated effluent standard and applied through a subsurface land application system, (iii) the average gradient is no more than 16 degrees; vertical separation distance from the water table must satisfy all of the following: be no less than 0.6 m, (whether 'in ground' or by use of a raised bed), effluent must be no less than secondary treated effluent standard

E15.7.6 Development Dependent on a Coastal Location

| \sim | | |
|-------------|----------|--|
| <i>(</i>)h | IACTIVA | |
| Ou. | iective: | |

To ensure that buildings and works dependent on a coastal location are appropriately designed and sited to account for risk from inundation, taking into account the nature of the development.

and applied through a subsurface land

application system.

| Acceptable Solutions | Performance Criteria | | |
|--|---|--|--|
| A1 | P1 | | |
| An extension to an existing boat ramp, car park, jetty, marina, marine farming shore facility or | Buildings and works must satisfy all of the following: | | |
| slipway must be no more than 20% of the size of the facility existing at the effective date. | (a) need for a coastal location is demonstrated; | | |
| the facility existing at the effective date. | (b) new facilities are grouped with existing facilities, where reasonably practical; | | |
| | (c) building design responds to the particular size, shape, contours or slope of the land | | |

| | T |
|--|--|
| | and minimises the extent of cut and fill; |
| | (d) waste, including from cleaning and repairs of vessels and other maritime equipment and facilities, solid waste, is managed to ensure waste is safe from inundation events; |
| | (e) risk from inundation is acceptable, taking into account the nature of the development and its users. |
| A2 | P2 |
| No Acceptable Solution. | Dredging or reclamation must satisfy all of the following: |
| | (a) be necessary to establish a new or expanded use or development or continue an existing use or development |
| | (b) potential for foreshore erosion or seabed instability is minimised; |
| | (c) impacts to coastal processes, including sand movement and wave action are minimised and any potential impacts will be mitigated so that there are no unreasonable adverse long-term effects, |
| | (d) limited and acceptable impact on aquatic flora, fauna and habitat; |
| | (e) risk of re-suspension of potentially contaminated material is minimised; |
| | (f) extracted material will be adequately and appropriately disposed of, including appropriate management of any declared weeds, local environmental weeds and other contamination; |
| A3 | Р3 |
| No Acceptable Solution for coastal protection works initiated by the private sector. | Coastal protection works initiated by the private sector must satisfy all of the following: |
| | (a) be designed by a suitably qualified person; |
| | (b) minimise adverse effect to coastal processes, including wave action and behaviour, sediment dynamics, current and tidal flows in the area; |
| | (c) cause no adverse effects on other parts of the coast, including increased risk of erosion; |
| | (d) minimise the potential for erosion as far as practicable; |

| not unduly reduce existing visual amenity; |
|---|
| provide habitat for flora and fauna as appropriate. |
| • |

E15.8 Development Standards for Subdivision

E15.8.1 Medium and High Inundation Hazard Areas

Objective:

To ensure subdivision does not create opportunity for development that will be unnecessarily exposed to unacceptable risk from inundation in the high or medium inundation hazard areas.

| Acceptable Solutions | Performance Criteria | | |
|---|---|--|--|
| A1 | P1 | | |
| No Acceptable Solution. | Subdivision of a lot, all or part of which is within a Medium or High Inundation Hazard Area must be for the purpose of one or more of the following: | | |
| | (a) separation of existing dwellings; | | |
| | (b) creation of a lot for the purposes of public open space, public reserve or utilities; | | |
| | (c) creation of a lot in which the building area, access and services are outside the hazard area, with the exception of stormwater. | | |
| A2 | P2 | | |
| Subdivision is not prohibited by the relevant zone standards. | No Performance Criteria. | | |

E15.8.2 Subdivision Dependent on a Coastal Location

Objective:

To provide for subdivision of development dependent on a coastal location

| To provide for subdivision of development dependent on a coastal location. | | | |
|--|---|--|--|
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| No acceptable solution. | Subdivision of land must be for the purposes of creation of a lot for buildings or works dependent on a coastal location and must not be prohibited by the relevant zone standards. | | |

E15.8.3 Subdivision within a Riverine Inundation Hazard Area

Objective:

That subdivision within a Riverine Inundation Hazard Area does not create an opportunity for use or development that cannot achieve a tolerable risk from flood.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Each lot, or a lot proposed in a plan of | Each lot, or a lot proposed in a plan of |

subdivision, within a Riverine Inundation Hazard Area must:

- (a) be able to contain a building area, vehicular access and services, that are wholly located outside a Riverine Inundation Hazard Area;
- (b) be for the creation of separate lots for existing buildings;
- (c) be required for public use by the Crown, a council or a relevant agency; or
- (d) be required for the provision of Utilities.

subdivision, within a riverine inundation hazard area, must not create an opportunity for use or development that cannot achieve a tolerable risk from flood, having regard to:

- (a) any increase in risk from flood for adjacent land;
- (b) the level of risk to use or development arising from an increased reliance on public infrastructure;
- (c) the need to minimise future remediation works;
- (d) any loss or substantial compromise by flood of access to the lot, on or off site;
- (e) the need to locate building areas outside the riverine inundation hazard area;
- (f) any advice from a State authority, regulated entity or a council; and
- (g) the advice contained in a flood hazard report.

Table E15.1 Coastal Inundation High, Medium & Low Hazard Areas - Minimum Levels

| | | | | Modelled Inundation Scenarios | | | |
|------------------------|----------|---------|------------------|-------------------------------|--------------------|----------|--------------------|
| | | | | | Hazard A | Areas | |
| | | | Building Control | High | Medium | | Low |
| LGA and Suburb | Postcode | Base_Ht | HAT* | TR_20SLR | AEP1pct_2050 | TR_80SLR | AEP1pct_2100 |
| Description | | RU | RU | RU | RU and 300mm FB | RU | RU and 300mm FB |
| Huon Valley Council | | 0.6 | 0.7 | 0.8 | 1.7 | 1.4 | 2.3 |
| No assigned suburb | | 0.6 | 0.7 | 0.8 | 1.7 | 1.4 | 2.3 |
| Abels Bay | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Brooks Bay | 7116 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Cairns Bay | 7116 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Castle Forbes Bay | 7116 | 0.7 | 0.8 | 0.9 | 1.8 | 1.5 | 2.4 |
| Charlotte Cove | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Cradoc | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Cygnet | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Deep Bay | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Dover | 7117 | 0.6 | 0.8 | 0.8 | 1.9 | 1.4 | 2.5 |
| Eggs and Bacon Bay | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Franklin | 7113 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |


| Garden Island Creek | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
|------------------------|------|-----|-----|-----|-----|-----|-----|
| Gardners Bay | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Geeveston | 7116 | 0.7 | 0.8 | 0.9 | 1.8 | 1.5 | 2.4 |
| Glaziers Bay | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Glen Huon | 7109 | 0.7 | | 0.9 | 1.9 | 1.5 | 2.5 |
| Hastings | 7109 | 0.6 | | 0.8 | 1.9 | 1.4 | 2.5 |
| Huonville | 7109 | 0.7 | | 0.9 | 1.9 | 1.5 | 2.5 |
| Ida Bay | 7109 | 0.6 | 0.8 | 0.8 | 1.9 | 1.4 | 2.5 |
| Lower Wattle Grove | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Lune River | 7109 | 0.6 | 0.8 | 0.8 | 1.9 | 1.4 | 2.5 |
| Lymington | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Nicholls Rivulet | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Petcheys Bay | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Police Point | 7116 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Port Huon | 7116 | 0.7 | 0.8 | 0.9 | 1.8 | 1.5 | 2.4 |
| Raminea | 7109 | 0.7 | | 0.9 | 2.0 | 1.5 | 2.6 |
| Randalls Bay | 7112 | 0.7 | 0.8 | 0.9 | 2.0 | 1.5 | 2.6 |
| Ranelagh | 7109 | 0.7 | | 0.9 | 1.9 | 1.5 | 2.5 |
| Recherche | 7109 | 0.6 | 0.8 | 0.8 | 1.8 | 1.4 | 2.4 |
| Southport | 7109 | 0.6 | 0.8 | 0.8 | 1.8 | 1.4 | 2.4 |
| Southport Lagoon | 7109 | 0.6 | 0.8 | 0.8 | 1.8 | 1.4 | 2.4 |

| Southwest | | 0.6 | 0.6 | 0.8 | 1.6 | 1.4 | 2.2 |
|---------------|------|-----|-----|-----|-----|-----|-----|
| Strathblane | 7109 | 0.6 | 0.8 | 0.8 | 1.9 | 1.4 | 2.5 |
| Surges Bay | 7116 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Surveyors Bay | 7116 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Verona Sands | 7112 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Waterloo | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Wattle Grove | 7109 | 0.7 | 0.8 | 0.9 | 1.9 | 1.5 | 2.5 |
| Woodstock | 7109 | 0.7 | | 0.9 | 1.9 | 1.5 | 2.5 |

| Notes and Modelled Scenarios | |
|---------------------------------|---|
| RU | Rounded Up |
| FB | Freeboard |
| НАТ | Highest Astronomical Tide |
| | (the highest tide that might be expected under normal conditions. HAT Data is missing for some suburbs) |
| | HAT values for rivers and estuary regions should not be relied upon (as these have been interpolated) |
| | * HAT data has not been included for inland areas as it could be misleading. |
| TR_20SLR | Sea Level Rise by 20cm above 2010 base levels |
| TR_80SLR | Sea Level Rise by 80cm above 2010 base levels |
| AEP1pct_2050 | Modelled 1% Annual Exceedence Probability for the year 2050 |
| AEP1pct_2050 | Modelled 1% Annual Exceedence Probability for the year 2100 |
| | The results include the effects of tides, storm surges, and SLR only. They do not account for other factors such as wave sets and run up. To account for this, 300mm FB has been added to the data. |

Map E15.1 Coastal Inundation Hazard Area - LISTmap

Open full map extent (link to the interactive map)



Legend


Coastal Inundation Hazard Area

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

Map E15.2 Riverine Inundation Hazard Area

Open full map extent (link to the interactive map)



Legend

Riverine Inundation Hazard Area



Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E16.0 Coastal Erosion Hazard Code

E16.1 Purpose

E16.1.1 The purpose of this provision is to:

- facilitate sustainable development of those parts of the coast vulnerable to coastal erosion hazard and/or anticipated to be vulnerable to coastal erosion hazard due to climate change;
- (b) identify coastal areas which are vulnerable to both current and anticipated coastal erosion hazard due to climate change;
- (c) provide for development responses that appropriately respond to coastal erosion hazard;
- (d) preclude development that will adversely impact coastal dynamics in a way detrimental to the development site and other property;
- (e) manage development in coastal in areas vulnerable to erosion, recession or wave run-up so that:
 - (i) people, property and infrastructure are not exposed to an unacceptable level of risk,
 - (ii) future costs associated with options for adaptation, protection, retreat or abandonment of property and infrastructure are minimised,
 - (iii) marine-infrastructure on coastal landforms is undertaken in a way that protects coastal features, processes and ecological systems that assist in mitigating erosion risk;
- (f) provide for appropriate development dependent on a coastal location.

E16.2 Application

E16.2.1 This code applies to:

- (a) development on land in the Coastal Erosion Hazard Area shown on the planning scheme maps;
- (b) change of use from a non-habitable building to a habitable building or to a new use with a habitable room on land that is in the Coastal Erosion Hazard Area shown on the planning scheme maps;
- (c) development of buildings and works dependent on a coastal location, (including the subdivision of land for such buildings and works) on land in the Coastal Frosion Hazard Area.

E16.3 Definition of Terms

E16.3.1 In this code, unless the contrary intention appears:

| buildings and works | means buildings and works for which there is a demonstrated need to be |
|---------------------|--|
| dependent on a | located at a coastal location, and includes boat sales and storage, marine |
| coastal location | farming shore facilities, marine-related public open space & recreation |
| | facilities, pleasure boat facilities, roads & other utilities and wharves. |
| | |

| | Dwellings are not included. | |
|----------------------------------|---|--|
| Coastal Erosion Hazard Area | means an area vulnerable to coastal erosion hazard as defined on the planning scheme maps. | |
| coastal erosion hazard | means land vulnerable to one or more of the following: (a) erosion; (b) recession; (c) wave run-up. | |
| coastal protection structure | means a hard structure (such as a sea wall, groyne or breakwater) placed partially or wholly along the land-water interface to protect the land from the sea or to stop erosion of the shoreline. | |
| coastal vulnerability report | means a report prepared by a suitably qualified person in accordance with joint Australian/New Zealand Standard AS/NZS 4360:1999 Risk Management. | |
| coastal works management plan | means a specific site plan acceptable to the planning authority that details vegetation management measures and erosion control measures on building and construction sites on coastal landforms prepared by a suitably qualified person in accordance with best practice guidelines.R1 | |
| erosion risk management plan | means a plan endorsed by the planning authority and developed by a suitably qualified person covering an area encompassing the subject site and designed to substantially reduce the exposure of the site and its surrounds to erosion risk. | |
| existing floor area | means the gross floor area as at the effective date. | |

E16.3.R1 The Tasmanian Coastal Works Manual by The Coastal and Marine Branch, EPA Division, Department of Primary Industries, Parks, Water and Environment is considered best practice guidelines.

E16.4 Use and Development exempt from this Code

- E16.4.1 The following development is exempt from this code:R1
 - (a) coastal protection works undertaken by, or on behalf of, a public authority and have been designed by a suitably qualified person;
 - (b) change of use, other than a new use necessitating changing a non-habitable building to a habitable building.

E16.4.R1 Emergency works are not regulated by planning schemes pursuant to S.40 of the Emergency Management Act 2006.

E16.5 Application Requirements

- E16.5.1 In addition to any other application requirements, the planning authority must require the applicant for a development involving construction of a coastal protection structure to provide an assessment by a suitably qualified and experienced person accompanied by any necessary engineering detail demonstrating the following:
 - (a) the development is an appropriate mitigation response based on its location and exposure to the hazard;
 - (b) the development will not increase the level of risk of the hazard for adjoining or nearby properties or public infrastructure;

- (c) the need for future remediation works is minimised;
- (d) important natural features are adequately protected;
- (e) health and safety of people is not placed at risk.
- (f) any impact the development will have on public access to the coast, where it is currently available
- E16.5.2 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a coastal vulnerability report;
 - a site analysis plan identifying any natural or constructed features that could influence, or be influenced by, coastal processes prior to and after erosion events;
 - (c) a coastal works management plan;
 - (d) an erosion risk management plan;
 - (e) evidence that proposal is either appropriately located and/or any building or works will be designed and constructed to withstand coastal forces from wave run-up and/or erosion events;
 - (f) any of the information listed in E16.5.1, above.

E16.6 Use Standards

Objective:

To ensure that change of use involving habitable buildings and/or habitable rooms appropriately responds to erosion risk.

| Acceptable Solutions | Performance Criteria |
|-------------------------|--|
| A1 | P1 |
| No Acceptable Solution. | Change of use of a non habitable building to a use involving habitable rooms must satisfy all of the following: |
| | (a) the use must not increase the risk to users of the site; |
| | (b) any increased reliance on public infrastructure must not result in a unacceptable level of risk; |
| | (c) need for future remediation works is minimised; |
| | (d) access to the site must not be lost or substantially compromised by increased future erosion expected to result from future sea level rise, either on or off-site; |
| | (e) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works. |

E16.7 Development Standards

E16.7.1 Buildings & Works

Objective:

To ensure that development in Coastal Erosion Hazard Areas is fit for purpose and appropriately managed based on the level of exposure to the hazard.

| Acceptable Solutions | Performance Criteria | | |
|-------------------------|--|--|--|
| A1 | P1 | | |
| No Acceptable Solution. | Buildings and works must satisfy all of the following: | | |
| | (a) not increase the level of risk to the life of the users of the site or of hazard for adjoining or nearby properties or public infrastructure; | | |
| | (b) erosion risk arising from wave run-up, including impact and material suitability, may be mitigated to an acceptable level through structural or design methods used to avoid damage to, or loss of, buildings or works; | | |
| | (c) erosion risk is mitigated to an acceptable level through measures to modify the hazard where these measures are designed and certified by an engineer with suitable experience in coastal, civil and/or hydraulic engineering; | | |
| | (d) need for future remediation works is minimised; | | |
| | (e) health and safety of people is not placed at risk; | | |
| | (f) important natural features are adequately protected; | | |
| | (g) public foreshore access is not obstructed where the managing public authority requires it to continue to exist; | | |
| | (h) access to the site will not be lost or substantially compromised by expected future erosion whether on the proposed site or off-site; | | |
| | (i) provision of a developer contribution for required mitigation works consistent with any adopted Council Policy, prior to commencement of works; | | |
| | (j) not be located on an actively mobile landform. | | |

Objective:

To ensure that buildings and works dependent on a coastal location are appropriately designed and sited to account for risk of erosion, taking into account the nature of the development..

| Acceptable Solutions | Performance Criteria | | |
|--|--|--|--|
| A1 | P1 | | |
| An extension to an existing boat ramp, car park, jetty, marina, marine farming shore facility or | Buildings and works must satisfy all of the following: | | |
| slipway must be no more than 20% of the size of the facility existing at the effective date. | (a) need for a coastal location is demonstrated | | |
| the facility existing at the effective date. | (b) new facilities are grouped with existing facilities, where reasonably practical; | | |
| | (c) native vegetation is retained, replaced or re- established so that overall impact on erosion potential resulting from removal of native vegetation is negligible; | | |
| | (d) potential for erosion is minimised generally; | | |
| | (e) building design responds to the particular size, shape, contours or slope of the land and minimises the extent of cut and fill; | | |
| | (f) impacts on coastal processes, including sand movement and wave action, are minimised and any potential impacts on erosion potential are mitigated so that there are no unreasonable adverse long-term effects; | | |
| | (g) not be located on an actively mobile landform. | | |
| A2 | P2 | | |
| No Acceptable Solution. | Dredging or reclamation must satisfy all of the following: | | |
| | (a) be necessary to establish a new or expanded use or development or continue an existing use or development | | |
| | (b) potential for foreshore erosion or seabed instability is minimised; | | |
| | (c) impacts to coastal processes, including sand movement and wave action are minimised and any potential impacts will be mitigated so that there are no unreasonable adverse long- term effects. | | |
| A3 | Р3 | | |
| No Acceptable Solution for coastal protection | Coastal protection works initiated by the private | | |

| works initiated by the private sector. | sector must satisfy all of the following: |
|--|--|
| | (a) be designed by a suitably qualified person; |
| | (b) minimise adverse effect to coastal processes, including wave action and behaviour, sediment dynamics, current and tidal flows in the area; |
| | (c) cause no adverse effects on other parts of the coast, including increased risk of erosion; |
| | (d) minimise the potential for erosion as far as practicable. |

E16.8 Subdivision Standards

E16.8.1 Subdivision in Coastal Erosion Hazard Areas

| Objective: | | |
|---|--|--|
| To ensure subdivision does not create opportunity for development that will be unnecessarily exposed to unacceptable risk from erosion, recession or wave run up. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No Acceptable Solution. | Subdivision of a lot, all or part of which is within an Coastal Erosion Hazard Area must be for the purpose of one or more of the following: | |
| | (a) separation of existing dwellings; | |
| | (b) creation of a lot for the purposes of public open space, public reserve or utilities; | |
| | (c) creation of a lot in which the building area, access and services are outside the Coastal Erosion Hazard Area. | |
| A2 | P2 | |
| No Acceptable Solution. | Subdivision must satisfy all of the following: | |
| | (a) not increase risk to adjoining or nearby property; | |
| | (b) any increased reliance on public infrastructure must not result in a unacceptable level of risk; | |
| | (c) need for future remediation works is minimised; | |
| | (d) access to the lot will not be lost or substantially compromised by coastal hazards on or off-site; | |
| | (e) no building area is located within the | |


| Coastal Erosion Hazard Area; |
|---|
| (f) provision of a developer contribution for required mitigation works consistent with any adopted Council Policy, prior to commencement of works; |
| (g) not be prohibited by the relevant zone standards. |

Subdivision Dependant on a Coastal Location E16.8.2

| Objective: | | |
|--|--|--|
| To provide for subdivision of development dependent on a coastal location. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No Acceptable Solution. | Subdivision of land associated with activities dependent on a coastal location must be for the purposes of one or more of the following: | |
| | (a) creation of a lot for marine farming shore facilities; | |
| A2 | P2 | |
| No acceptable solution. | Subdivision must not be prohibited by the relevant zone standards. | |

Map E16 Coastal Erosion Hazard Area - LISTmap

Open full map extent (link to the interactive map)



Legend

Coastal Erosion Hazard Area



Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E17.0 Signs Code

E17.1 Purpose

- E17.1.1 The purpose of this provision is to:
 - (a) provide opportunities for commercial advertising essential to support and encourage business activity;
 - (b) promote the use of well designed signs that complement and enhance the streetscape and do not exacerbate visual clutter or adversely impact on residential amenity;
 - (c) promote signs which assist with way-finding and pedestrian usability as part of a coordinated interpretative and directional signage framework;
 - (d) ensure that signs do not adversely impact on the cultural heritage values of places of cultural significance.

E17.2 Application

- E17.2.1 This code applies to:
 - (a) the construction, putting up for display or erection as development; and
 - (b) the continuous display as use; of all signs.

E17.3 Definition of Terms

- E17.3.1 Each sign must be categorised into one of the definitions listed and described below. If a sign fits a definition of more than one defined sign, the most specific defined sign applies. If a sign does not readily fit any defined sign, it must be categorised as the most similar defined sign.
- E17.3.2 In this code, unless the contrary intention appears:

| Above Awning Sign | means a sign attached to and supported above an awning. | |
|--------------------|---|--|
| Arcade Sign | means a sign suspended from or attached to the ceiling of an internal public pedestrian area. | |
| Area | means, for a sign, the entire area within a regular, geometric form or combination of regular, geometric forms comprising all the display area of the sign and including all of the elements of the matter displayed. In the case of those messages composed of individual letters using the wall or window as background the area shall be calculated by measuring the perimeter enclosing the letters and the encompassed area shall be considered the total sign area. Structural members not being advertising matter shall not be included in computation of surface area. | |
| Awning Fascia Sign | means a sign on the fascia or return ends of cantilever or suspended | |

| | awnings. |
|------------------------------------|--|
| Banner Sign | means a sign constructed of lightweight non-rigid material, such as cloth, canvas or similar fabric, attached to the wall of a building or other existing structure including light poles. |
| Below Awning Sign | means a sign attached to and supported below an awning. |
| Building Site Sign | means a temporary sign indicating that construction works are occurring on a property. |
| Bunting | means a string of small flags, or streamers strung in a line from or otherwise attached to a building or other structure. |
| Business Directory | means a sign for a building in multiple tenancies, which identifies the name of businesses and their location within the same building and does not contain any product or other advertising. |
| Cabinet Sign | means a cabinet with a transparent face attached to the wall of a building or structure for the display of information within, for example menus outside a restaurant. |
| Election Sign | means an election poster that advertises candidates or parties running in a Federal, State or Local Government election. |
| Flag Sign | means a sign constructed of lightweight, non-rigid material attached by one edge to a pole or rope. |
| Fuel Price Sign | means a sign indicating the current price of fuels available on the site of a service station. |
| Ground Based Sign | means a sign permanently attached to the ground on its own supportive structure, independent of any building, primarily intended to identify the premises or its access on arrival and not be seen from a distance. Does not include a pole or pylon sign or ground based panel sign. |
| Ground Based Panel Sign | means a sign permanently attached to the ground on its own supportive structure, independent of any building, primarily intended to identify the premises and be seen from a distance. Does not include a pole or pylon sign or ground based sign. |
| Horizontal Projecting Wall Sign | means a sign projecting from the wall of a building having a horizontal dimension greater than its vertical dimension. |
| Inflatable Sign | means a sign made of flexible material or fabric that is made to take on a three- dimensional shape when filled with a sufficient volume of air or gas. |
| Internal Sign | means a sign within a building intended to be seen from outside the building. |
| Interpretive Sign | means a sign providing information for the public, such as plans, historic information, location of services, features and businesses, and includes artworks that convey meaning. This type of sign can be private (i.e. placed by and for the benefit of a private business) or public (i.e. placed by an agency in the public interest). |
| Name Plate | means a single sign identifying one of the occupants of a property used for professional rooms, attached flush to the wall of the building. |
| Newspaper Day Bill Sign | means a sign placed outside a business selling newspapers, which contains news headlines. |

| Open/Closed Signs (external) | means an external open/closed signs including any extending out from a building's surface. |
|----------------------------------|---|
| Pole/pylon sign | means a sign erected on a pole, poles or pylon independent of any building, provided it is not designed or used as a poster panel (billboard). |
| Portable Sign | means a sign not on a public reservation and not permanently attached to the ground or to a building or other structure (N.B. Portable Signs on a public reservation are controlled by licence under the Council's By-Laws). |
| Poster Panel (Billboard) | means a structure either freestanding or attached to a building designed to accommodate standard Poster Panels, the message of which may be changeable and variable. |
| Real Estate Sign | means a temporary sign erected for the purposes of selling/leasing of real estate for the duration of the period the real estate is on the market. |
| Reserve Sign | means a sign erected on a public reserve by a public authority for the information, guidance or safety of the public. |
| Roof Sign | means a sign erected on the roof or parapet of a building with the highest point of its base not exceeding a vertical distance of 300mm above the roof or parapet. |
| Screen Sign | means messages or product logos or other graphics printed or displayed on screens used in association with outdoor dining. |
| Sky Sign | means a sign erected on the roof or parapet of a building where the highest point of its base exceeds a vertical distance of 300mm above the roof or parapet. |
| Statutory Sign | means a sign required or specified by statute; and a sign relating to safety or guidance of pedestrians, traffic and shipping; including but not limited to a hazard sign, a Hazchem sign; a traffic control sign; a maritime purposes sign; international/national signposting conventions for service provisions and toilets. |
| Street Number | means a sign indicating the street number of a property. |
| Sun Blind Sign | means a sign incorporated into the fabric or structure of a sun blind or canopy situated over a door or window |
| Temporary Sign | means a sign of a temporary nature which advertises a community event of a religious, educational, cultural, political, social or recreational character. |
| Tourism Information Sign | means a sign compliant with the Tasmanian Roadside Signs Manual and approved by the road authority. |
| Transom Sign | means a sign attached to the transom of a doorway or display window of a building. |
| Umbrella Sign | means messages, product or propriety logos, or other graphics printed or displayed on umbrellas used in association with outdoor dining. |
| Vertical Projecting Wall Sign | means a sign projecting from the wall of a building with a vertical dimension greater than or equal to its horizontal dimension. |
| Wall Mural | means a graphical or pictorial painted design on a wall which contains a defined advertising message. |

| Wall Sign | means a sign painted on or attached parallel to the wall of a building or fence surrounding a building. |
|-------------|---|
| Window Sign | means a sign on the glass surface of a window or located less than 150mm behind a surface. |

E17.4 Use or Development Exempt from this Code

- E17.4.1 The signs listed in Table E.17.1 are exempt from requiring a permit under this planning scheme provided that all of the following apply:
 - (a) historic building fabric is not damaged by the drilling of holes into stone, brick or wood and all fittings are fixed using non corrosive fittings, and in the case of masonry buildings, inserted into mortar joints;
 - (b) the standards in Table E.17.2 and the Acceptable Solutions in Clauses E.17.6.1 and E.17.7.1 are complied with;
 - (c) the sign is on, or affixed to, the land to which it relates.
- E17.4.2 Signs within a building or site that cannot be seen from outside of the building or site are exempt from requiring a permit under this planning scheme.
- E17.4.3 Changes to the graphics of a legally existing sign, including text, graphic design and colour is exempt from requiring a permit under this planning scheme.

E17.5 Application Requirements

E17.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide a heritage impact statement from a suitably qualified person setting out the effect of a proposed sign on the cultural heritage significance of a Heritage Place, Heritage Precinct or Cultural Landscape Precinct.

E17.6 Use Standards

E17.6.1 Use of Signs

| Objective: | | |
|--|---|--|
| To ensure that the use of signs complements or enhances the built or natural environment in which they are located. | | |
| Acceptable Solutions Performance Criteria | | |
| A1 | P1 | |
| A sign must be a permitted sign in Table E.17.3. | A sign must be a discretionary sign in Table E.17.3. | |
| A2 | P2 | |
| A sign associated with the sale of goods or services must relate directly to the use of the building or site to which it is affixed. | No Performance Criteria. | |
| A3 | P3 | |
| A sign must not contain flashing lights, moving parts or moving or changing messages or graphics, except if a Statutory Sign | A sign contain flashing lights, moving parts or moving or changing messages or graphics must not have an unreasonable impact upon the | |

| | residential amenity of a residential use caused by light shining into windows of habitable rooms, movement or visual intrusion or cause undue distraction to drivers of motor vehicles. |
|---|--|
| A4 | P4 |
| An illuminated sign must not be located within 30 metres of a residential use, except if a Statutory Sign | An illuminated sign within 30 metres of a residential use must not have an unreasonable impact upon the residential amenity of that use caused by light shining into windows of habitable rooms. |

E17.7 Development Standards

E17.7.1 Standards for Signs

Objective:

To ensure that the design and siting of signs complement or enhance the characteristics of the natural and built environment in which they are located.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| A sign must comply with the standards listed in Table E.17.2 and be a permitted sign in Table E17.3. | A sign not complying with the standards in Table E17.2 or has discretionary status in Table E17.3 must satisfy all of the following: | |
| | (a) be integrated into the design of the premises and streetscape so as to be attractive and informative without dominating the building or streetscape; | |
| | (b) be of appropriate dimensions so as not to dominate the streetscape or premises on which it is located; | |
| | (c) be constructed of materials which are able to be maintained in a satisfactory manner at all times; | |
| | (d) not result in loss of amenity to neighbouring properties; | |
| | (e) not involve the repetition of messages or information on the same street frontage; | |
| | (f) not contribute to or exacerbate visual clutter; | |
| | (g) not cause a safety hazard. | |
| A2 | P2 | |
| The number of signs per business per street frontage must comply with all of the following: | The number of signs per business per street frontage must: | |
| (a) maximum of 1 of each sign type; | (a) minimise any increase in the existing level of visual clutter in the streetscape; and | |

(b) maximum of 1 window sign per window; where possible, shall reduce any existing visual clutter in the streetscape by replacing (c) if the street frontage is less than 20 m in existing signs with fewer, more effective length, the maximum number of signs on signs; that frontage is 3; (b) reduce the existing level of visual clutter in (d) if the street frontage is 20 m in length or the streetscape by replacing, where greater, the maximum number of signs on practical, existing signs with fewer, more that frontage is 6. effective signs; except for the following sign types, for which not involve the repetition of messages or there is no limit; information. Building Site, (ii) Name Plate, (iii) Newspaper Day Bill, (iv) Open/Closed, (v) Real Estate, (vi) Street Number, (vii) Temporary Sign. А3 Р3 No Performance Criteria. Signs must not obscure or prevent or delay a driver from seeing a Statutory Sign or a Tourist Information Sign. Α4 Ρ4 No Performance Criteria. Signs must not resemble Statutory Signs because of the same or similar shape, size, design, colour, letter size or lighting.

E17.7.2 Standards for signs on Heritage Places subject to the Heritage Code or within Heritage Precincts or Cultural Landscape Precincts

| Acceptable Solutions Performance Criteria | | Performance Criteria | |
|---|--|----------------------|--|
| | To ensure the size, design and siting of signs complements and does not impact on the cultural heritage significance of places or precincts listed in the Historic Heritage Code. R1 | | |
| | | | |

Objective:

| Acceptable Solutions | Performance Criteria |
|------------------------|---|
| A1 | P1 |
| No Acceptable Solution | A sign on a Heritage Place listed in the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct must satisfy all of the following: |
| | (a) be located in a manner that minimises impact on cultural heritage significance of the place or precinct; |
| | (b) be placed so as to allow the architectural details of the building to remain prominent; |
| | (c) be of a size and design that will not |

| substantially diminish the cultural heritage significance of the place or precinct; |
|---|
| (d) be placed in a location on the building that would traditionally have been used as an advertising area if possible; |
| (e) not dominate or obscure any historic signs forming an integral part of a building's architectural detailing or cultural heritage values; |
| (f) have fixtures that do not damage historic building fabric, including but not restricted to attachments to masonry and wood, such as to using non-corrosive fixings inserted in mortar joints; |
| (g) not project above an historic parapet or roof line if such a projection impacts on the cultural heritage significance of the building; |
| (h) be of a graphic design that minimises modern trademark or proprietary logos no sympathetic to heritage character; |
| (i) not use internal illumination in a sign on a Heritage Place unless it is demonstrated that such illumination will not detract from the character and cultural heritage values the building. |

E17.7.2.R1 Refer to the Tasmanian Heritage Council Practice Note No. 6 for good practice guidelines for signs on heritage buildings.

Table E17.1 Exempt Signs


| Sign Type | Qualification | | | | |
|---------------|---|--|--|--|--|
| Above | (a) No more than 1 Above Awning Sign per business. | | | | |
| Awning Sign | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | | |
| | (c) Must be in the Central Business Zone or Business Zone. | | | | |
| Awning | (a) Must not be illuminated. | | | | |
| Fascia Sign | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | | |
| Below | (a) No more than 1 Below Awning Sign per business. | | | | |
| Awning Sign | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | | |
| | (c) No more than 2 faces | | | | |
| Building Site | | | | | |

| Sign | | | | |
|----------------------------|---|--|--|--|
| Bunting | (a) No more than 1 row per site not longer than the width of the street frontage. | | | |
| | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | |
| Business Directory | Must not be placed on the exterior of a building unless within a recessed entrance of doorway 90 degrees to the property boundary and must not project beyond the face of the building. | | | |
| Election Sign | | | | |
| Flags | Must show only the national symbol of any country, state, territory, ethnic group, the standard of a representative of a royal family or visiting dignitaries or an international institution (e.g. United Nations, Red Cross). | | | |
| Fuel Price Sign | The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | |
| Horizontal | (a) No more than 1 Horizontal Projecting Wall Sign per business. | | | |
| Projecting Wall Sign | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. | | | |
| Internal Sign | (a) Must be associated with the display and sale of goods and/or services provided on site. | | | |
| | (b) Must not be a business identification sign, which is internally illuminated. | | | |
| Interpretive Sign | Must be erected by a public authority | | | |
| Name Plate | Must be attached flush to a wall. | | | |
| Newspaper Day Bill Sign | | | | |
| Open/Closed Sign | | | | |
| Portable Sign | Must not be illuminated. | | | |
| Real Estate Sign | | | | |
| Reserve Sign | | | | |
| Screen Sign | Must be on a screen used in association with outdoor dining which has an occupation license under any relevant Council By-Law. | | | |
| Statutory Sign | | | | |
| Street Number | Area no more than 0.5m2 | | | |
| Temporary Sign | | | | |
| Tourism Information | | | | |

| Sign | |
|------------------|---|
| Transom Sign | (a) Must not be illuminated. |
| | (b) No more than 1 Transom Sign per business. |
| | (c) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. |
| Umbrella Sign | Must be on an umbrella used in association with outdoor dining which has an occupation license under any relevant Council By-Law. |
| Wall Mural | (a) Must be on a public building or structure. |
| | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct |
| Wall Sign | (a) No more than 1 Wall Sign per building. |
| | (b) Must not be illuminated. |
| | (c) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. |
| Window Sign | (a) No more than 2 Window Signs per building. |
| | (b) The sign is not at a Heritage Place subject to the Historic Heritage Code or within a Heritage Precinct or Cultural Landscape Precinct. |

Table E17.2 Sign Standards

The dimensions indicated on the diagram below are those applicable where referred to in this table:



| Sign Type | Sign Standards | |
|-----------------------|---|--|
| Above Awning | (a) Depth no more than 500mm; | |
| Sign | (b) Width no more than 300mm; | |
| | (c) Does not project beyond the width of the awning or has a length no more than 2700mm, whichever is the lesser. | |
| Arcade Sign | (a) Depth no more than 500mm; | |
| | (b) Width no more than 300mm; | |
| | (c) Clearance from ground no less than 2400mm. | |
| Awning Fascia Sign | (a) Projects no more than 40mm in profile from the surface to which they are attached and are no less than 300mm from the kerb alignment; | |
| | (b) Does not extend above, below or beyond the awning; | |
| | (c) Height of lettering or other graphics is no more than 450mm. | |
| Below Awning | (a) Depth no more than 500mm; | |
| Sign | (b) Width no more than 300mm; | |
| | (c) Does not project beyond the width of the awning or has a length no more than 2700mm, whichever is the lesser; | |
| | (d) Clearance from ground no less than 2400mm. | |
| Banner Sign | (a) Vertical dimension no more than 1000mm; | |
| | (b) Horizontal dimension no more than 6000mm. | |
| Bunting | Depth of flag no more than 450mm. | |
| Building Site Sign | Displayed for the period of construction works only. | |
| Business | (a) No more than 1 sign per building; | |
| Directory | (b) Vertical dimension no more than 2000mm; | |
| | (c) Horizontal dimension no more than 600mm. | |
| Cabinet Sign | (a) Projection from face of wall no more than 40mm; | |
| | (b) Area of face no more than 2m2; | |
| | (c) Must not extend vertically or horizontally beyond the wall to which it is attached. | |
| Election Sign | (a) Area of face no more than 1m2; | |
| | (b) Displayed only between the issuing of a writ for an election and 7 days after the election; | |
| | (c) Does not encroach on any road or other public reservation. | |
| Flag | (a) Dimensions no more than 2000mm x 1000mm; | |
| | (b) Does not display products or proprietary items; | |
| | (c) No fluorescent or iridescent colours. | |
| Fuel Price Sign | (a) No more than 2 signs per site; | |
| | | |

| | (b) | Area of each face no more than 2m2; | | |
|-----------------------|-------------------------|---|--|--|
| | (c) | Does not encroach on any road or other public reservation. | | |
| Ground Base | (a) | Height above the ground no more than 2400mm; | | |
| Sign | (b) | Area of each face is no more than 2.5m2; | | |
| | (c) | Does not encroach on any road or other public reservation. | | |
| Ground Base | (a) | Height above the ground no more than 5000mm; | | |
| Panel Sign | (b) | Width no more than 1500mm; | | |
| | (c) | Does not encroach on any road or other public reservation. | | |
| Horizontal | (a) | Depth no more than 500mm; | | |
| Projecting Wall Sign | (b) | Width no more than 300mm; | | |
| | (c) | Length no more than 2700mm; | | |
| | (d) | Clearance from ground no less than 2400mm; | | |
| | (e) | Height to the highest point of the sign above ground no more than 3000mm; | | |
| | (f) | Encroachment within kerb alignment no more than 400mm. | | |
| Internal Sign | Cove | erage of the window area no more than 10%. | | |
| Interpretive Sign | (No Standards) | | | |
| Name Plate | (a) | Horizontal dimension no more than 600mm; | | |
| | (b) | Vertical dimension no more than 400mm; | | |
| | (c) | Made of brass or similar traditional finish; | | |
| | (d) | Total area of names plates no more than 0.5m2. | | |
| Newspaper Day | (a) | No more than 2 signs per site; | | |
| Bill Sign | (b) | Area of each face no more than 0.6m2. | | |
| Open/closed Sign | Area no more than 0.1m2 | | | |
| Portable | (a) | No more than 2 faces; | | |
| | (b) | Area of each face no more than 0.6m2; | | |
| | (c) | No more than 1 sign per business. | | |
| Pole or Pylon Sign | (a) | Height to the highest point of the sign above ground no more than 5000mm; | | |
| | (b) | Clearance from ground to sign no less than 2400mm; | | |
| | (c) | Projects no more than 1200mm beyond the boundary with the footpath or road reservation. | | |
| | (d) | Area of each face no more than 2m2. | | |
| Poster Panel | (a) | Length no more than 6000mm; | | |
| (Billboard) | (b) | Depth no more than 3000mm; | | |
| | (/ | • | | |

| | | attached. | | |
|-----------------------------|--------------|--|--|--|
| Real Estate Sign | (a) <i>i</i> | Area of face no more than 2m2; | | |
| | | Displayed only for the duration of the sale or letting of a property on the market; | | |
| | | Not separately affixed by bolt, nail or screw to masonry, brickwork or other face building material. | | |
| Reserve Sign | (No s | tandards) | | |
| Roof Sign | (a) | Distance between top of sign and roof or parapet no more than 750mm; | | |
| | (b) | Depth no more than 750mm; | | |
| | (c) | Length no more than 4500mm; | | |
| | (d) | Building height no more than 7500mm; | | |
| | (e) | Message on no more than two faces. | | |
| Screen Sign | | No more than 10% of the surface area of each side of the screen; Must be business name only and not contain product content. | | |
| Sky Sign | | Distance between the top of the sign and roof or parapet no more than 2300mm; | | |
| | (b) | Depth no more than 2000mm; | | |
| | (c) | Length no more than 4500mm; | | |
| | (d) | Not on a building with a height more than 7.5 metres. | | |
| Statutory sign | (No s | (No standards) | | |
| Street number | Area | no more than 0.5m2. | | |
| Sun Blind Sign | (a) | Clearance from ground no less than 2400mm; | | |
| | (b) | Horizontal clearance from kerb alignment no less than 450mm. | | |
| Temporary Sign | (a) | Must be displayed for no longer than 30 days before the event; | | |
| | (b) | Must be removed within 7 days after the event; | | |
| | (c) | Must not disrupt the safe movement of pedestrians or vehicles; | | |
| | (d) | Must not cause damage to historic building fabric; | | |
| | (e) | Must not be attached to any vegetation. | | |
| Tourism Information Sign | (No s | tandards) | | |
| Transom Sign | (a) | Extends no more than 200mm beyond building alignment; | | |
| | | Does not extend beyond or below the level of the head of the doorway or window above which it is attached; | | |
| | (c) | No more than 3600mm above the ground to the highest point of the sign; | | |
| | (d) | Depth no more than 500mm. | | |
| | | | | |
| Umbrella Sign | (a) | Diameter of umbrella no more than 2600mm | | |

| | (c) Must not obstruct pedestrian traffic |
|----------------------|---|
| | (d) No more than 10% of the surface area of the umbrella. |
| | (e) Must be business name only and not contain product content. |
| Vertical | (a) Projection from wall no more than 1200mm; |
| Projecting Wall Sign | (b) Height above ground no less than 2400mm; |
| 3.8.1 | (c) Height to the highest point of the sign is not above eaves or parapet; |
| | (d) Width no more than 300mm. |
| Wall Mural | (No standards) |
| Wall Sign | (a) Message on the front face only; |
| | (b) Projection from the face of the wall or fence no more than 450mm; |
| | (c) Does not extend laterally beyond the wall or above the top of the wall to which it is attached; |
| | (d) Area of sign no more than 2m2. |
| Window Sign | (a) Does not obscure more than 10% of the window surface. |
| | (b) Must be on a ground floor level window. |

Table E17.3 Status of Signs in Zones

General Residential

| Sign Type | Status | Sign Type | Status |
|----------------------------|---------------|------------------------------|---------------|
| Above Awning | Discretionary | Open/Closed | Permitted |
| Arcade | Discretionary | Pole or pylon | Discretionary |
| Awning Fascia | Discretionary | Portable | Discretionary |
| Banner | Prohibited | Poster Panel (Bill Board) | Prohibited |
| Below Awning | Discretionary | Real Estate | Permitted |
| Building Site | Permitted | Roof | Discretionary |
| Bunting | Prohibited | Reserve | Permitted |
| Business Directory | Discretionary | Screen | Permitted |
| Cabinet | Discretionary | Sky | Prohibited |
| Election | Permitted | Statutory | Permitted |
| Flag | Permitted | Street Number | Permitted |
| Fuel Price | Discretionary | Sun Blind | Discretionary |
| Ground base | Discretionary | Temporary | Permitted |
| Ground Based Panel | Discretionary | Transom | Discretionary |
| Horizontal Projecting Wall | Discretionary | Umbrella | Permitted |

| Inflatable | Discretionary | Vertical projecting Wall | Discretionary |
|--------------------------------|---------------|--------------------------|---------------|
| Internal | Permitted | Wall Mural | Discretionary |
| Interpretive | Discretionary | Wall | Discretionary |
| Name Plate | Permitted | Window | Discretionary |
| Newspaper Day Bill | Permitted | | |
| Table continues in next column | | | |

Inner Residential

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|--------------------------------------|---------------|
| Above Awning | Discretionary | Table continued from previous column | |
| Arcade | Discretionary | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Discretionary |
| Banner | Prohibited | Portable | Discretionary |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Prohibited |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Discretionary |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Discretionary | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |
| | | | L. |

Low Density Residential

| Fuel Price | Discretionary | Street Number | Permitted |
|-------------------------------|---------------|---------------|---------------|
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |

| Inflatable | Prohibited | Umbrella | Permitted |
|--------------------|---------------|--------------------------|---------------|
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Rural Living

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|------------------------------|----------------|
| Above Awning | Discretionary | Table continued from pr | revious column |
| Arcade | Discretionary | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Prohibited |
| Banner | Prohibited | Portable | Discretionary |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Discretionary |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Discretionary | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Prohibited | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Environmental Living

| Sign Type | Status | Sign Type Status |
|---------------|---------------|--------------------------------------|
| Above Awning | Discretionary | Table continued from previous column |
| Arcade | Discretionary | Open/Closed Permitted |
| Awning Fascia | Discretionary | Pole or pylon Prohibited |
| Banner | Prohibited | Portable Discretionary |

| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary |
|-------------------------------|---------------|------------------------------|---------------|
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Discretionary |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Discretionary | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Prohibited | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Urban Mixed Use

| Sign Type | Status | Sig | gn Type | Status |
|-----------------------|---------------|-----|--------------------------------------|---------------|
| Above Awning | Discretionary | Та | Table continued from previous column | |
| Arcade | Permitted | Op | en/Closed | Permitted |
| Awning Fascia | Discretionary | Po | le or pylon | Permitted |
| Banner | Discretionary | Po | rtable | Permitted |
| Below Awning | Permitted | | ster Panel (Bill pard) | Discretionary |
| Building Site | Permitted | Re | al Estate | Permitted |
| Bunting | Discretionary | Ro | oof | Discretionary |
| Business Directory | Permitted | Re | serve | Permitted |
| Cabinet | Permitted | Sc | reen | Permitted |
| Election | Permitted | Sk | У | Prohibited |
| Flag | Permitted | Sta | atutory | Permitted |
| Fuel Price | Permitted | Sti | reet Number | Permitted |
| Ground base | Permitted | Su | n Blind | Discretionary |
| Ground Based Panel | Discretionary | Те | mporary | Permitted |
| Horizontal Projecting | Permitted | Tra | ansom | Permitted |

| Wall | | | |
|--------------------|---------------|--------------------------|---------------|
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Village

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|--------------------------------------|---------------|
| Above Awning | Discretionary | Table continued from previous column | |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Discretionary |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Community Purpose

| Sign Type | Status | Sign Type Status |
|---------------|---------------|--------------------------------------|
| Above Awning | Discretionary | Table continued from previous column |
| Arcade | Discretionary | Open/Closed Permitted |
| Awning Fascia | Discretionary | Pole or pylon Discretionary |

| Banner | Discretionary | Portable | Permitted |
|-------------------------------|---------------|------------------------------|---------------|
| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Prohibited |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Prohibited | Street Number | Permitted |
| Ground base | Prohibited | Sun Blind | Prohibited |
| Ground Based Panel | Prohibited | Temporary | Permitted |
| Horizontal Projecting Wall | Prohibited | Transom | Discretionary |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Prohibited |
| Interpretive | Permitted | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Recreation

| Sign Type | Status | Sign Type | Status |
|--------------------|---------------|---------------------------|---------------|
| Above Awning | Discretionary | Table continued from pr | evious column |
| Arcade | Discretionary | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Discretionary |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Prohibited |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Prohibited | Street Number | Permitted |
| Ground base | Prohibited | Sun Blind | Prohibited |
| Ground Based Panel | Prohibited | Temporary | Permitted |

| Horizontal Projecting Wall | Prohibited | Transom | Discretionary |
|-------------------------------|---------------|--------------------------|---------------|
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Prohibited |
| Interpretive | Permitted | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Open Space

| Status | Sign Type | Status |
|---------------|---|--|
| Discretionary | Table continued from previous column | |
| Discretionary | Open/Closed | Permitted |
| Discretionary | Pole or pylon | Discretionary |
| Discretionary | Portable | Permitted |
| Discretionary | Poster Panel (Bill Board) | Discretionary |
| Permitted | Real Estate | Permitted |
| Prohibited | Roof | Prohibited |
| Discretionary | Reserve | Permitted |
| Discretionary | Screen | Permitted |
| Permitted | Sky | Prohibited |
| Permitted | Statutory | Permitted |
| Prohibited | Street Number | Permitted |
| Prohibited | Sun Blind | Prohibited |
| Prohibited | Temporary | Permitted |
| Prohibited | Transom | Discretionary |
| Discretionary | Umbrella | Permitted |
| Permitted | Vertical projecting Wall | Prohibited |
| Permitted | Wall Mural | Discretionary |
| Permitted | Wall | Discretionary |
| Permitted | Window | Discretionary |
| | Discretionary Discretionary Discretionary Discretionary Discretionary Permitted Prohibited Discretionary Discretionary Permitted Prohibited | Discretionary Poster Panel (Bill Board) Permitted Prohibited Prohibited Permitted Permitted Prohibited Prohibited Prohibited Prohibited Prohibited Prohibited Discretionary Discretionar |

Local Business

| Sign Type | Status | Sign Type | Status |
|---------------|---------------|--------------------------------------|---------------|
| Above Awning | Discretionary | Table continued from previous column | |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Discretionary |

| Banner | Discretionary | Portable | Permitted |
|-------------------------------|---------------|------------------------------|---------------|
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Discretionary |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Discretionary | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

General Business

| Sign Type | Status | Sign Type | Status |
|--------------------|---------------|------------------------------|-------------------|
| Above Awning | Permitted | Table continued fron | n previous column |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Permitted |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |

| Horizontal Projecting Wall | Permitted | Transom | Permitted |
|-------------------------------|---------------|--------------------------|-----------|
| Inflatable | Permitted | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Central Business

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|--------------------------------------|---------------|
| Above Awning | Permitted | Table continued from previous column | |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Permitted |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Permitted | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Commercial

| Sign Type | Status | Sign Type | Status |
|---------------|-----------|--------------------------------------|-----------|
| Above Awning | Permitted | Table continued from previous column | |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |

| Banner | Discretionary | Portable | Permitted |
|-------------------------------|---------------|------------------------------|---------------|
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Permitted |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Permitted | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Light Industrial

| Sign Type | Status | Sign Type | Status |
|--------------------|---------------|------------------------------|-------------------|
| Above Awning | Permitted | Table continued fro | m previous column |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Permitted | Roof | Discretionary |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |

| Horizontal Projecting Wall | Permitted | Transom | Permitted |
|-------------------------------|---------------|--------------------------|-----------|
| Inflatable | Permitted | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

General Industrial

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|--------------------------------------|---------------|
| Above Awning | Permitted | Table continued from previous column | |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Discretionary |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Permitted | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Rural Resource

| Sign Type | Status | Sign Type | Status |
|---------------|---------------|--------------------------------------|------------|
| Above Awning | Discretionary | Table continued from previous column | |
| Arcade | Discretionary | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Prohibited |

| Banner | Prohibited | Portable | Discretionary |
|-------------------------------|---------------|------------------------------|---------------|
| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Discretionary |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Discretionary | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Significant Agriculture

| Sign Type | Status | Sign Type | Status | | |
|--------------------|---------------|------------------------------|--------------------------------------|--|--|
| Above Awning | Discretionary | Table continued fro | Table continued from previous column | | |
| Arcade | Discretionary | Open/Closed | Permitted | | |
| Awning Fascia | Discretionary | Pole or pylon | Prohibited | | |
| Banner | Prohibited | Portable | Discretionary | | |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Discretionary | | |
| Building Site | Permitted | Real Estate | Permitted | | |
| Bunting | Prohibited | Roof | Discretionary | | |
| Business Directory | Discretionary | Reserve | Permitted | | |
| Cabinet | Discretionary | Screen | Permitted | | |
| Election | Permitted | Sky | Prohibited | | |
| Flag | Permitted | Statutory | Permitted | | |
| Fuel Price | Discretionary | Street Number | Permitted | | |
| Ground base | Discretionary | Sun Blind | Discretionary | | |

| Ground Based Panel | Discretionary | Temporary | Permitted |
|-------------------------------|---------------|--------------------------|---------------|
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Prohibited | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Utilities

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|------------------------------|---------------|
| Above Awning | Discretionary | Table continued from pr | evious column |
| Arcade | Discretionary | Open/Closed | Permitted |
| Awning Fascia | Discretionary | Pole or pylon | Discretionary |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Prohibited |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Discretionary |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Prohibited | Sky | Prohibited |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Prohibited | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Discretionary | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Permitted | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Environmental Management

| Sign Type | Status | Sign Type | Status |
|--------------|---------------|-------------------------|---------------|
| Above Awning | Discretionary | Table continued from pr | evious column |

| Arcade | Discretionary | Open/Closed | Permitted |
|-------------------------------|---------------|------------------------------|---------------|
| Awning Fascia | Prohibited | Pole or pylon | Discretionary |
| Banner | Prohibited | Portable | Discretionary |
| Below Awning | Discretionary | Poster Panel (Bill Board) | Prohibited |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Prohibited | Roof | Prohibited |
| Business Directory | Discretionary | Reserve | Permitted |
| Cabinet | Discretionary | Screen | Permitted |
| Election | Permitted | Sky | Prohibited |
| Flag | Discretionary | Statutory | Permitted |
| Fuel Price | Prohibited | Street Number | Permitted |
| Ground base | Discretionary | Sun Blind | Discretionary |
| Ground Based Panel | Prohibited | Temporary | Permitted |
| Horizontal Projecting Wall | Discretionary | Transom | Discretionary |
| Inflatable | Prohibited | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Discretionary |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Discretionary | Wall | Discretionary |
| Newspaper Day Bill | Permitted | Window | Discretionary |

Major Tourism

| Sign Type | Status | Sign Type Status |
|--------------------|---------------|---|
| Above Awning | Permitted | Table continued from previous column |
| Arcade | Permitted | Open/Closed Permitted |
| Awning Fascia | Permitted | Pole or pylon Permitted |
| Banner | Discretionary | Portable Permitted |
| Below Awning | Permitted | Poster Panel (Bill Discretionary Board) |
| Building Site | Permitted | Real Estate Permitted |
| Bunting | Discretionary | Roof Permitted |
| Business Directory | Permitted | Reserve Permitted |
| Cabinet | Permitted | Screen Permitted |
| Election | Permitted | Sky Discretionary |
| Flag | Permitted | Statutory Permitted |
| Fuel Price | Permitted | Street Number Permitted |

| Ground base | Permitted | Sun Blind | Permitted |
|-------------------------------|---------------|--------------------------|-----------|
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Port and Marine

| Sign Type | Status | Sign Type | Status |
|-------------------------------|---------------|------------------------------|---------------|
| Above Awning | Permitted | Table continued from pr | evious column |
| Arcade | Permitted | Open/Closed | Permitted |
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Permitted |
| Bunting | Discretionary | Roof | Permitted |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Permitted |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |
| | | | |

Particular Purpose Zone 1

| Sign Type | Status | Sign Type | Status |
|--------------|-----------|-------------------------|---------------|
| Above Awning | Permitted | Table continued from pr | evious column |

| Arcade | Permitted | Open/Closed | Permitted |
|-------------------------------|---------------|------------------------------|---------------|
| Awning Fascia | Permitted | Pole or pylon | Permitted |
| Banner | Discretionary | Portable | Permitted |
| Below Awning | Permitted | Poster Panel (Bill Board) | Discretionary |
| Building Site | Permitted | Real Estate | Discretionary |
| Bunting | Discretionary | Roof | Permitted |
| Business Directory | Permitted | Reserve | Permitted |
| Cabinet | Permitted | Screen | Permitted |
| Election | Permitted | Sky | Discretionary |
| Flag | Permitted | Statutory | Permitted |
| Fuel Price | Permitted | Street Number | Permitted |
| Ground base | Permitted | Sun Blind | Permitted |
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

Particular Purpose Zone 2

| Sign Type | Status | Sign Type Status | |
|--------------------|---------------|---|--|
| Above Awning | Permitted | Table continued from previous column | |
| Arcade | Permitted | Open/Closed Permitted | |
| Awning Fascia | Permitted | Pole or pylon Permitted | |
| Banner | Discretionary | Portable Permitted | |
| Below Awning | Permitted | Poster Panel (Bill Discretionary Board) | |
| Building Site | Permitted | Real Estate Permitted | |
| Bunting | Discretionary | Roof Permitted | |
| Business Directory | Permitted | Reserve Permitted | |
| Cabinet | Permitted | Screen Permitted | |
| Election | Permitted | Sky Discretionary | |
| Flag | Permitted | Statutory Permitted | |
| Fuel Price | Permitted | Street Number Permitted | |

| Ground base | Permitted | Sun Blind | Permitted |
|-------------------------------|---------------|--------------------------|---------------|
| Ground Based Panel | Permitted | Temporary | Permitted |
| Horizontal Projecting Wall | Permitted | Transom | Permitted |
| Inflatable | Discretionary | Umbrella | Permitted |
| Internal | Permitted | Vertical projecting Wall | Permitted |
| Interpretive | Discretionary | Wall Mural | Discretionary |
| Name Plate | Permitted | Wall | Permitted |
| Newspaper Day Bill | Permitted | Window | Permitted |

E18.0 Wind and Solar Energy Code

E18.1 Purpose

- E18.1.1 The purpose of this provision is to:
 - (a) facilitate the establishment of small to medium scale renewable energy generation facilities using wind turbines and solar panels;
 - (b) maximise efficient generation and supply of electricity by wind turbines or solar panels;
 - (c) minimise adverse impacts to natural, rural or built landscapes whilst accepting that wind turbines have particular location and design needs for their efficient operation that may require siting in visually prominent landscapes;
 - (d) avoid unreasonable impacts on residential amenity.

E18.2 Application

- E18.2.1 (a) This code applies to development for the purpose of electricity generation by wind turbines or solar panels including associated buildings and works.
 - (b) This code does not apply to development for the purpose of electricity generation by wind turbines or solar panels that are regulated as Level 2 or Level 3 activity under the *Environmental Management and Pollution Control Act 1994*.
 - (c) This code does not apply to use.

E18.3 Definition of Terms

E18.3.1 In this code, unless the contrary intention appears:

| urban zones | means the General Residential Zone, Inner Residential Zone, Low Density |
|-------------|--|
| | Residential Zone, Rural Living Zone, Urban Mixed Use Zone, Village Zone, |
| | Community Purpose Zone, Recreation Zone, Local Business Zone, General |
| | Business Zone, Central Business Zone, Commercial Zone, Light Industrial |
| | Zone, General Industrial Zone, Port and Marine Zone and any Particular |
| | Purpose Zone. |
| | |

| non-urban zones | means the Environmental Living Zone, Open Space Zone, Rural Resource Zone, Significant Agriculture Zone, Environmental Management, Major Tourism Zone and Utilities Zone. |
|-----------------------------|---|
| visual impact assessment | means a report from a suitably qualified person that considers the impact of the proposed development on the landscape and may include measures to avoid, mitigate or minimise impacts. |

E18.4 Development Exempt from this Code

E18.4.1 No development is exempt from this code.

E18.5 Application Requirements

- E18.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide the following information to determine compliance with development standards:
 - (a) a visual impact assessment;
 - (b) an assessment, by a suitably qualified person, on potential electrical or communications interference;
 - (c) an assessment, by a suitably qualified person, on the duration and intensity of noise, shadow flicker, reflection or blade glint impacting on any sensitive use on adjacent land.

E18.6 Use Standards

There are no use standards in this Code.

E18.7 Development Standards for Wind Turbines

E18.7.1 Design and Siting of Free-Standing Wind Turbines in urban zones

| Objective: | | | |
|--|--|--|--|
| To manage the visual impact of wind turbines in urban zones. | | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| The height of a free-standing wind turbine above natural ground level, measured to either the top of a pole or tower for a horizontal blade system or the highest point of a vertical blade system, must be no more than the height specified for Acceptable Solutions in Table E18.2 for the applicable zone. | The height of a free-standing wind turbine must be no more than the height specified for Performance Criteria in Table E18.2 for the applicable zone, and must be designed and sited to minimise change to the landscape or streetscape having regard to the following: (a) the compatibility of the height with other buildings and structures within 100 m; (b) the impact on significant views from public land; (c) uniformity of colour, size and shape if multiple wind turbines. | | |

Objective:

To manage the visual impact of wind turbines in non-urban zones.

Acceptable Solutions

Α1

The design and siting of a free-standing wind turbine must comply with all of the following:

- (a) use existing infrastructure;
- (b) be externally finished and maintained in a neutral colour that minimises visual intrusiveness;
- (c) not:
 - (i) be located on skylines that can be seen in silhouette;
 - (ii) be aligned diagonally to the principal slope of a hill;
 - (iii) cross at a low point of a saddle between hills;
 - (iv) be located around the base of a hill;
 - (v) be along the edge of an existing clearing;
 - (vi) be artificially lit unless required for air navigation safety;
 - (vii) be used for signage purposes, other than necessary warning and equipment information,
- (d) be setback to a front, side or rear boundary less than the applicable setback for the zone;
- (e) screen equipment housing and other visually intrusive infrastructure from public view.

Performance Criteria

P1

The design and siting of a free-standing wind turbine must ensure any detrimental impact upon visual amenity is minimised by:

- (a) reducing the prominence of the structure; and
- (b) protecting important public views such as vistas to significant public buildings, streetscapes and heritage areas.

A2

The height of a free-standing wind turbine above natural ground level, measured to either the top of a pole or tower for a horizontal blade system or the highest point of a vertical blade system, must be no more than the height specified for Acceptable Solutions in Table E18.2 for the applicable zone.

P2

The height of a free-standing wind turbine must be no more than the height specified for Performance Criteria in Table E18.2 for the applicable zone and must be designed and sited to minimise change to the surrounding natural or rural setting and existing views having regard to the following:

 the extent to which topography or vegetation minimises change to short or medium range views from public roads, public land, sensitive uses and public or

| | private tourism facilities; |
|-----|---|
| (b) | the impact on topographical features such as the coastline, watercourses, ridgelines, skylines and hillsides; |
| (c) | the extent of undergrounding of incidental works such as powerlines; |
| (d) | uniformity of colour, size and shape if multiple wind turbines; |
| (e) | the distance to public land used for formal or informal recreation and settlements; |
| (f) | the regular spacing of multiple wind turbines if in open or flat landscapes or farmed landscapes; |
| (g) | the irregular spacing of multiple wind turbines if in areas of varied topography and vegetation distribution. |

E18.7.3 Separation from Sensitive Use

| Objective: To manage potential impacts on a sensitive use. | | | |
|---|---|--|--|
| | | | |
| A1 | P1 | | |
| A wind turbine must be separated from a sensitive use in accordance with Table E18.1. | A wind turbine must not cause unreasonable impact on the residential amenity of a nearby sensitive use and must satisfy all of the following: | | |
| | (a) no more than 30 hours of shadow flicker in a 12 month period; | | |
| | (b) no unreasonable reflection or blade glint impacts; | | |
| | (c) no unreasonable noise; | | |
| | (d) no unreasonable electrical or communications interference; | | |
| | (e) no excessive overshadowing. | | |

E18.7.4 Efficiency of Roof Top Mounted Wind Turbines

| Objective: | | | |
|--|--|--|--|
| To ensure that roof top mounted wind turbines can operate efficiently. | | | |
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| No acceptable solution. | Roof top mounted wind turbines must demonstrate that their potential operational efficiency will not be significantly reduced by | | |

| | surrounding buildings and topography. |
|--|---------------------------------------|
|--|---------------------------------------|

E18.7.5 Birdstrike Risk Reduction

| Objective: | | | |
|--|--|--|---|
| To minimise impact to native bird and bat species. | | | |
| Acceptable Solutions | | ole Solutions | Performance Criteria |
| A1 | A1 | | P1 |
| | dings owing | and works must comply with one of the :: | Buildings and works must minimise significant risk of collision with native bird and bat species. |
| (a) | (a) not exceed the applicable maximum height specified for the acceptable solution in Table E18.2; | | |
| (b) | (b) be separated from the following features by no less than 100m: | | |
| | (i) | any land within the biodiversity overlay with a High Priority Biodiversity Values or Medium Priority Biodiversity Values; | |
| | (ii) the high water mark; | | |
| | (iii) | a wetland. | |

E18.8 Development Standards for Solar Panels

Objective:

| To ensure that the design and siting of ground mounted solar panels protects residential amenity and has minimal effect to any natural, rural or built setting. | | | |
|---|---|--|--|
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| The height above natural ground level is no more than 3 m. | The height above natural ground level must not exceed the permitted building height in the zone by and must satisfy all of the following: | | |
| | (a) be reasonably screened from public spaces by topography, fencing, vegetation or buildings; | | |
| | (b) not unreasonably overshadow adjoining land. | | |
| A2 | P2 | | |
| The total area is no more than 30m2. | The area size must not cause an unreasonable impact on visual amenity, and must satisfy all of the following: | | |
| | (a) be screened from public spaces by topography, vegetation fencing or existing | | |

buildings;

| (b) | not cause excessive glare or reflectivity |
|-----|---|
| | outside of the site. |

Table E18.1 Distance from a Sensitive Use

| Scale and Capacity | Minimum distance to a sensitive use | | |
|--|-------------------------------------|--|--|
| Wind energy facility with less than 250kW combined output | <u> </u> | | |
| (a) Single generator with less than 10kW individual capacity | 60m | | |
| (b) Single generator with more than 10kW individual capacity | 250m | | |
| (c) 2 – 4 generators regardless of individual capacity | 350m | | |
| (d) 5 or more generators regardless of individual capacity | 1000m | | |
| Wind energy facility with more than 250kW combined output | | | |
| (a) Single generator with less than 1000kW individual capacity | 500m | | |
| (b) Single generator with more than 1000kW individual capacity | 1000m | | |
| (c) 2 or more generators regardless of individual capacity | 1000m | | |

Table E18.2 Height of Free-Standing Wind Turbines in Zones

| Zone | Maximum height for relevant acceptable solution | Maximum height for relevant Performance Criteria |
|------------------------------|---|--|
| General Residential Zone | 12m | 20m |
| Inner Residential Zone | 12m | 20m |
| Low Density Residential Zone | 12m | 20m |
| Rural Living Zone | 12m | 20m |
| Environmental Living Zone | 12m | 20m |
| Urban Mixed Use Zone | 12m | 20m |
| Village Zone | 12m | 20m |
| Community Purpose Zone | 12m | 20m |
| Recreation Zone | 12m | 20m |
| Open Space Zone | 12m | 25m |
| Local Business Zone | 12m | 20m |
| General Business Zone | 15m | 25m |
| Central Business Zone | 15m | 25m |
| Commercial Zone | 15m | No maximum height |
| Light Industrial Zone | 20m | No maximum height |
| General Industrial Zone | 25m | No maximum height |

| Rural Resource Zone | 25m | No maximum height |
|-------------------------------|-----|-------------------|
| Significant Agricultural Zone | 25m | No maximum height |
| Utilities Zone | 25m | No maximum height |
| Environmental Management Zone | 12m | No maximum height |
| Major Tourism Zone | 12m | 20m |
| Port and Marine Zone | 25m | No maximum height |
| A Particular Purpose Zone | 12m | 20m |

E19.0 Telecommunications Code

E19.1 Purpose

E19.1.1 The purpose of this provision is to:

- facilitate equitable provision and access to high-speed broadband and telecommunication networks as services essential for the prosperity, security and welfare of the community;
- (b) encourage new telecommunication and digital facilities to form part of a local or regional telecommunications network for all carriers;
- (c) encourage shared use and co-location of facilities to minimise the number of towers within the municipal area;
- (d) minimise likely adverse impact of communication systems on community health and safety;
- (e) minimise adverse visual impact of towers and antennae.

E19.2 Application

E19.2.1 This code applies to development for telecommunication facilities.

This code does not apply to use.

E19.3 Definition of Terms

E19.3.1 In this code, unless the contrary intention appears;

| areas of environmental significance | means as defined in the Telecommunications (Low-impact Facilities) Determination 1997. |
|---|---|
| line | means a wire, cable, optical fibre, tube, conduit, waveguide or other physical medium used, or for use, as a continuous artificial guide for, or in connection with, carrying communications by means of guided electromagnetic energy. |
| telecommunications infrastructure | means any part of the infrastructure of a telecommunications network and includes any line, equipment, apparatus, tower, antenna, tunnel, duct, hole, pit or other structure used, or for use, in or in connection with a telecommunications network. |
| telecommunications | means a system, or series of systems, that carries or is capable of carrying communications by means of guided and/or unguided electromagnetic |

| network | energy. |
|---------|--|
| | means a tower, pole, mast or similar structure used to supply a carriage service by means of Telecommunication |

E19.4 Development Exempt from this Code

E19.4.1 No development is exempt from this code.

E19.5 Application Requirements

E19.5.1 There are no specific additional application requirements for this code.

E19.6 Use Standards

E19.6.1 No use standards in this code.

E19.7 Development Standards

E19.7.1 Shared Use and Co-Location

| Objective: | | | |
|--|--|--|--|
| To minimise the total number of towers and ant | To minimise the total number of towers and antenna within the municipal area. | | |
| Acceptable Solutions | Performance Criteria | | |
| A1 | P1 | | |
| A new antenna must be located on an existing tower. | A new antenna may be located on a new tower if it is impracticable to co-locate on an existing tower, having regard to the following: | | |
| | (a) no existing tower is located within the telecommunications network area with technical capacity to meet the requirements for the antenna; | | |
| | (b) no existing tower is located within the telecommunications network area with sufficient height to meet the requirements of the antenna; | | |
| | (c) no existing tower is located within the telecommunications network area with sufficient structural strength to support the proposed antenna and related equipment; | | |
| | (d) there is risk of electromagnetic interference between the antenna and an existing antenna on an existing tower; | | |
| | (e) there are other limiting factors that render existing towers unsuitable. | | |
| A2 | P2 | | |
| A new tower or mast must be structurally and technically designed to accommodate comparable additional users, including by the | No Performance Criteria. | | |

| rearrangement of existing antenna and the | |
|---|--|
| mounting of antenna at different heights. | |

E19.7.2 Visual Amenity

Objective:

more than:

(a) 60 metres in the Environmental

To minimise detrimental impact upon the visual amenity of a locality by reducing prominence of

telecommunications infrastructure. **Acceptable Solutions Performance Criteria** Α1 **P1** The location of telecommunications The location of telecommunications infrastructure must comply with all of the infrastructure not complying with A1 must following: ensure any detrimental impact upon visual amenity is minimised by reducing the (a) be within existing utility corridors and sites prominence of telecommunications and use existing infrastructure; infrastructure, and important public views such (b) be externally finished and maintained in a as vistas to significant public buildings, neutral colour that minimises visual streetscapes and heritage areas are protected. intrusiveness; (c) not: be located on skylines that can be seen in silhouette; (ii) be aligned diagonally to the principal slope of a hill; (iii) cross at a low point of a saddle between hills; (iv) be located around the base of a hill; (v) be along the edge of an existing clearing; (vi) be artificially lit unless required for air navigation safety; (vii) be used for signage purposes, other than necessary warning and equipment information, (d) aerial telecommunication lines or additional supporting structures are erected and operated in residential and commercial areas only where overhead cables exist; (e) equipment housing and other visually intrusive infrastructure is screened from public view. Α2 Height above natural ground level must be no Height above natural ground level not complying

with A2 must satisfy all of the following:

(a) the predominant height of existing

- Management, Rural Resource and Significant Agriculture Zones;
- (b) 45 metres in the General Industrial or Port and Marine Zone;
- (c) 40 metres in the Central Business,
 Commercial, Environmental Living, General Business, Major Tourism, Rural Living and Utilities Zones;
- (d) 20 metres in the Community Purpose, General Residential, Inner Residential, Light Industrial, Local Business, Low Density Residential, Recreation, Urban Mixed Use and Village Zones.

- infrastructure or vegetation in the immediate vicinity is above the specified height limit;
- (b) there is no adverse impact on heritage or ecological values, or visual amenity of the locality;
- (c) it is critical for the role of the facility within the telecommunications network.

E19.7.3 Environmental Values

Objective:

| To ensure that environmental values are protected | | |
|---|--|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Telecommunications infrastructure must not be located in an area of environmental significance. | Telecommunications infrastructure located in an area of environmental significance must ensure environmental and heritage values are not significantly impacted. | |

E19.7.4 Access

Objective:

To ensure that telecommunications infrastructure does not impede movement of vehicular and other modes of transport.

| Acceptable Solutions | Performance Criteria | |
|---|---|--|
| A1 | P1 | |
| Telecommunications infrastructure must not impede movement of vehicular and other modes of transport. | Telecommunications infrastructure must provide for adequate clearance for vehicular traffic and must not pose a danger or encumbrance to users of other land or aircraft. | |

E19.7.5 Significant Agricultural Land

Objective:

To protect the productive capacity and efficient farming operations of significant agricultural land.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Telecommunications infrastructure within the Significant Agriculture Zone must be placed on or within 2 metres of property boundaries or fence lines. | Telecommunications infrastructure within the Significant Agriculture Zone must not degrade or restrict the productive capacity of the land. |

E20.0 Acid Sulfate Soils Code

E20.1 Purpose

- E20.1.1 The purpose of this provision is to ensure that development on land potentially containing acid sulfate soils:
 - (a) avoids areas that contain acid sulfate soils;
 - (b) where avoidance is not practicable, appropriate measures are taken to mitigate any adverse impact.

E20.2 Application

- E20.2.1 This Code applies to development on land in the Potential Acid Sulfate Soil overlay on the planning scheme maps and the development involves any of the following:
 - (a) excavation of more than 100 m3 of soil or sediment;
 - (b) deposition of 500 m3 or more of fill to a depth of more than 0.5 m;
 - (c) drainage affecting groundwater depth.

This Code does not apply to use.

E20.3 Definition of Terms

E20.3.1 In this code, unless the contrary intention appears;

| acid sulfate soil | | ans soil or sediment containing highly acidic soil horizons or layers cted by the oxidation of iron sulfides. |
|-------------------|-----|---|
| acid sulfate soil | mea | ns a report acceptable to the planning authority that details: |
| management plan | (a) | the acid sulfate soils or potential acid sulfate soils in the vicinity of the proposed development; |
| | (b) | the potential for the development to cause potential acid sulfate soils to be exposed to air or oxidised; |
| | (c) | an analysis of the level of risk to the development and the level of risk to users of the development; |
| | (d) | an analysis of the level of risk to the environment; |
| | (e) | proposed management measures to reduce risk to an acceptable level where necessary, |
| | 1 | pared by a suitably qualified person in accordance with the best practice lelines. R1 |

E20.3.R1 The Tasmanian Acid Sulfate Soil Management Guidelines (DPIPWE, 2009) are considered best practice guidelines.

E20.4 Development Exempt from this Code

- E20.4.1 The following development is exempt from this code:
 - (a) works not involving the exposing or disturbance of sub-surface soils or the drainage of groundwater;
 - (b) additions or alterations to an existing building, or the construction of a

non-habitable building, provided the development area is no more than 100 m2 and the maximum depth of excavation is 0.75m;

(c) forestry operations in accordance with a certified Forest Practices Plan.

E20.5 Application Requirements

- E20.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) an acid sulfate soil management plan.

E20.6 Use Standards

There are no use standards in this code.

E20.7 Development Standards

E20.7.1 Development on Acid Sulfate Soils or Potential Acid Sulfate Soils


Objective:

To ensure that development subject to, or having potential to cause, an acid sulfate soil hazard is appropriately located and managed to ensure that risk to property and the environment is reduced to an acceptable level.

| to all acceptable level. | | |
|--------------------------|---|--|
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| No Acceptable Solution | Development must be designed, sited and constructed to minimise the risk of acid sulfate soil to property and the environment having regard to the following, as appropriate: | |
| | (a) the acid sulfate or potential acid sulfate soils in the vicinity of proposed works involving excavation or disturbance of soil or sediment, or drainage of groundwater; | |
| | (b) the potential for those works to cause potential acid sulfate soils to be exposed to air or oxidised; | |
| | (c) the potential for the development to be affected by acid sulfate soils; | |
| | (d) the level of risk and potential consequences for human health, property and the environment; | |
| | (e) management measures to reduce risk to an acceptable level. | |

Map E20 Potential Acid Sulfate Soils - LISTmap

Open full map extent (link to the interactive map)



Legend

Potential Acid Sulfate Soils

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E21.0 Dispersive Soils Code

E21.1 Purpose

E21.1.1 The purpose of this provision is to ensure that development on land potentially containing dispersive soils is appropriately located & constructed and that adequate measures are taken to reduce risk to property and the natural environment to an acceptable level.

E21.2 Application

E21.2.1 This code applies to development: on land in the Potential Dispersive Soil overlay on the planning scheme maps.

This code does not apply to use.

E21.3 Definition of Terms

E21.3.1 In this code, unless the contrary intention appears;

| dispersive soil | means soil or sediment with an Exchangeable Sodium Percentage greater |
|-----------------|---|
| | than 6% or which demonstrates dispersive behaviour when in contact with |

| | fresh water. | |
|-----------------|--|--|
| dispersive soil | means a report acceptable to the planning authority that details: | |
| management plan | (a) the dispersive potential of soils in the vicinity of the proposed development; | |
| | (b) the potential for the development to cause or contribute to gully or tunnel erosion; | |
| | (c) an analysis of the level of risk to the development and the level of risk to users of the development; | |
| | (d) proposed management measures to reduce risk to an acceptable level where necessary, | |
| | prepared by a suitably qualified person in accordance with the best practice guidelines.R1 | |

E21.3.R1 The Dispersive Soils and their Management: Technical Reference Manual (DPIW, 2009) is considered best practice guidelines.

E21.4 Development Exempt from this Code

- E21.4.1 The following development is exempt from this code:
 - (a) works not involving the exposing or disturbance of sub-surface soils;
 - (b) additions or alterations to an existing building, or the construction of a non-habitable building, provided the development area is no more than 100 m2:
 - (c) forestry operations in accordance with a certified Forest Practices Plan.

E21.5 Application Requirements

- E21.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with Performance Criteria:
 - (a) a dispersive soil management plan.

E.21.6 Use Standards

There are no use standards in this code.

E21.7 Development Standards

Objective:

To ensure that development with the potential to disturb dispersive soil is appropriately located or managed to minimise the potential to cause erosion and ensure risk to property and the environment is reduced to an acceptable level.


| Acceptable Solutions | Performance Criteria | |
|-------------------------|---|--|
| A1 | P1 | |
| No Acceptable Solution. | Development must be designed, sited and constructed to minimise the risk of dispersive soils to property and the environment having | |

regard to the following, as appropriate:

- (a) the dispersive potential of soils in the vicinity of proposed buildings, driveways, services and the development area generally;
- (b) the potential of the development to affect or be affected by erosion, including gully and tunnel erosion;
- (c) the dispersive potential of soils in the vicinity of water drainage lines, infiltration areas/trenches, water storages, ponds, dams and disposal areas;
- (d) the level or risk and potential consequences for property and the environment from potential erosion, including gully and tunnel erosion;
- (e) management measures that would reduce risk to an acceptable level.

Map E21 Potential Dispersive Soils - LISTmap

Open full map extent (link to the interactive map)



Legend

Potential Dispersive Soils

Note: This overlay map has been filtered to show the selected overlay feature only for the Planning Scheme currently being viewed.

Please follow the interactive map link above and remove the overlay filter to display all overlays. All overlays can also be viewed in the Overlay Map at the end of this Planning Scheme.

E22.0 This code number is not used in this planning scheme

E23.0 On-Site Wastewater Management Code

E23.1 Purpose

E23.1.1 The purpose of this provision is to ensure that development or use requiring onsite wastewater management will have access to sufficient land area necessary for the satisfactory and sustainable onsite treatment of that wastewater.

E23.2 Application

- E23.2.1 This code applies to use and development relying on onsite management of:
 - (a) domestic wastewater from residential use; and
 - (b) wastewater similar to domestic wastewater from non-residential use, other than wastewater from industrial or manufacturing processes.

E23.3 Definition of Terms

E23.3.1 In this code, unless the contrary intention appears;

| AS/NZS1547 | means the Australian/New Zealand Standard On-site Domestic Wastewater Management 2012. | | |
|--------------------------------|--|--|--|
| bedroom | means a habitable room used, or potentially used, primarily for sleeping. | | |
| downslope surface water | means surface water that is in the likely direction of effluent flow across or through the soil once it has been discharged from a Land Application Area. | | |
| high environmental value water | means high conservation value/ecological value aquatic eco-systems as defined in the Australian and New Zealand Guidelines for Fresh and Marine Water Quality. | | |
| high rainfall area | means an area where the average annual rainfall exceeds 1200mm. High rainfall areas in the Planning Scheme Area are: | | |
| high resource value | means water used for any of the following: | | |
| water | (a) potable human water supplies, including from bores or wells; | | |
| | (b) primary contact recreational purposes; | | |
| | (c) aquaculture. | | |
| horizontal separation distance | means the distance measured along the surface of the ground from the land application area to a feature such as a property boundary, building or watercourse. The distance from downslope surface water is measured to either the high water mark if tidal waters, wetland or a dam, or to the top of the riverbank or cliff if a watercourse. | | |
| land application area | means an area of land used to apply effluent from a wastewater treatment unit or reserved for future application. | | |
| limiting layer | means a layer such as hardpan, bedrock, or category 6 soil that restricts the movement of effluent vertically through the soil profile | | |
| OWMS | means an onsite wastewater management system | | |

| primary treated effluent | means effluent that has been treated via the separation of suspended material from wastewater by settlement and/or floatation in septic tanks or primary settling chambers. |
|-----------------------------------|--|
| raised bed | means a terraced bed or mound for wastewater irrigation designed in accordance with AS/NZS 1547 |
| secondary treated effluent | means effluent that has been treated via aerobic biological processing and settling or filtering of wastewater received from a primary treatment unit to a quality equal to, or less than, 20mg/L BOD5 and 30mg/L suspended solids. |
| soil category | means the predominant soil category for the top 1.5m of soil profile as listed in AS/NZS 1547 |
| site and soil evaluation (SSE) | means a soil evaluation of the site and proposed development prepared by a suitably qualified person in accordance with AS/NZS1547 |
| vertical separation distance | means the distance measured vertically through the ground from the base of the land application area to a feature such as bedrock, a limiting layer or groundwater. The distance to groundwater is measured to the highest known seasonal water table. |

E23.4 Use and Development Exempt from this Code

- E23.4.1 Residential development on sites greater than 5,000 m² is exempt from this code except if any of the following applies:
 - (a) development is for multiple dwellings;
 - (b) any part of the site is below 3 m AHD;
 - (c) the site cannot accommodate an inscribed circle with a diameter of 50 m.

E23.5 Application Requirements

- E23.5.1 In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information if considered necessary to determine compliance with all applicable standards:
 - (a) a site and soil evaluation;
 - (b) certification from a structural engineer that the risk of effluent reducing the bearing capacity of a building's foundations is acceptably low;
 - (c) certification from a structural engineer for the design of a barrier that ensures that the risk of effluent reducing the bearing capacity of a building's foundation is acceptably low.

E23.6 Use Standards

E23.6.1 No use standards in this code.

E23.7 Development Standards for Residential Development

E.23.7.1 Development Standards for Residential Development

| Objective: | | | |
|---|--|--|--|
| To ensure sustainable onsite wastewater management for residential development. | | | |
| Acceptable Solutions Performance Criteria | | | |

| A1 | | P1 | |
|--|--|---|--|
| A new dwelling must be provided with a land application area that complies with Table E23.1. | | The land application area is of sufficient size to comply with the requirements of AS/NZ1547. | |
| A2 | | P2 | |
| An addition or alteration to an existing dwelling, or change of use to a dwelling, must not encroach onto an existing land application area and comply with at least one of the following: | | The land application area is of sufficient size to comply with the requirements of AS/NZ1547. | |
| (a) | not increase the number of bedrooms or otherwise increase the potential volume of wastewater generated onsite; | | |
| (b) | not increase the number of bedrooms or otherwise increase the potential volume of wastewater generated onsite to greater than that allowed for in the design of the existing OWMS; | | |
| (c) | provide a land application area that complies with Table E23.1. | | |

E23.8 Development Standards for Non-Residential Development

E.23.8.1 Development Standards for Non-Residential Development

| Objective: | | | |
|---|--|---|--|
| To ensure sustainable onsite wastewater management for non-residential development. | | | |
| Acceptable Solutions | | Performance Criteria | |
| A1 | | P1 | |
| A land application area development must con | for non-residential nply with the following: | The land application area is of sufficient size to comply with the requirements of AS/NZ1547. | |
| (a) if including bedrooms, (such as visitor accommodation), the size of the land application areas must comply with Table E.23.1; | | | |
| (b) if other development, design flow rates must be no less than the rates provided in the following table: | | | |
| Wastewater Fixture: Flow Design Allowance per | | | |
| person | | | |
| | per day: | | |
| Closet Pan: 50L | | | |
| Urinals 25L | | | |
| Washbasin: 10L | | | |
| Shower: 30L | | | |

| Bath: | 30L | |
|----------|-----|--|
| Laundry: | 30L | |

E23.9 Development Standards for Subdivision

E.23.9.1 Development Standards for New Lots

| Objective: | | | |
|--|--|--|--|
| To ensure sustainable onsite wastewater management for new lots. | | | |
| Acceptable Solutions Performance Criteria | | | |
| A1 | P1 | | |
| A new lot must have an area no less than: 5,000 m2. | The area of a new lot must be adequate to accommodate a land application area of sufficient size to comply with the requirements of AS/NZ1547 for a dwelling containing a minimum of 3 bedrooms. | | |
| A2 | P2 | | |
| Subdivision is not prohibited by the relevant zone standards. | No Performance Criteria. | | |

E.23.9.2 Development Standards for New Boundaries

Objective:

To ensure subdivisions and boundary adjustments creating new boundaries do not increase the potential for existing onsite wastewater management systems and land application areas to cause environmental harm.

| Acceptable Solutions | Performance Criteria | |
|--|--|--|
| A1 | P1 | |
| A new boundary must have a separation distance from an existing land application area that complies with E.23.10.1 A3. | A new boundary must have a separation distance from an existing land application area that satisfies E.23.10.1 P3. | |

E23.10 Development Standards for Land Application Areas

E23.10.1 Land Application Areas

Objective:

To provide for sustainable onsite wastewater management through the provision of appropriate land application areas.

| Acceptable Solutions | Performance Criteria | | |
|--|--|--|--|
| A1 | P1 | | |
| Horizontal separation distance from a building to a land application area must comply with one of the following: | Horizontal separation distance from a building to a land application area must satisfy all of the following: | | |
| (a) be no less than 6m; | (a) effluent must be no less than secondary treated effluent standard and applied | | |

- (b) be no less than;
 - (i) 2m from an upslope or level building;
 - (ii) if primary treated effluent be no less than 4m plus 1m for every degree of average gradient from a downslope building;
 - (iii) if secondary treated effluent and subsurface application, no less than 2m plus 0.25m for every degree of average gradient from a down slope building.
- through a subsurface land application system;
- (b) be no less than 2m.

A2

Horizontal separation distance from downslope surface water to a land application area must comply with any of the following:

- (a) be no less than 100m;
- (b) if the site is within a high rainfall area or the site soil category is 4, 5 or 6, be no less than the following;
 - if primary treated effluent standard or surface application, 50m plus 7m for every degree of average gradient from downslope surface water;
 - (ii) if secondary treated effluent standard and subsurface application, 50m plus 2m for every degree of average gradient from down slope surface water.
- (c) if the site is not within a high rainfall area or the site soil category is not 4, 5 or 6, be no less than the following;
 - if primary treated effluent 15m plus 7m for every degree of average gradient from downslope surface water;
 - (ii) if secondary treated effluent and subsurface application, 15m plus 2m for every degree of average gradient from down slope surface water.

P2

Horizontal separation distance from downslope surface water for a land application area must satisfy all of the following:

- (a) effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system;
- (b) be no less than 15m;
- (c) the surface water is not of high resource or environmental value;
- (d) the average gradient is no more than 16 degrees;
- (e) the site is not in a flood prone area with an ARI of no less than 20 years;
- (f) either of the following applies:
- (i) the site soil category is 1, 2 or 3;
- (ii) a raised bed is used.

A3

Horizontal separation distance from a property boundary to a land application area must comply with either of the following:

(a) be no less than 40m from a property

Р3

Horizontal separation distance from a property boundary to a land application area must satisfy all of the following:

(a) effluent must be no less than secondary treated effluent standard and applied

boundary;

- (b) be no less than:
 - (i) 1.5m from an upslope or level property boundary; and
 - (ii) if primary treated effluent 2m for every degree of average gradient from a downslope property boundary; or
 - (iii) if secondary treated effluent and subsurface application, 1.5m plus 1m for every degree of average gradient from a downslope property boundary.

- through a subsurface land application system;
- (b) be no less than 1.5m
- (c) the average gradient is no more than 16 degrees;
- (d) either of the following applies:
 - the vertical separation between the land application area and groundwater or any limiting layer is no less than 1.5m;
 - (ii) a raised bed is used to achieve a minimum vertical separation of 1.5m between the land application area and groundwater or any limiting layer.

Α4

Horizontal separation distance from a downslope bore, well or similar water supply to a land application area must be no less than 50m.

P4

Horizontal separation distance from a downslope bore, well or similar water supply to a land application area must satisfy all of the following:

- (a) effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system;
- (b) be no less than 15m;
- (c) the water is not high resource value water.

A5

Vertical separation distance between groundwater and a land application area must be no less than 1.5m.

P5

Vertical separation distance between groundwater and a land application area must satisfy all of the following:

- (a) effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system;
- (b) vertical separation distance must be no less than 0.5m, (whether 'in ground' or by use of a raised bed).

Α6

Vertical separation distance between a limiting layer and a land application area must be no less than 1.5m.

P6

Vertical separation distance between a limiting layer and a land application area must satisfy all of the following:

 effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system;

| | | (b) | vertical separation distance must be no less than 0.5m, (whether 'in ground' or by use of a raised bed). |
|-----|---|------|--|
| A7 | | P7 | |
| | arrangement of a land application area must ply with both of the following: | No P | erformance Criteria. |
| (a) | not include areas beneath buildings, driveways or other hard stand areas; | | |
| (b) | have a minimum horizontal dimension of 3m. | | |

Table E23.1 Minimum Land Application Area

| Soil category for top 1.5m of soil profile as listed in AS/NZs 1547, (refer notes). | Area required per bedroom for primary treatment effluent. | Area required per bedroom for secondary treatment effluent. |
|---|---|---|
| 1 (Sand) | 50m² | 50m² |
| 2 (Sandy loam) | 60m² | 55m² |
| 3 (Loam) | 90m² | 70m² |
| 4 (Clay loam) | 120m² | 80m² |
| 5 (Light clay) | 180m² | 100m² |
| 6 (Clay) | 180m² | 130m² |

Notes to Table:

- (a) Where the soil in the upper 1.5m of the soil profile comprises two or more soil categories, the required area must be calculated on the basis of the requirements for the predominant soil category.
- (b) If dispersive soils or a limiting layer are encountered within the upper 1m of the soil profile, then the area required must be calculated on the basis of the requirements for Category 6 soil.

Part F

Specific Area Plans

F1.0 Franklin Heritage Specific Area Plan

F1.1 Purpose of Specific Area Plan

The purpose of this provision is to:

- recognise and protect the heritage and character values of Franklin that are set out in Table F1.1;
- (b) provide for sympathetic building height, scale, bulk and form and subdivision design;
- (c) recognise and protect vistas to and from the Franklin foreshore.

F1.2 Application of Specific Area Plan

The specific area plan applies to the area of land designated as Franklin Heritage Specific Area Plan on the Planning Scheme maps.

F1.3 Development Exempt from this Specific Area Plan

The following development is exempt from this Specific Area Plan:

- (a) internal alterations to buildings;
- (b) restoring or reinstating original building fabric;
- (c) structural stabilisation works not visible externally upon completion;
- (d) building works, alterations, and modifications required for compliance with fire regulations under the Building Code of Australia not visible externally upon completion;

F1.4 Application Requirements

In addition to any other application requirements, the planning authority may require the applicant to provide any of the following information to determine compliance with development standards:

- (a) a conservation plan;
- (b) photographs, drawings or photomontages necessary to demonstrate the impact of the proposed development on the heritage values of the place;
- (c) a statement of significance;
- (d) a heritage impact statement.

F1.5 Use Standards

There are no use standards for this Specific Area Plan.

F1.6 Development Standards for Buildings and Works

F1.6.1 Building Height

Objective:

To ensure that building height is sympathetic to the heritage and character values of Franklin and does not result in unreasonable impact on amenity of adjoining land.

| Acceptable Solutions | Performance Criteria | | |
|---|--|--|--|
| A1 | P1 | | |
| Building height, except for an outbuilding or a fence, must be no more than: (a) 4m in the Open Space Zone; (b) 5m otherwise. | P1 Building height must satisfy all of the following: (a) be consistent with the heritage and character values of Franklin. (b) be compatible with the height of existing buildings on adjoining lots, particularly any building on the Tasmanian Heritage Register; (c) be proportional to the scale, bulk and form of the building having regard to the heritage and character values of Franklin and any specific heritage values of adjacent buildings; (d) minimise loss of view to and from the Huon River foreshore from public land and roads; | | |
| | (e) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by: | | |
| | (i) overlooking and loss of privacy; (ii) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; | | |
| | (iii) visual impact when viewed from adjoining lots, due to bulk and height. | | |
| A2 | P2 | | |
| A dwelling must have no more than one habitable storey except for a dormer room. | No Performance Criteria. | | |

F1.6.2 Setback

Objective:

To ensure that building setback is sympathetic to the heritage and character values of Franklin, is sympathetic to the prevailing building setback from a frontage and does not result in unreasonable impact on residential amenity of adjoining land.

| Acceptable Solutions | Performance Criteria |
|----------------------|----------------------|
|----------------------|----------------------|

A1

Building setback from frontage must be parallel to the frontage and must be:

- (a) no more than 3m;
- (b) no less than an existing building on site if for an addition.

P1

Building setback from frontage must satisfy all of the following:

- (a) be consistent with the heritage and character values of Franklin;
- (b) be compatible with the prevailing building setback from frontage of other buildings on the same side of a road and within 100m of the site, generally maintaining a continuous building line in the streetscape;
- (c) be sympathetic with the building setback from frontage of any building on the Tasmanian Heritage Register on or adjoining the site.

A2

Building setback from side and rear boundaries must be no less than 3m.

P2

Building setback from side and rear boundaries must satisfy all of the following:

- (a) retain existing or potential vehicular access to the rear of the site;
- (b) be appropriate for the height, scale, bulk and form of the building and other buildings in the streetscape having regard to the heritage and character values of Franklin;
- (c) be sympathetic to any building on the Tasmanian Heritage Register on or adjoining the site having regard to the height, scale, bulk and form
- (d) be sufficient to prevent unreasonable adverse impacts on residential amenity on adjoining lots by:
 - (i) overlooking and loss of privacy;
 - (ii) overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours;
 - (iii) visual impact, when viewed from adjoining lots, through building bulk and massing.

F1.6.3 Design

Objective:

To ensure that building design is sympathetic to the heritage and character values of Franklin.

| Acceptable Solutions | Performance Criteria | |
|--|---|--|
| A1 | P1 | |
| No acceptable solution. | Building design for a new structure, except for a outbuilding or a fence, must satisfy all of the following: | |
| | (a) provide a height, scale, bulk and form that complements buildings within 100m of the site; | |
| | (b) is sympathetic to any building on the Tasmanian Heritage Register within 100m of the site; | |
| | (c) not result in detriment to the heritage and character values of Franklin; | |
| | (d) avoid imitation of a building on the Tasmanian Heritage Register within this Specific Area Plan. | |
| A2 | P2 | |
| An addition to an existing building must be located to the rear of that building as viewed from the primary frontage. | Additions to a building must compliment the heritage and character values of Franklin. | |
| A3 | Р3 | |
| A building, except for an outbuilding, must have a roof pitch no less than 22.5 degrees. | A building, except for an outbuilding, must have a roof pitch that when viewed in combination with the height, scale, bulk and form of other building elements compliments the heritage and character values of Franklin. | |
| A4 | P4 | |
| External wall cladding of a building must not be comprised of face brick, steel, masonry, cement sheet, concrete or equivalent materials to more than 10% of the surface area. | External wall cladding of a building must when viewed in combination with the height, scale, bulk and form of the building compliment the heritage and character values of Franklin. | |
| A5 | P5 | |
| Roof materials must be tin, metal, Colorbond or equivalent. | No Performance Criteria. | |

F1.6.4 Landscaping

Objective:

To ensure that a safe and attractive landscaping treatment enhances the appearance of sites for non-residential use.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Landscaping along the frontage of a site is not required if one of the following apply: | Landscaping must be provided for sites for non- residential use to satisfy all of the following: |

- (a) development is associated with a residential use;
- (b) an existing or proposed building extends across the width of the frontage (except for vehicular access ways) with a setback to frontage of less than 1m.
- (a) enhance the appearance of the development;
- (b) provide a range of plant height and forms to create diversity, interest and amenity;
- (c) not create concealed entrapment spaces;
- (d) be consistent with the heritage and character values of Franklin.

F1.6.5 Outdoor Storage Areas

Objective:

To ensure that outdoor storage areas for non-residential use do not detract from the appearance of the site or the locality.

| Acceptable Solutions | | Performance Criteria | | |
|----------------------|---|--|---|--|
| A1 | | P1 | | |
| | door storage areas for a non-residential use st comply with all of the following: | Outdoor storage areas for a non-residential must satisfy all of the following: | | |
| (a) | be located behind the building line and the goods and materials stored therein screened from public view; | (a) | be located, treated or screened to avoid unreasonable adverse impact on the visual amenity of the locality; | |
| (b) | not encroach upon car parking areas, driveways or landscaped areas. | (b) | not encroach upon car parking areas, driveways or landscaped areas. | |

F1.6.6 Fencing

Objective:

To ensure that the height and design of a front fence is consistent with the heritage and character values of Franklin.

| Acc | eptable Solutions | Per | formance Criteria |
|-----------|--|------------|--|
| A1 | | P1 | |
| | fences and gates of greater height than 0.7m must not be erected within 4.5m of the frontage; fences along a frontage must be 60% transparent. | Fen her | cing must contribute positively to the itage and character values of Franklin. having and to all of the following: the height of the fence which must be no more than 1m within 4.5m of a frontage; the transparency of the fence which must be no less than 20% if along a frontage; the prevailing height and transparency of fences along a frontage within 100m of the site; the design of the fence; the fence materials and construction; |
| | | (f) | the nature of the use. |

F1.6.7 Outbuildings

Objective:

To ensure that the size, number and siting of outbuildings does not detract from the heritage and character values of Franklin.

| Acce | Acceptable Solutions | | Performance Criteria | |
|------|--|---|--|--|
| A1 | | P1 | | |
| inco | ouildings (including garages and carports not rporated within the dwelling) must comply all of the following: have a combined floor area no more than | Outbuildings (including garages and carports no incorporated within the dwelling) must be designed and located to satisfy all of the following: | | |
| | 60m2; | (a) | not be visually prominent from the road; | |
| (b) | have a individual floor area no more than 36m2; | (b) | maintain the primacy of the presentation of a existing or proposed dwelling or other | |
| (c) | have a building height no more than 4.5 m; | | commercial building on the site; | |
| (d) | have setback from frontage no less than 5m greater than the setback of the existing or | (c) | be consistent with the scale of outbuildings on the site or in close visual proximity; | |
| | proposed dwelling on the site. | (d) | be consistent with the heritage and character values of Franklin. | |

F1.6.8 Siting of car parking

Objective:

To ensure that the location of uncovered car parking spaces does not detract from the heritage and character values of Franklin.

| Acceptable Solutions | Performance Criteria |
|--|---|
| A1 | P1 |
| boats or other vehicles must only be to the rear | The siting of uncovered parking spaces for cars, boats or other vehicles must satisfy all of the following: |
| | (a) maintain the primacy of the presentation of a existing or proposed dwelling or other commercial building on the site; |
| | (b) be consistent with the heritage and character values of Franklin. |

F1.6.9 Demolition

Objective:

To ensure that the demolition in whole or in part of buildings or works does not detract from the heritage and character values of Franklin.

| Acceptable Solutions | Performance Criteria |
|---|---|
| A1 | P1 |
| Demolition must not result in the loss of any of the following: | Demolition must not result in the loss of any of the following: |
| (a) no more than 20m2 of floor area; | (a) buildings or works that are integral to the |

| (b) | buildings or works within 20m of the frontage. | (b) | continction outle | tage and character values of Franklin; tributory fabric or landscape elements, uding plants, trees, fences, paths, buildings and other items, that tribute to the heritage and character les of Franklin; |
|-----|--|------|-------------------|---|
| | | unle | ss all | of the following apply; |
| | | | (i) | there are, environmental, social, economic or safety reasons of greater value to the community than the elements that contribute to heritage and character values of Franklin; |
| | | | (ii) | there are no prudent or feasible alternatives; |
| | | | (iii) | opportunity is created for a replacement building that will be more complimentary to the heritage and character values of Franklin. |

F1.6.10 Standards for Signs

Objective:

To ensure the size, design and siting of signs complements and does not impact on the heritage and character values of Franklin that are set out in Table F1.1.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| A sign must comply with clause E17.7.2 A1 of this Planning Scheme. | A sign must comply with clause E17.7.2 P1 of this Planning Scheme. |

F1.6.11 No build areas

Objective:

To preserve important vistas of the Huon River from side streets and lanes and from the Huon Highway near the entrance to Franklin.

| Acceptable Solutions | Performance Criteria |
|--|--|
| A1 | P1 |
| Buildings or works are not located within the areas depicted by grey hatching and marked 'no build areas' on the planning scheme maps. | Buildings or works located within the areas depicted by grey hatching and marked no build areas on the planning scheme maps must have minimal intrusction into views of the Huon River from a public road. |

F1.6.12 Multiple Dwelling Density

Objective:

To preserve the heritage and character values of Franklin by limiting the density of multiple dwellings.

| Acceptable Solutions | Performance Criteria |
|--|--------------------------|
| A1 | P1 |
| No more than two dwellings per lot as in existence at 1 July 2012. | No Performance Criteria. |

Table F1.1 Heritage and character values of Franklin

Heritage and character values of Franklin.

| Heritage and ch | aracter values of Franklin. |
|-------------------------------|---|
| Description | Franklin is a small, riverside rural township. Franklin's origins lie with the philanthropy of Lady Jane Franklin who formed 'the Settlement' during the 1830's in an area now known as Franklin. Franklin has since developed with a unique sense of place informed by its riverside setting and surrounding rural hinterland together with the form, scale and positioning of buildings. Franklins' numerous historic cultural heritage places also contribute to the sense of place of Franklin. The design, scale, bulk and form of all buildings contribute to the character of Franklin and its streetscapes. |
| Heritage and character values | Heritage and character values of Franklin, that are to be maintained, are all of the following: |
| of Franklin. | a strong linear form positioned between the Huon River and rural hills affording extensive views of the river and creating a strong sense of place; |
| | the established and well defined approaches to Franklin from the north and south; |
| | evidence of the boundaries of 'the Settlement'; |
| | the extensive reclaimed foreshore area providing opportunities for open space and recreation; |
| | a mix of land uses, particularly along Main Street / Huon Highway, resulting in part from the lack of a central commercial area; |
| | a dominance of single storey, modest dwellings with the majority dating from either pre-1910 or the inter-war period; |
| | public and commercial buildings of a scale commensurate with older dwellings or, in some instances, key landmarks in the streetscape through the unique use of height, scale and brick facade; |
| | a dominance of timber cladding and corrugated iron roofs (or modern equivalents) in buildings; |
| | the strong street presence of dwellings and commercial buildings achieved through minimal frontage setbacks and design elemetrs such as front verandahs or pations that clearly defined the main pedestrian access, which is positioned to face the street; |
| | garages, carports, outbuildings and car parking areas positioned to the rear of buildings enhancing the street presence and primacy of dwellings and commercial buildings in the streetscape; |
| | small-scale, transparent front fencing often complemented by incorporated low-level landscaping or physical front fencing substituted by low-level |

landscaping;

 relatively narrow roads and lanes leading off Main Street / Huon Highway that exhibite low level road engineering with the absence of kerb and gutter or concrete foothpaths and rise up towards the western slopes in at times ad hoc alignments.

F1.7 Development Standards for Subdivision

F1.7.1 Maximum Number of New Lots off Main Street / Huon Highway

Objective:

To preserve the heritage and character values of Franklin by limiting the number of new lots that can be created if fronting Main Road / Huon Highway.

| Acceptable Solutions | Performance Criteria |
|---|--------------------------|
| A1 | P1 |
| For a lot with frontage to Main Road / Huon Highway, subdivision must create no more than one new lot from a parent lot in existence as at 1 July 2012. | No Performance Criteria. |

F1.7.2 Subdivision

Objective:

To ensure that subdivision is sympathetic to the historic pattern of subdivision and does not create potential for future incompatible development.

| Acceptable Solutions | Performance Criteria | |
|-------------------------|--|--|
| A1 | P1 | |
| No acceptable solution. | Subdivision must not result in any of the following: | |
| | (a) detriment to the heritage and character values of Franklin; | |
| | (b) a pattern of subdivision unsympathetic to the heritage and character values of Franklin or the prevailing subdivision pattern; | |
| | (c) size and shape of lots unsympathetic to the heritage and character values of Franklin or the prevailing subdivision pattern; | |
| | (d) loss of curtilage to an existing building that contributes to the heritage and character values of Franklin; | |
| | (e) potential for a confused understanding of the development of Franklin; | |
| | (f) an increased likelihood of future development that is incompatible with the | |

Map F1.0 Franklin Heritage Specific Area Plan - LISTmap

Open the full map extent (link to the interactive map)



F2.0 Eggs and Bacon Bay Specific Area Plan

F2.1 Purpose of Specific Area Plan

The following provision carries forward existing provisions from the Port Cygnet Planning Scheme 1988 with minor modifications to development standards, such as a slightly larger (and more practical) maximum outbuilding size.

It is necessary to do so to carry forward building envelopes and maximum building footprints for lots in this area which are not specified as covenants on the lots.

The purpose of this provision is to:

- (a) retain the existing character of modest single storey shacks and dwellings set amongst native coastal vegetation;
- (b) provide for continued public access to the foreshore;

F2.2 Application of Specific Area Plan

The specific area plan applies to the area of land designated as Eggs and Bacon Bay Specific Area Plan on the Planning Scheme maps.

F2.3 Development Exempt from this Specific Area Plan

There is no development exempt from this Specific Area Plan.

F2.4 Application Requirements

There are no application requirements for this Specific Area Plan.

F2.5 Use Table

| No Permit Required | | |
|--|---|--|
| Use Class Qualification | | |
| Permitted | | |
| Use Class | Qualification | |
| Natural and cultural values management | | |
| Passive recreation | | |
| Residential | Only if single dwelling, ancillary dwelling or home based business. | |
| | Except if located on CT 138460/11 and CT 138460/21. | |
| Utilities | Only if located on CT 138460/11 or CT 138460/21 and if located on CT 138460/21 it is for the treatment of sewage. | |
| Discretionary | | |
| Use Class | Qualification | |
| Sports and recreation | | |
| Utilities | Except if permitted. | |
| Visitor accommodation | Except if located on CT 138460/11 and CT 138460/21 | |
| Prohibited | , | |
| Use Class | Qualification | |
| All other uses. | | |

F2.6 Use Standards

There are no use standards for this Specific Area Plan

F2.7 Development Standards for Buildings and Works

F2.7.1 Building Height

| Objective: | | |
|---|--------------------------|--|
| To ensure that building height contributes positively to the landscape and retains a modest scale of buildings. | | |
| Acceptable Solutions | Performance Criteria | |
| A1 | P1 | |
| Building height must be no more than 5m. | No Performance Criteria. | |

F2.7.2 Setback

| Objective: |
|---|
| To ensure that building setback contributes positively to the coastal landscape and does not result |

| in u | in unreasonable impact on residential amenity. | | | |
|---|---|--------------|----------------------|--|
| Acceptable Solutions Performance Criteria | | nce Criteria | | |
| A1 | | P1 | | |
| | lding setback for an outbuilding must comply hall of the following: no less than 3m from frontage and side | Buil (a) | be su | etback must satisfy all of the following: Ifficient to prevent unreasonable rse impacts on residential amenity by: |
| (b) | boundary; no less than 8m from rear boundary. | | : | overshadowing and reduction of sunlight to habitable rooms and private open space on adjoining lots to less than 3 hours between 9.00 am and 5.00 pm on June 21 or further decrease sunlight hours if already less than 3 hours; |
| | | | (iii) | overlooking and loss of privacy; visual impact when viewed from adjoining lots; |
| | | b) | | mise adverse impact on the landscape oss of native vegetation; |

F2.7.3 Maximum gross floor area per lot

| Objective: | |
|--|--------------------------|
| To ensure that buildings are of a modest scale. | |
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Floor area of a building must not exceed the amount specified for the lot in Table F2.1. | No Performance Criteria. |

Table F2.1 Maximum gross floor area per lot

Table F2.1 Maximum gross floor area per lot.

| Lot | Maximum gross floor area, except for an outbuilding | Maximum gross floor area for an outbuilding |
|--------------|---|---|
| CT 138460/2 | 130 | 18 |
| CT 138460/3 | 130 | 18 |
| CT 138460/4 | 81 | 18 |
| CT 138460/5 | 102 | 18 |
| CT 138460/6 | 130 | 18 |
| CT 138460/7 | 125 | 18 |
| CT 138460/8 | 130 | 18 |
| CT 138460/9 | 115 | 18 |
| CT 138460/10 | 130 | 18 |

F2.8 Development Standards for Subdivision

F2.8.1 Subdivision

| Objective: | | |
|---|--------------------------|--|
| To prevent the subdivision of land within the Specific Area Plan. | | |
| Acceptable Solutions Performance Criteria | | |
| A1. | P1 | |
| No subdivision. | No Performance Criteria. | |

F3.0 Green Point Specific Area Plan

F3.1 Purpose of Specific Area Plan

To limit the number of buildings for residential and visitor accommodation use.

F3.2 Application of Specific Area Plan

The specific area plan applies to the area of land designated as Green Point Specific Area Plan on the Planning Scheme maps.

F3.3 Development Exempt from this Specific Area Plan

There is no development exempt from this Specific Area Plan.

F3.4 Application Requirements

There are no application requirements for this Specific Area Plan.

F3.5 Use Table

| No permit required | | | | |
|--------------------------------------|---|--|--|--|
| Use Class | Qualification | | | |
| Permitted | Permitted | | | |
| Use Class Qualification | | | | |
| Residential Only if single dwelling. | | | | |
| Visitor accommodation | Only if for bed and breakfast establishment, holiday cabin, holiday unit or serviced apartment. | | | |
| Discretionary | • | | | |
| Use Class Qualification | | | | |
| Prohibited | | | | |
| Use Class | Qualification | | | |
| All other uses. | | | | |

F3.6 Use Standards


F3.7 Development Standards for Buildings and Works

F3.7.1 Maximum number of buildings for residential and visitor accommodation use

| Objective: | |
|---|--|
| To retain established limitations on residential de | velopment to protect the scenic landscape. |
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| For the residential use class no more than two single dwellings and no other residential use shall be constructed except for non- habitable structures. | No Performance Criteria. |
| A2 | P2 |
| For the visitor accommodation use class no more than two structures shall be constructed except for non-habitable buildings. | No Performance Criteria. |

Map F3.0 Green Point Specific Area Plan - LISTmap

Open the full map extent (link to the interactive map)



F3.8.1 Subdivision

| Objective: | |
|----------------------------|--------------------------|
| To prevent subdivision. | |
| Acceptable Solutions | Performance Criteria |
| A1 | P1 |
| Subdivision is prohibited. | No Performance Criteria. |

F4.0 Wellington Park Specific Area Plan

F4.1 Purpose of Specific Area Plan

F4.1.1 The purpose of this specific area plan is to ensure that use and development in Wellington Park is undertaken in accordance with the Wellington Park Management Plan.

F4.2 Application of Specific Area Plan

- F4.2.1 This specific area plan applies to Wellington Park as defined^{L1} in the *Wellington Park Act* 1993.
- F4.2.2 Notwithstanding any other provision of this planning scheme any use or development of land in Wellington Park must be undertaken in accordance with the provisions of the Wellington Park Management Plan^{L2}.

Footnotes

- L1 Wellington Park means
 - (a) the area of land indicated as bounded by a heavy black line on Plan No. 2789 in the Central Plan Register, a reduced copy of which is set out, by way of illustration only, in Schedule 1 (Wellington Park Act 1993); or
 - (b) that area of land as varied pursuant to sections 6, 7 and 8 of the *Wellington Park Act 1993*.
- L2 Management plan means any management plan approved under section 23 (*Wellington Park Act 1993*) and for the time being in force in respect of Wellington Park.

Appendices

Appendix 1 - Referenced and Incorporated Documents

Incorporated Documents

| Incorporated Documents | | |
|------------------------|--------------------|-------------|
| Document Title | Description | Date |
| insert document title | insert description | insert date |

Referenced Documents

| Referenced Documents | | |
|-----------------------|--------------------|-------------|
| Document Title | Description | Date |
| insert document title | insert description | insert date |

Appendix 2 - Planning Scheme Amendments

| Number | Description | Effective Date |
|---------------|--------------------|----------------|
| insert number | insert description | insert date |

Appendix 3 - Planning Purposes Notice

Decision

| Description | Effective Date |
|--------------------------|------------------|
| Planning Purposes Notice | 22 February 2021 |

Land Use Planning and Approvals Act 1993

PLANNING PURPOSES NOTICE

I, ROGER CHARLES JAENSCH, the Minister for Planning, in pursuance of section 30EA(9) of the Land Use Planning and Approvals Act 1993 (the Act) and on the recommendation of the Tasmanian Planning Commission, revoke the planning purposes notice issued on 20 August 2015; and further, in pursuance of section 30EA(2) of the Act and on the recommendation of the Tasmanian Planning Commission, issue the following planning purposes notice:

- (a) A local provision contained within a code or specific area plan specified in Part 1 of Schedule 1 is, if included in a relevant scheme in relation to the municipal area for the Huon Valley Council, an overriding local provision where there is a conflict with any common mandatory provision in E1.0 Bushfire Prone Areas Code in the relevant scheme;
- (b) A local provision contained within a code or specific area plan specified in Part 2 of Schedule 1 is, if included in a relevant scheme in relation to the municipal area for the Huon Valley Council, an overriding local provision where there is a conflict with any common mandatory provision in Clause 10.0 General Residential Zone in the relevant scheme;
- (c) A local provision that:
 - (i) consists of a provision containing the wording set out in Part 3 of Schedule 1; or
 - (ii) is a provision specified in Part 3 of Schedule 1;

is, if included in a relevant scheme in relation to the municipal area for the Huon Valley Council, a conflicting local provision.

Dated this 22nd day of February 2021

ROGER CHARLES JAENSCH

Minister for Planning

Schedule 1

| Part 1 - | - Overriding local provisions – E1.0 Bushfire Prone Areas Code |
|--|---|
| E3.0 | Landslide Code |
| E5.0 | Road and Railways Assets Code |
| E8.0 | Electricity Transmission Infrastructure Protection Code |
| E9.0 | Attenuation Code |
| E10.0 | Biodiversity Code |
| E11.0 | Waterways and Coastal Protection Code |
| E13.0 | Historic Heritage Code |
| E14.0 | Scenic Landscapes Code |
| E15.0 | Inundation Prone Areas Code |
| E16.0 | Coastal Erosion Hazard Code |
| E20.0 | Acid Sulphate Soils Code |
| E21.0 | Dispersive Soils Code |
| E23.0 | On-site Wastewater Management Code |
| F2.0 | Eggs and Bacon Bay Specific Area Plan |
| F3.0 | Green Point Specific Area Plan |
| | |
| Part 2 - | - Overriding local provisions – 10.0 General Residential Zone |
| Part 2 - E2.0 | - Overriding local provisions – 10.0 General Residential Zone Potentially Contaminated Land Code |
| | • |
| E2.0 | Potentially Contaminated Land Code |
| E2.0 E3.0 | Potentially Contaminated Land Code Landslide Code |
| E2.0 E3.0 E5.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code |
| E2.0 E3.0 E5.0 E7.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 E10.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code Waterways and Coastal Protection Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 E10.0 E11.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code Waterways and Coastal Protection Code Historic Heritage Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 E10.0 E11.0 E13.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code Waterways and Coastal Protection Code Historic Heritage Code Scenic Landscapes Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 E10.0 E11.0 E13.0 E14.0 E15.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code Waterways and Coastal Protection Code Historic Heritage Code Scenic Landscapes Code Inundation Prone Areas Code |
| E2.0 E3.0 E5.0 E7.0 E8.0 E9.0 E10.0 E11.0 E13.0 E14.0 E15.0 E16.0 | Potentially Contaminated Land Code Landslide Code Road and Railway Asset Code Stormwater Management Code Electricity Transmission Infrastructure Protection Code Attenuation Code Biodiversity Code Waterways and Coastal Protection Code Historic Heritage Code Scenic Landscapes Code Inundation Prone Areas Code Coastal Erosion Hazard Code |

Part 3 – Conflicting local provisions

Nil